



# SikaTile®-900 Rapid Pack

## ACCELERATOR ADDITIVE FOR PORTLAND CEMENT MORTARS AND GROUTS

- Used to help speed up work times in Portland cement mortar
- Does not affect mortar and grout performance characteristics
- More economical than standard rapid setting mortars
- Can be used in most products mud beds, masonry mortars, underlayments, thin sets, grouts, and most other Portland cement products
- **Packaging:** 1 lb. bag

### Attributes Include:



BUILDING TRUST



# SikaTile®-900 Rapid Pack

## ACCELERATOR ADDITIVE FOR PORTLAND CEMENT MORTARS AND GROUTS

### WHERE TO USE

- SikaTile®-900 Rapid Pack is an additive to accelerate set times for most Portland cement products.
- It can be used in mud beds, masonry mortars, underlayments, thin sets, grouts and most other Portland cement products

### HOW TO USE

Mix in a clean container that is to be used with the required product. Add water first, then add SikaTile®-900 Rapid Pack and mix thoroughly. Add desired product as normal and mix per manufacturer's requirements. One or two packages of SikaTile®-900 Rapid Pack may be added. Always try one first, then on subsequent mixes, add a second if desired

### FEATURES AND BENEFITS

- Used to help speed up work times in Portland cement mortar
- Does not affect mortar and grout performance characteristics
- More economical than standard rapid setting mortars
- Can be used in most products mud beds, masonry mortars, underlayments, thin sets, grouts, and most other Portland cement products
- Mold and mildew resistant

**NOTE:** Always refer to Current Product data Sheet and SDS for detailed performance specifications prior to use.

PRODUCTS	PRODUCT WEIGHT	AVERAGE SETTING TIMES*		
		WITHOUT RAPID PACK	WITH 1 RAPID PACK	WITH 2 RAPID PACKS
SikaTile®-300 Set	50 lbs.	7 Hours	2.5 Hours	1 Hour
Sika Tile®-350 Flex Set	50 lbs.	7 Hours	3.5 Hours	2.5 Hours
SikaTile®-400 LHT Pro Set, SikaTile®-450 LHT Secure Set, SikaTile®-475 LHT Premium Set	50 lbs.	7 Hours	4.5 Hours	2.5 Hours
SikaTile®-500 LHT Lite	30 lbs.	7 Hours	4.5 Hours	2.5 Hours
SikaTile®-800 Sanded Grout and SikaTile®-800 Unsanded Grout	25 lbs.	6 Hours	1.5 Hours	1 Hour
SikaTile® Underlayments @ 1" Thick	50 lbs.	8 Hours	2 Hours	1 Hour
SikaTile®-904 Deck Mud & SikaTile®-905 Fat Mud @ 1" Thick	50 / 60 lbs.	8 Hours	2 Hours	1 Hour

\*Set times may vary based on ambient conditions at 73°F (23°C) and 50% RH.



## FOR MORE INFORMATION:

Contact Sika: Phone 800.933.SIKA(7452) Website: [www.SikaTile.com](http://www.SikaTile.com)

### Sika Corporation

201 Polito Avenue  
Lyndhurst, NJ 07071  
Phone: 201-933-8800  
Fax: 201-933-6225

BUILDING TRUST

