

Sika® Armatec® 10 ZR

ONE-COMPONENT, ZINC RICH PRIMER FOR STEEL REINFORCEMENT

- Single component; easy to use
- Excellent adhesion to steel
- High zinc content to protect reinforcing steel from corrosion
- Higher bond strength
- Long application life
- Brushed on product

Available in

Can 1 qt (0.95 liter)





Sika® Armatec® 10 ZR

ONE-COMPONENT, ZINC RICH PRIMER FOR STEEL REINFORCEMENT

DESCRIPTION

Sika® Armatec® 10 ZR is a one-component, moisture cured primer modified with zinc, to provide protection against corrosion for reinforcing steel.

USES

 Use as an anti-corrosion primer applied directly onto mechanically prepared reinforcing steel surfaces.

APPLICATION

- Use a 3/8" (10 mm) nap roller or a round brush.
- Apply one coat (5 mils wet film thickness) onto a dry, rust-free surface.
- Take special care to properly coat the underside of the totally exposed, mechanically prepared steel.
- Allow Sika® Armatec® 10 ZR to dry for a minimum of 1h 30 minutes (or tack free to the touch) before the repair mortar or concrete is applied.
- Pour or place cementitious repair mortar or concrete within 7 days maximum.

BENEFITS

- Single component; easy to use.
- Excellent adhesion to steel.
- High zinc content to protect reinforcing steel from corrosion.
- Higher bond strength.
- Long application life.
- Brushed on product.
- Compatible with cementitous repair mortars and concrete.
- Interior and exterior applications.


TYPICAL DATA

- Shelf Life: 12 months from date of production
- Storage Conditions: Store dry at 20° 110° F (-7° 43° C).
- Yield: 70 100 ft2 (6.5 9.3 m2) per unit

LITERATURE

- Product Data Sheet
- Safety Data Sheet
- CSI Specification

*Always refer to Current Product Data Sheet and SDS for detailed performance specifications prior to use.





Note: Advice on specific applications is available from the Technical Service Department of Sika Construction Products Division.

FOR MORE INFORMATION:

Contact Sika: Phone 800.933.SIKA(7452) Website: usa.sika.com

Sika Corporation

201 Polito Avenue Lyndhurst, NJ 07071 Phone: 201-933-8800 Fax: 201-933-6225

