



# SikaTile®-900 Rapid Pack

## ACCELERATOR ADDITIVE FOR PORTLAND CEMENT MORTARS AND GROUTS

- Used to help speed up work times in Portland cement mortar
- Does not affect mortar and grout performance characteristics
- More economical than standard rapid setting mortars
- Can be used in most products mud beds, masonry mortars, underlayments, thin sets, grouts, and most other Portland cement products
- **Packaging:** 1 lb. bag

### Attributes Include:



BUILDING TRUST



# SikaTile®-900 Rapid Pack

## ACCELERATOR ADDITIVE FOR PORTLAND CEMENT MORTARS AND GROUTS

### WHERE TO USE

- SikaTile®-900 Rapid Pack is an additive to accelerate set times for most Portland cement products.
- It can be used in mud beds, masonry mortars, underlayments, thin sets, grouts and most other Portland cement products

### HOW TO USE

Mix in a clean container that is to be used with the required product. Add water first, then add SikaTile®-900 Rapid Pack and mix thoroughly. Add desired product as normal and mix per manufacturer's requirements. One or two packages of SikaTile®-900 Rapid Pack may be added. Always try one first, then on subsequent mixes, add a second if desired

### FEATURES AND BENEFITS

- Used to help speed up work times in Portland cement mortar
- Does not affect mortar and grout performance characteristics
- More economical than standard rapid setting mortars
- Can be used in most products mud beds, masonry mortars, underlayments, thin sets, grouts, and most other Portland cement products
- Mold and mildew resistant

**NOTE:** Always refer to Current Product data Sheet and SDS for detailed performance specifications prior to use.

Product/Productos	Weight/Peso	AVERAGE SETTING TIMES/ TIEMPO DE FRAGUADO PROMEDIO*		
		Without Pack / Sin Pack	With 1 Pack / Sin 1 Pack	With 2 Packs / Sin 2 Pack
SikaTile®-300 Set, SikaTile®-350 Flex Set, SikaTile®-400 LHT Pro Set, SikaTile®-450 LHT Secure Set	50 lbs.	7 hours	2.5 hours	1 hour
SikaTile®-475 Premium LHT Set	50 lbs.	7 hours	No Change	4 hours
SikaTile®-500 LHT Lite	30 lbs.	7 hours	4 hours	N/A
SikaTile®-800 Unsanded Grout	10 lbs.	3 hours	Not Recommended	Not Recommended
SikaTile®-800 Sanded Grout	25 lbs.	3 hours	1 hour	Not Recommended
SikaTile®-904 Deck Mud	50 lbs.	5 hours	3 hours	2 hour
SikaTile®-905 Fat Mud	60 lbs.	6 hours	4 hours	3 hour

\*Set times may vary based on ambient conditions at 73°F (23°C) and 50% RH.



## FOR MORE INFORMATION:

Contact Sika: Phone 800.933.SIKA(7452) Website: [www.SikaTile.com](http://www.SikaTile.com)

**Sika Corporation**  
 201 Polito Avenue  
 Lyndhurst, NJ 07071  
 Phone: 201-933-8800  
 Fax: 201-933-6225

**BUILDING TRUST**

