

SIKA CORPORATION - ROOFING

WARRANTY SELECTION GUIDE

Warranty Duration ¹					Wind Speed (up to) ¹								Hail ¹				
Membrane - Thickness	5 - 15 Years	20 Years	25 Years	30 Years	System	Sheet Width	46 mph	60 mph	74 mph	99 mph	120 mph	Over 120 mph	Warranty Duration	Sarnafil Membrane			
Sarnafil, G410 & S327 - 60 mil ^{2,3}	●	●	-	-	Sarnafil Adhered ^{2,3}	all	-	●	●	●	●	-	Years	1.5" System ⁵	2.0" Limited System ⁶	2.0" System ⁷	
Sarnafil, G410 & S327 - 72 mil ^{2,3}	●	●	●	-	Sarnafil G410 SA	6.5'	-	●	●	●	-	-	5	60 mil	N/A	60 mil	
Sarnafil, G410 & S327 - 80 mil ^{2,3}	●	●	●	●	Sarnafil RhinoBond ³	all	-	●	●	●	● ⁴	-	10	60 mil	N/A	60 mil	
Sarnafil G410 SA - 60 mil	●	●	-	-	Sarnafil S327 Sarnafast ^{2,3} In-Seam, Single Weld	5'	-	●	●	●	●	-	15	60 mil	60 mil	72 mil	
Sikaplan Fastened - 45 mil ²	●	-	-	-		6.5'	-	●	●	●	-	-	-	20	72 mil	72 mil	80 mil
Sikaplan, Fastened & Adhered - 60 mil ²	●	●	-	-		10'	-	●	●	-	-	-	-				
Special Systems ¹¹	5 - 15 Years	20 Years	25 Years	30 Years	Sarnafil S327 Express ^{2,3} In-Seam, Double Weld	5' / 6.5'	-	●	●	●	●	-	Warranty Duration	Skylight ^{8,9}	PMR Insulation Panel ^{8,10}		
Décor (white, reflective gray, tan colors)	●	●	●	●	10'	-	●	●	●	-	-	-	Years	2.0"	2.0" (LightGuard®)	3.5" (HeavyGuard®)	
Décor (other colors)	●	●	-	-	Sarnafil S327 Engineered ^{2,3} Bar & Coverstrip	all	-	●	●	●	●	● ⁴	5	●	●	●	
RhinoBond	●	●	●	● ⁴	Sikaplan Adhered ²	all	●	●	●	● ⁴	-	-	10	●	●	●	
Recover	●	●	● ⁴	● ⁴	Sikaplan RhinoBond	all	●	●	●	● ⁴	-	-	15	●	●	●	
Accessories	5 - 15 Years	20 Years	25 Years	30 Years	Sikaplan Fastened ² In-Seam, Single Weld	5'	●	●	●	● ⁴	-	-	20	-	●	●	
Skylight ⁸ (watertightness)	●	●	-	-	10'	●	●	●	-	-	-	-	25	-	● ⁴	● ⁴	
Liquid Flashing	●	●	-	-									30	-	● ⁴	● ⁴	

¹ Requirements for deck and component securement must be met, additional enhancements may be required.

² Includes feltbacked membranes.

³ Includes textured membranes.

⁴ Special Warranty Request (SWR) required, written approval necessary by approved personnel within Corporate Technical.

⁵ Available for adhered systems & mech fastened systems (SWR required for Sarnafil Feltback membrane, excludes Sarnafil Textured membrane & Sikaplan membrane); Gypsum cover board required below membrane.

⁶ Available for adhered systems & mech fastened systems (SWR required for Sarnafil Feltback membrane, excludes Sarnafil Textured membrane & Sikaplan membrane); Gypsum cover board required below membrane; Replacement membrane only (no labor, no accessories).

⁷ Available for adhered systems & RhinoBond systems (SWR required for Sarnafil Feltback membrane, excludes Sarnafil Textured membrane & Sikaplan membrane); Gypsum cover board required below membrane; Gypsum cover board must be adhered to underlying insulation in adhered systems.

⁸ Products must be purchased through Sika Corporation to be eligible for Sika warranty coverage.

⁹ Skylight hail coverage only, when used on Sikaplan membrane systems.

¹⁰ Sarnafil membrane only.

¹¹ Membrane and Thickness requirements must be met.

