



BLIS.R25359 Caulkings and Sealants

[Page Bottom](#)

Caulking and Sealants

[See General Information for Caulking and Sealants](#)

SIKA CORPORATION
201 POLITO AVE
LYNDHURST, NJ 07071 USA

R25359

Caulking and sealant material.

Sikaflex 721 UV Applied to Inorganic Reinforced Cement Board+	
Flame spread	5
Smoke developed	0

+ - Tested as applied in one 3/8 in. diameter bead, OC (Coverage: 2.1 percent of exposed test samples area)

Sikaflex 221 SF Applied to Inorganic Reinforced Cement Board+	
Flame spread	10
Smoke developed	10

+ - Tested as applied in one 3/8 in. diameter bead, OC (Coverage: 2.1 percent of exposed test samples area)

Sikaflex 221 Applied to Inorganic Reinforced Cement Board+	
Flame spread	10
Smoke developed	5

+ - Tested as applied in one 3/8 in. diameter bead, OC (Coverage: 2.1 percent of exposed test samples area)

[Last Updated](#) on 2007-02-19[Questions?](#)[Print this page](#)[Notice of Disclaimer](#)[Page Top](#)

Copyright © 2010 Underwriters Laboratories Inc.®

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Listed and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Designs and/or Listings (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from Underwriters Laboratories Inc." must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "Copyright © 2010 Underwriters Laboratories Inc.®"

An independent organization working for a safer world with integrity, precision and knowledge.

