

SIKAFLEX® 11FC SEALANT OVER LEADING EDGE OF SIKAMULTISEAL® PLUS FLASHING MEMBRANE

SIKAMULTISEAL® PLUS FLASHING MEMBRANE

STEEL SHELF ANGLE

SIKAFLEX® OR SIKASIL® SEALANT

SIKA MEMBRAN® 540 SELF-ADHERED TRANSITION SEAM TAPE

HEAD

SIKA MEMBRAN® 540 SELF-ADHERED TRANSITION SEAM TAPE OR SIKAFLEX® 102 EVERFLASH MEMBRANE

ALTERNATE METHOD: PROVIDE BACKER ROD AND SEALANT AT INTERIOR CONNECTIONS.

BRICK VENEER
 AIR SPACE
 SIKAMEMBRAN® 540 SELF-ADHERED TRANSITION SEAM TAPE
 SIKAGARD® LIQUID APPLIED VAPORPERMEABLE AIR BARRIER
 EXTERIOR SHEATHING
 STUD FRAMING
 INSULATION

SILL

SIKAFLEX® OR SIKASIL® SEALANT

SIKA MEMBRAN® 540 SELF-ADHERED TRANSITION SEAM TAPE

SIKAGARD® LIQUID APPLIED VAPOR PERMEABLE AIR BARRIER

JAMB

NOTES:

1. A CONTINUOUS PLANE OF AIR TIGHTNESS IS ACHIEVED WHEN THE AIR BARRIER CONNECTION TO THE WINDOW FRAME IS WELL INTEGRATED.
2. THERE ARE SEVERAL COMBINATIONS FOR WINDOW ATTACHMENT AND DETAILING. REFER TO AAMA STANDARDS.
3. REFER TO SIKA TECHNICAL DATA SHEETS AND GUIDE SPECIFICATIONS FOR RECOMMENDED INSTALLATION PROCEDURES AND COMPATIBLE SEALANTS.
4. DETAIL REPRESENTS GENERAL ARRANGEMENT OF MATERIALS AND ASSEMBLIES, PROJECT SPECIFICATIONS GOVERN. DO NOT SCALE.
5. APPLYING THE LIQUID AIR BARRIER OVER SIKAMEMBRAN 540 IS NOT REQUIRED.



1-800-933-SIKA (7452)
 www.sikausa.com

JOB NAME:

DETAIL TITLE

WINDOW A DETAIL

SCALE:

N.T.S.

DATE:

10/14/2019

FILE NO.:

DRW. NO.:

AB-4

AS A MANUFACTURER OF CONSTRUCTION PRODUCTS, SIKA CORPORATION PROVIDES GENERIC DETAILS AS A GENERAL GUIDE FOR INFORMATION PURPOSES ONLY. THESE DETAILS ARE NOT INTENDED TO REPLACE SOUND ENGINEERING AND ARCHITECTURAL PRACTICES AND SHOULD NOT BE RELIED UPON FOR THAT PURPOSE. SIKA CORPORATION ASSUMES NO LIABILITY WITH RESPECT TO THE DESIGN OF THE SYSTEM. THE ARCHITECT, CONSULTANT AND/OR ENGINEER OR DESIGN PROFESSIONAL FOR A PARTICULAR PROJECT BEARS THE SOLE RESPONSIBILITY FOR THE DESIGN OF THE SYSTEM, FOR THE PREPARATION AND APPROVAL OF THE PROJECT SPECIFICATIONS, DETAILS AND SHOP DRAWINGS, AND FOR DETERMINING THEIR SUITABILITY FOR A PARTICULAR PROJECT OR APPLICATION. WHILE SIKA PROVIDES GENERAL INSTRUCTIONS FOR THE INSTALLATION OF ITS MATERIALS, THE MEANS AND METHODS USED BY THE CONTRACTOR FOR MATERIAL STORAGE, SUBSTRATE EVALUATION, SURFACE PREPARATION, AND THE INSTALLATION OF BOTH SIKA AND NON-SIKA MATERIALS ARE THE RESPONSIBILITY OF THE CONTRACTOR. THE CONTRACTOR MUST ALWAYS READ AND FOLLOW THE WARNINGS AND INSTRUCTIONS ON SIKA PRODUCT LABELS, TECHNICAL DATA SHEETS, AND MATERIAL SAFETY DATA SHEETS AVAILABLE AT WWW.SIKAUSA.COM. SIKA CORPORATION MAKES NO WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, AS TO THE CONTENT OF THIS GUIDE DETAIL. SIKA SHALL NOT BE RESPONSIBLE UNDER ANY LEGAL THEORY TO ANY THIRD PARTY FOR ANY DIRECT OR CONSEQUENTIAL DAMAGES OF ANY KIND ARISING FROM THE USE OF THIS GUIDE DETAIL. ALL PRODUCTS AND SERVICES PROVIDED BY SIKA CORPORATION ARE SUBJECT TO ITS TERMS AND CONDITIONS OF SALE AVAILABLE AT WWW.SIKAUSA.COM.