

## PRODUCT DATA SHEET

# Crossgrip XTRA

---

Crossgrip XTRA is a rolled-out, open grid, walkway mat

---

### PRODUCT DESCRIPTION

Crossgrip XTRA is a rolled-out, open grid, walkway mat used to protect Sarnafil® and Sikaplan® roof membranes from regular foot traffic.

### USES

Walkway mat to protect Sarnafil and Sikaplan roof membranes from regular foot traffic.

### AREAS OF APPLICATION

- Low-sloped roofs

### CHARACTERISTICS / ADVANTAGES

- Open grid design
- Loose-laid for easy installation
- Resists winds up to 60 mph

## PRODUCT INFORMATION

Chemical Base	Flexible PVC
Recycled Content	10% pre-consumer
Packaging	3 ft x 33 ft (91 cm x 10 m) roll, 118 lb (53.5 kg) per roll
Appearance / Color	Gray, White, and Yellow
Shelf Life	N/A
Storage Conditions	Store rolls on pallets and fully protected from the weather with clean canvas tarpaulins
Height	0.625" (15.8 mm)
Unit weight	1.2 lbs/ft <sup>2</sup> (5.8 kg/m <sup>2</sup> )

## TECHNICAL INFORMATION

Dimensional Stability	Shrinkage	Up to 2%
Reaction to Fire	Did not ignite	(UL 94 HB)
Design Considerations	Slip Resistance <sup>1</sup>	0.72/0.61 (Dry/Wet) (ASTM F-1677)
	Solar Reflectance <sup>2</sup>	EnergySmart White: 0.82 (ASTM C-1549) EnergySmart Gray: 0.51
	Thermal Emittance <sup>2</sup>	EnergySmart White: 0.82 (ASTM C-1371) EnergySmart Gray: 0.81
	Solar Reflective Index <sup>2</sup>	EnergySmart White: 102 (ASTM E-1980) EnergySmart Gray: 60
	<sup>1</sup> Longitudinal direction of walkway mat	
	<sup>2</sup> Continuous film of compound only	

## APPLICATION INSTRUCTIONS

### APPLICATION

Unroll and position Crossgrip XTRA within the specified areas and cut to desired length. Do not install Crossgrip XTRA directly over Sarnabars. Crossgrip XTRA is installed loose-laid on top of completed Sika Sarnafil and Sikaplan roof assemblies.

### COVERAGE

Approximately 99 ft<sup>2</sup> per roll (9.2 m<sup>2</sup>).

### MAINTENANCE

Standard maintenance of Sarnafil and Sikaplan systems should include regular inspections of flashings, drains, and termination sealants at least twice a year and after each storm.

## AVAILABILITY/WARRANTY

### AVAILABILITY

From Sika Corporation – Roofing Authorized Applications for use within Sarnafil or Sikaplan systems.

### WARRANTY

Upon successful completion of the installed roof by the Sika Authorized Applicator, Sika Corporation will provide a warranty to the Building Owner via the Sika Authorized Applicator.

### LIMITATIONS

As a Sika supplied accessory, Crossgrip XTRA is covered under Sika Corporation warranties. However, in the event Crossgrip XTRA is in anyway attached to the Sarnafil or Sikaplan membrane, any and all damage that may result directly or indirectly from such attachment is explicitly excluded from warranty coverage.

## BASIS OF PRODUCT DATA

Results may differ based upon statistical variations depending upon mixing methods and equipment, temperature, application methods, test methods, actual site conditions and curing conditions.

## OTHER RESTRICTIONS

See Legal Disclaimer.

## ENVIRONMENTAL, HEALTH AND SAFETY

For further information and advice regarding transportation, handling, storage and disposal of chemical products, user should refer to the actual Safety Data Sheets containing physical, environmental, toxicological and other safety related data. User must read the current actual Safety Data Sheets before using any products. In case of an emergency, call CHEMTREC at 1-800-424-9300, International 703-527-3887.

## LEGAL DISCLAIMER

- KEEP CONTAINER TIGHTLY CLOSED
- KEEP OUT OF REACH OF CHILDREN
- NOT FOR INTERNAL CONSUMPTION
- FOR INDUSTRIAL USE ONLY
- FOR PROFESSIONAL USE ONLY

Prior to each use of any product of Sika Corporation, its subsidiaries or affiliates ("SIKA"), the user must always read and follow the warnings and instructions on the product's most current product label, Product Data Sheet and Safety Data Sheet which are available at [usa.sika.com](http://usa.sika.com) or by calling SIKA's Technical Service Department at 1-800-933-7452. Nothing contained in any SIKA literature or materials relieves the user of the obligation to read and follow the warnings and instructions for each SIKA product as set forth in the current product label, Product Data Sheet and Safety Data Sheet prior to use of the SIKA product.

SIKA warrants this product for one year from date of installation to be free from manufacturing defects and to meet the technical properties on the current Product Data Sheet if used as directed within the product's shelf life. User determines suitability of product for intended use and assumes all risks. User's and/or buyer's sole remedy shall be limited to the purchase price or replacement of this product exclusive of any labor costs. **NO OTHER WARRANTIES EXPRESS OR IMPLIED SHALL APPLY INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. SIKA SHALL NOT BE LIABLE UNDER ANY LEGAL THEORY FOR SPECIAL OR CONSEQUENTIAL DAMAGES. SIKA SHALL NOT BE RESPONSIBLE FOR THE USE OF THIS PRODUCT IN A MANNER TO INFRINGE ON ANY PATENT OR ANY OTHER INTELLECTUAL PROPERTY RIGHTS HELD BY OTHERS.**

Sale of SIKA products are subject to the Terms and Conditions of Sale which are available at <https://usa.sika.com/en/group/SikaCorp/termsandconditions.html> or by calling 1-800-933-7452.

### Sika Corporation

201 Polito Avenue  
Lyndhurst, NJ 07071  
Phone: +1-800-933-7452  
Fax: +1-201-933-6225  
[usa.sika.com](http://usa.sika.com)

### Sika Sarnafil

100 Dan Road  
Canton, MA 02021  
Phone: +1 800-451-2504  
Fax: +1 781-828-5365  
[usa.sika.com/sarnafil](http://usa.sika.com/sarnafil)  
[webmaster.sarnafil@us.sika.com](mailto:webmaster.sarnafil@us.sika.com)

### Sika Mexicana S.A. de C.V.

Carretera Libre Celaya Km. 8.5  
Fracc. Industrial Balvanera  
Corregidora, Queretaro  
C.P. 76920  
Phone: 52 442 2385800  
Fax: 52 442 2250537



### Product Data Sheet

Crossgrip XTRA  
September 2020, Version 04.01  
020945012150002002

CrossgripXTRA-en-US-(09-2020)-4-1.pdf

