



BUILDING TRUST



## Safety Data Sheet

acc. to OSHA HCS

Printing date 05/05/2018

Reviewed on 07/21/2015

### 1 Identification

- **Product identifier**
- **Trade name:** TCC 626 Black Resin
- **Article number:** 1079085
- **Application of the substance / the mixture** Epoxy resin
- **Details of the supplier of the safety data sheet** SikaAxson US - EHS Department
- **Manufacturer/Supplier:**  
Company Name: Axson Technologies US, Inc.-SikaAxson

Headquarters:  
31200 Stephenson Hwy  
Madison Heights, MI 48071  
USA

Manufacturing Site:  
1611 Hults Drive  
Eaton Rapids, MI 48827  
USA  
ehs-us@axson.com

- **Information department:** Product safety department
- **Emergency telephone number:**  
During normal opening times: +1 (248) 588-2270  
CHEMTREC 24-hour Emergency: +1 (800) 424-9300

### 2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS08 Health hazard

Carc. 2                      H351 Suspected of causing cancer.



GHS09 Environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



GHS07

Skin Irrit. 2                      H315 Causes skin irritation.  
Eye Irrit. 2A                      H319 Causes serious eye irritation.  
Skin Sens. 1                      H317 May cause an allergic skin reaction.  
Aquatic Acute 2                      H401 Toxic to aquatic life.

- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 2)

US

Printing date 05/05/2018

Reviewed on 07/21/2015

Trade name: TCC 626 Black Resin

(Contd. of page 1)

 · **Hazard pictograms**


GHS07 GHS08 GHS09

 · **Signal word** *Warning*

 · **Hazard-determining components of labeling:**
*Epoxy phenol novolac resin**Carbon black**Epoxy Resin**1,4-bis[92,3-epoxypropoxy(0methyl)cyclohexane**oxirane, monof(C12-14-alkyloxy)methyl] derivs**Alkyl C12-C14 Glycidyl Ether*
 · **Hazard statements**
*Causes skin irritation.**Causes serious eye irritation.**May cause an allergic skin reaction.**Suspected of causing cancer.**Toxic to aquatic life.**Toxic to aquatic life with long lasting effects.*
 · **Precautionary statements**
*Avoid breathing dust/fume/gas/mist/vapors/spray**Avoid breathing dust/fume/gas/mist/vapors/spray**Avoid release to the environment.**Wear protective gloves/protective clothing/eye protection/face protection.**If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.**Continue rinsing.**IF exposed or concerned: Get medical advice/attention.**If skin irritation or rash occurs: Get medical advice/attention.**If eye irritation persists: Get medical advice/attention.**Wash contaminated clothing before reuse.**Store locked up.**Dispose of contents/container in accordance with local/regional/national/international regulations.*
 · **Classification system:**

 · **NFPA ratings (scale 0 - 4)**
*Health = 2**Fire = 1**Reactivity = 0*
 · **HMIS-ratings (scale 0 - 4)**
*Health = 2**Fire = 1**Reactivity = 0*
 · **Other hazards**

 · **Results of PBT and vPvB assessment**

 · **PBT:** Not applicable.

(Contd. on page 3)



BUILDING TRUST



## Safety Data Sheet

acc. to OSHA HCS

Printing date 05/05/2018

Reviewed on 07/21/2015

**Trade name: TCC 626 Black Resin**

· **vPvB:** Not applicable.

(Contd. of page 2)

### 3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**

CAS: 25068-38-6 NLP: 500-033-5	Epoxy Resin	10-20%
CAS: 28064-14-4	Epoxy phenol novolac resin	10-20%
CAS: 14228-73-0	1,4-bis[92,3-epoxypropoxy0methyl]cyclohexane	10-20%
CAS: 68609-97-2 EINECS: 271-846-8	oxirane, mono[(C12-14-alkyloxy)methyl] derivs Alkyl C12-C14 Glycidyl Ether	≥5-<10%
CAS: 1314-13-2 EINECS: 215-222-5	zinc oxide	≥1-<2.5%
CAS: 1333-86-4 EINECS: 215-609-9	Carbon black	0.1-1%

### 4 First-aid measures

- **Description of first aid measures**
- **After inhalation:**  
Supply fresh air and to be sure call for a doctor.  
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:**  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.
- **Additional information**  
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

(Contd. on page 4)



BUILDING TRUST



## Safety Data Sheet

acc. to OSHA HCS

Printing date 05/05/2018

Reviewed on 07/21/2015

Trade name: TCC 626 Black Resin

(Contd. of page 3)

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:**  
Inform respective authorities in case of seepage into water course or sewage system.  
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to item 13.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

#### · PAC-1:

25068-38-6	Epoxy Resin	90 mg/m <sup>3</sup>
28064-14-4	Epoxy phenol novolac resin	30 mg/m <sup>3</sup>
1314-13-2	zinc oxide	10 mg/m <sup>3</sup>
1333-86-4	Carbon black	9 mg/m <sup>3</sup>
14808-60-7	Quartz (SiO <sub>2</sub> )	0.075 mg/m <sup>3</sup>
2530-83-8	[3-(2,3-epoxypropoxy)propyl]trimethoxysilane	9.3 mg/m <sup>3</sup>
98-82-8	cumene	50 ppm
7439-92-1	lead	0.15 mg/m <sup>3</sup>
7440-43-9	cadmium (non-pyrophoric)	0.10 mg/m <sup>3</sup>

#### · PAC-2:

25068-38-6	Epoxy Resin	990 mg/m <sup>3</sup>
28064-14-4	Epoxy phenol novolac resin	330 mg/m <sup>3</sup>
1314-13-2	zinc oxide	15 mg/m <sup>3</sup>
1333-86-4	Carbon black	99 mg/m <sup>3</sup>
14808-60-7	Quartz (SiO <sub>2</sub> )	33 mg/m <sup>3</sup>
2530-83-8	[3-(2,3-epoxypropoxy)propyl]trimethoxysilane	100 mg/m <sup>3</sup>
98-82-8	cumene	300 ppm
7439-92-1	lead	120 mg/m <sup>3</sup>
7440-43-9	cadmium (non-pyrophoric)	0.76 mg/m <sup>3</sup>

#### · PAC-3:

25068-38-6	Epoxy Resin	5,900 mg/m <sup>3</sup>
28064-14-4	Epoxy phenol novolac resin	2,000 mg/m <sup>3</sup>
1314-13-2	zinc oxide	2,500 mg/m <sup>3</sup>
1333-86-4	Carbon black	590 mg/m <sup>3</sup>
14808-60-7	Quartz (SiO <sub>2</sub> )	200 mg/m <sup>3</sup>
2530-83-8	[3-(2,3-epoxypropoxy)propyl]trimethoxysilane	230 mg/m <sup>3</sup>
98-82-8	cumene	730 ppm
7439-92-1	lead	700 mg/m <sup>3</sup>

(Contd. on page 5)

**Trade name: TCC 626 Black Resin**

7440-43-9 cadmium (non-pyrophoric)

(Contd. of page 4)

4.7 mg/m<sup>3</sup>

## 7 Handling and storage

- **Handling:**
- **Precautions for safe handling** No special precautions are necessary if used correctly.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing.  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes and skin.
- **Breathing equipment:** Not required.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 6)

Printing date 05/05/2018

Reviewed on 07/21/2015

Trade name: TCC 626 Black Resin

(Contd. of page 5)

## · Eye protection:



Tightly sealed goggles

## 9 Physical and chemical properties

## · Information on basic physical and chemical properties

## · General Information

## · Appearance:

· Form:	Viscous
· Color:	Black
· Odor:	Amine-like
· Odor threshold:	Not determined.

· pH-value: Not determined.

## · Change in condition

· Melting point/Melting range:	Undetermined.
· Boiling point/Boiling range:	>200 °C (>392 °F)

· Flash point: 130 °C (266 °F)

· Flammability (solid, gaseous): Not applicable.

· Decomposition temperature: Not determined.

· Auto igniting: Product is not selfigniting.

· Danger of explosion: Product does not present an explosion hazard.

## · Explosion limits:

· Lower:	Not determined.
· Upper:	Not determined.

· Vapor pressure: Not determined.

· Density at 20 °C (68 °F): 1.63 g/cm<sup>3</sup> (13.6 lbs/gal)

· Relative density: Not determined.

· Vapor density: Not determined.

· Evaporation rate: Not determined.

## · Solubility in / Miscibility with

Water: Not miscible or difficult to mix.

· Partition coefficient (n-octanol/water): Not determined.

## · Viscosity:

· Dynamic:	Not determined.
· Kinematic:	Not determined.

## · Solvent content:

Organic solvents: 0.5 %

(Contd. on page 7)

US



BUILDING TRUST



## Safety Data Sheet

acc. to OSHA HCS

Printing date 05/05/2018

Reviewed on 07/21/2015

Trade name: TCC 626 Black Resin

(Contd. of page 6)

**VOC content:** 0.45 %  
7.3 g/l / 0.06 lb/gl

**Solids content:** 46.5 %  
**Other information** No further relevant information available.

### 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:**  
?  
Carbon monoxide and carbon dioxide

### 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

1314-13-2 zinc oxide

Oral LD50 &gt;5,000 mg/kg (rat)

- **Primary irritant effect:**
- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Irritating effect.
- **Sensitization:** Sensitization possible through skin contact.
- **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:  
Irritant

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

1333-86-4	Carbon black	2B
14808-60-7	Quartz (SiO <sub>2</sub> )	I
98-82-8	cumene	2B
7439-92-1	lead	2B
7440-43-9	cadmium (non-pyrophoric)	I

- **NTP (National Toxicology Program)**

14808-60-7	Quartz (SiO <sub>2</sub> )	K
98-82-8	cumene	R
7439-92-1	lead	R
7440-43-9	cadmium (non-pyrophoric)	K

(Contd. on page 8)

US



BUILDING TRUST



## Safety Data Sheet

acc. to OSHA HCS

Printing date 05/05/2018

Reviewed on 07/21/2015

Trade name: TCC 626 Black Resin

(Contd. of page 7)

· **OSHA-Ca (Occupational Safety & Health Administration)**

7440-43-9 | cadmium (non-pyrophoric)

### 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** Toxic for fish
- **Additional ecological information:**
- **General notes:**
  - Water hazard class 2 (Self-assessment): hazardous for water
  - Do not allow product to reach ground water, water course or sewage system.
  - Danger to drinking water if even small quantities leak into the ground.
  - Also poisonous for fish and plankton in water bodies.
  - Toxic for aquatic organisms
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

### 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
  - Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

### 14 Transport information

- |                                  |                                                                                                                 |
|----------------------------------|-----------------------------------------------------------------------------------------------------------------|
| · <b>UN-Number</b>               |                                                                                                                 |
| · <b>DOT</b>                     | not regulated                                                                                                   |
| · <b>IMDG, IATA</b>              | UN3082                                                                                                          |
| · <b>UN proper shipping name</b> |                                                                                                                 |
| · <b>DOT</b>                     | not regulated                                                                                                   |
| · <b>IMDG</b>                    | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Epoxy Resin, Epoxy phenol novolac resin), MARINE POLLUTANT |
| · <b>IATA</b>                    | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Epoxy Resin, Epoxy phenol novolac resin)                   |

(Contd. on page 9)

US



Printing date 05/05/2018

Reviewed on 07/21/2015

**Trade name: TCC 626 Black Resin**

(Contd. of page 8)

 · **Transport hazard class(es)**

 · **DOT**

 · **Class** *not regulated*

 · **IMDG, IATA**

 · **Class**
*9 Miscellaneous dangerous substances and articles*

 · **Label**
*9*

 · **Packing group**

 · **DOT**
*not regulated*

 · **IMDG, IATA**
*III*

 · **Environmental hazards:**
*Product contains environmentally hazardous substances: Epoxy phenol novolac resin*

 · **Marine pollutant:**
*Yes  
Symbol (fish and tree)*

 · **Special marking (IATA):**
*Symbol (fish and tree)*

 · **Special precautions for user**
*Warning: Miscellaneous dangerous substances and articles*

 · **Danger code (Kemler):**
*90*

 · **EMS Number:**
*F-A,S-F*

 · **Stowage Category**
*A*

 · **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**
*Not applicable.*

 · **Transport/Additional information:**

 · **IMDG**

 · **Limited quantities (LQ)**
*5L*

 · **Excepted quantities (EQ)**
*Code: E1*
*Maximum net quantity per inner packaging: 30 ml*
*Maximum net quantity per outer packaging: 1000 ml*

 · **UN "Model Regulation":**
*UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (EPOXY RESIN, EPOXY PHENOL NOVOLAC RESIN), 9, III*

### 15 Regulatory information

 · **Safety, health and environmental regulations/legislation specific for the substance or mixture**

 · **Sara**

 · **Section 355 (extremely hazardous substances):**
*None of the ingredients is listed.*

 · **Section 313 (Specific toxic chemical listings):**

1314-13-2	zinc oxide
-----------	------------

(Contd. on page 10)



BUILDING TRUST



## Safety Data Sheet

acc. to OSHA HCS

Printing date 05/05/2018

Reviewed on 07/21/2015

Trade name: TCC 626 Black Resin

(Contd. of page 9)

· **TSCA (Toxic Substances Control Act) (Substances not listed):**

polymer

· **Chemicals regulated by TSCA Section 12(b)**

None of the ingredients is listed.

· **Chemical regulated by TSCA 5(a)(2)rule:**

None of the ingredients is listed.

· **Proposition 65**

· **Chemicals known to cause cancer:**

1317-65-3 Calcium Carbonate

1333-86-4 Carbon black

14808-60-7 Quartz (SiO<sub>2</sub>)

98-82-8 cumene

7439-92-1 lead

7440-43-9 cadmium (non-pyrophoric)

· **Chemicals known to cause reproductive toxicity for females:**

7439-92-1 lead

· **Chemicals known to cause reproductive toxicity for males:**

7439-92-1 lead

7440-43-9 cadmium (non-pyrophoric)

· **Chemicals known to cause developmental toxicity:**

7439-92-1 lead

7440-43-9 cadmium (non-pyrophoric)

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

1314-13-2 zinc oxide

D, I, II

98-82-8 cumene

D, CBD

7439-92-1 lead

B2

7440-43-9 cadmium (non-pyrophoric)

B1

· **TLV (Threshold Limit Value established by ACGIH)**

1333-86-4 Carbon black

A4

14808-60-7 Quartz (SiO<sub>2</sub>)

A2

7439-92-1 lead

A3

7440-43-9 cadmium (non-pyrophoric)

A2

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

1333-86-4 Carbon black

14808-60-7 Quartz (SiO<sub>2</sub>)

7440-43-9 cadmium (non-pyrophoric)

· **Listed in CWC Regulations**

None of the ingredients is listed.

· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 11)

Printing date 05/05/2018

Reviewed on 07/21/2015

**Trade name: TCC 626 Black Resin**

(Contd. of page 10)

**· Hazard pictograms**


GHS07 GHS08 GHS09

**· Signal word** *Warning*
**· Hazard-determining components of labeling:**
*Epoxy phenol novolac resin**Carbon black**Epoxy Resin**1,4-bis[92,3-epoxypropoxy(0methyl)cyclohexane**oxirane, monof(C12-14-alkyloxy)methyl] derivs**Alkyl C12-C14 Glycidyl Ether*
**· Hazard statements**
*Causes skin irritation.**Causes serious eye irritation.**May cause an allergic skin reaction.**Suspected of causing cancer.**Toxic to aquatic life.**Toxic to aquatic life with long lasting effects.*
**· Precautionary statements**
*Avoid breathing dust/fume/gas/mist/vapors/spray**Avoid release to the environment.**Wear protective gloves/protective clothing/eye protection/face protection.**If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.**Continue rinsing.**IF exposed or concerned: Get medical advice/attention.**If skin irritation or rash occurs: Get medical advice/attention.**If eye irritation persists: Get medical advice/attention.**Wash contaminated clothing before reuse.**Store locked up.**Dispose of contents/container in accordance with local/regional/national/international regulations.*
**· Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.*

## 16 Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

**· Date of preparation / last revision** 05/05/2018 / 1

**· Abbreviations and acronyms:**

*ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)*

*IMDG: International Maritime Code for Dangerous Goods*

*DOT: US Department of Transportation*

*IATA: International Air Transport Association*

*ACGIH: American Conference of Governmental Industrial Hygienists*

*EINECS: European Inventory of Existing Commercial Chemical Substances*

*ELINCS: European List of Notified Chemical Substances*

*CAS: Chemical Abstracts Service (division of the American Chemical Society)*

*NFPA: National Fire Protection Association (USA)*

(Contd. on page 12)



BUILDING TRUST

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 05/05/2018

Reviewed on 07/21/2015

**Trade name: TCC 626 Black Resin**

(Contd. of page 11)

*HMIS: Hazardous Materials Identification System (USA)**VOC: Volatile Organic Compounds (USA, EU)**LC50: Lethal concentration, 50 percent**LD50: Lethal dose, 50 percent**PBT: Persistent, Bioaccumulative and Toxic**vPvB: very Persistent and very Bioaccumulative**NIOSH: National Institute for Occupational Safety**OSHA: Occupational Safety & Health**TLV: Threshold Limit Value**PEL: Permissible Exposure Limit**REL: Recommended Exposure Limit**Skin Irrit. 2: Skin corrosion/irritation – Category 2**Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A**Skin Sens. 1: Skin sensitisation – Category 1**Carc. 2: Carcinogenicity – Category 2**Aquatic Acute 2: Hazardous to the aquatic environment - acute aquatic hazard – Category 2**Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2*

US