Safety Data Sheet
acc. to OSHA HCS

Printing date 01/08/2020 Reviewed on 01/08/2020

1 Identification

· **Product identifier**

· **Trade name: UR 3490 Part A Isocyanate**

· **Article number:** I024695
· **Application of the substance / the mixture** Polyurethane resin

· **Details of the supplier of the safety data sheet**
Sika Advanced Resins, US
EHS Department
· **Manufacturer/Supplier:**
Supplier's Name: Sika Advanced Resins, US
Headquarters:
30800 Stephenson Hwy
Madison Heights, MI 48071
USA

advancedresins.ehs@us.sika.com

· **Information department:** Product safety department
· **Emergency telephone number:**
During normal opening times: +1 (248) 588-2270
CHEMTREC 24-hour Emergency: +1 (800) 424-9300

2 Hazard(s) identification

· **Classification of the substance or mixture**

GHS08 Health hazard

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

GHS07

Skin Sens. 1 H317 May cause an allergic skin reaction.

· **Label elements**
· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
· **Hazard pictograms**

GHS08

· **Signal word** Danger

(Contd. on page 2)

Safety Data Sheet
acc. to OSHA HCS

Printing date 01/08/2020 Reviewed on 01/08/2020

Trade name: UR 3490 Part A Isocyanate

(Contd. of page 1)

· **Hazard-determining components of labeling:**
Hexane, 1,6-diisocyanato-, homopolymer.
hexamethylene-di-isocyanate
4-methyl-m-phenylene diisocyanate
· **Hazard statements**
May cause allergy or asthma symptoms or breathing difficulties if inhaled.
May cause an allergic skin reaction.
· **Precautionary statements**
Avoid breathing dust/fume/gas/mist/vapors/spray
Avoid breathing dust/fume/gas/mist/vapors/spray
Wear protective gloves.
[In case of inadequate ventilation] wear respiratory protection.
If on skin: Wash with plenty of water.
If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing.
If skin irritation or rash occurs: Get medical advice/attention.
Specific treatment (see on this label).
If experiencing respiratory symptoms: Call a poison center/doctor.
Wash contaminated clothing before reuse.
Dispose of contents/container in accordance with local/regional/national/international regulations.
· **Classification system:**
· **NFPA ratings (scale 0 - 4)**

Health = 0
Fire = 1
Reactivity = 0

· **HMIS-ratings (scale 0 - 4)**

Health = *0
Fire = 1
Reactivity = 0

· **Other hazards**
· **Results of PBT and vPvB assessment**
· **PBT:** Not applicable.
· **vPvB:** Not applicable.

3 Composition/information on ingredients

· **Chemical characterization: Mixtures**
· **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**		
CAS: 28182-81-2	Hexane, 1,6-diisocyanato-, homopolymer.	20-50%

(Contd. on page 3)

Safety Data Sheet
acc. to OSHA HCS

Printing date 01/08/2020 Reviewed on 01/08/2020

Trade name: UR 3490 Part A Isocyanate

(Contd. of page 2)

CAS: 108-32-7 EINECS: 203-572-1	propylene carbonate	0.1-1%
CAS: 822-06-0 EINECS: 212-485-8	hexamethylene-di-isocyanate	≥0.1-<0.5%

4 First-aid measures

· **Description of first aid measures**
· **After inhalation:**
Supply fresh air and to be sure call for a doctor.
In case of unconsciousness place patient stably in side position for transportation.
· **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
· **After eye contact:** Rinse opened eye for several minutes under running water.
· **After swallowing:** If symptoms persist consult doctor.
· **Information for doctor:**
· **Most important symptoms and effects, both acute and delayed** No further relevant information available.
· **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

· **Extinguishing media**
· **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
· **Special hazards arising from the substance or mixture** No further relevant information available.
· **Advice for firefighters**
· **Protective equipment:** Wear self-contained respiratory protective device.
· **Additional information**
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

*
6 Accidental release measures

· **Personal precautions, protective equipment and emergency procedures** Not required.
· **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
· **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
· **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

(Contd. on page 4)

Safety Data Sheet
acc. to OSHA HCS

Printing date 01/08/2020 Reviewed on 01/08/2020

Trade name: UR 3490 Part A Isocyanate

(Contd. of page 3)

· **Protective Action Criteria for Chemicals**

· **PAC-1:**		
28182-81-2	Hexane, 1,6-diisocyanato-, homopolymer.	7.8 mg/m³
108-32-7	propylene carbonate	34 mg/m³
822-06-0	hexamethylene-di-isocyanate	0.018 ppm

· **PAC-2:**		
28182-81-2	Hexane, 1,6-diisocyanato-, homopolymer.	86 mg/m³
108-32-7	propylene carbonate	370 mg/m³
822-06-0	hexamethylene-di-isocyanate	0.2 ppm

· **PAC-3:**		
28182-81-2	Hexane, 1,6-diisocyanato-, homopolymer.	510 mg/m³
108-32-7	propylene carbonate	2,200 mg/m³
822-06-0	hexamethylene-di-isocyanate	3 ppm

*
7 Handling and storage

· **Handling:**
· **Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
· **Information about protection against explosions and fires:** No special measures required.

· **Conditions for safe storage, including any incompatibilities**
· **Storage:**
· **Requirements to be met by storerooms and receptacles:** No special requirements.
· **Information about storage in one common storage facility:** Not required.
· **Further information about storage conditions:** None.
· **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

· **Additional information about design of technical systems:** No further data; see item 7.

· **Control parameters**
· **Components with limit values that require monitoring at the workplace:**
The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.
At this time, the other constituents have no known exposure limits.

822-06-0 hexamethylene-di-isocyanate	
REL	Long-term value: 0.035 mg/m³, 0.005 ppm Ceiling limit value: 0.14* mg/m³, 0.02* ppm *10-min

(Contd. on page 5)

Safety Data Sheet
acc. to OSHA HCS

Printing date 01/08/2020 Reviewed on 01/08/2020

Trade name: UR 3490 Part A Isocyanate

(Contd. of page 4)

TLV	Long-term value: 0.034 mg/m³, 0.005 ppm BEI

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**
· **Personal protective equipment:**
· **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
· **Breathing equipment:**
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
· **Protection of hands:**

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
· **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
· **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
· **Eye protection:** Goggles recommended during refilling.

*
9 Physical and chemical properties

· **Information on basic physical and chemical properties**
· **General Information**
· **Appearance:**

Form:	Liquid
Color:	White
· **Odor:**	uncharacteristic
· **Odor threshold:**	Not determined.
· **pH-value:**	Not determined.
· **Change in condition**	
Melting point/Melting range:	Undetermined.

(Contd. on page 6)

Safety Data Sheet
acc. to OSHA HCS

Printing date 01/08/2020 Reviewed on 01/08/2020

Trade name: UR 3490 Part A Isocyanate

(Contd. of page 5)

Boiling point/Boiling range:	Undetermined.
· **Flash point:**	207 °C (404.6 °F)
· **Flammability (solid, gaseous):**	Not applicable.
· **Decomposition temperature:**	Not determined.
· **Auto igniting:**	Product is not selfigniting.
· **Danger of explosion:**	Product does not present an explosion hazard.
· **Explosion limits:**	
Lower:	0.9 Vol %
Upper:	9.5 Vol %
· **Vapor pressure:**	Not determined.
· **Density at 20 °C (68 °F):**	1.11 g/cm³ (9.26 lbs/gal)
· **Relative density**	Not determined.
· **Vapor density**	Not determined.
· **Evaporation rate**	Not determined.
· **Solubility in / Miscibility with**	
Water:	Not miscible or difficult to mix.
· **Partition coefficient (n-octanol/water):**	Not determined.
· **Viscosity:**	
Dynamic:	Not determined.
Kinematic:	Not determined.
· **Solvent content:**	
Organic solvents:	1.2 %
VOC content:	0.20 % 2.2 g/l / 0.02 lb/gal
Solids content:	0.4 %
· **Other information**	No further relevant information available.

*
10 Stability and reactivity

· **Reactivity** No further relevant information available.
· **Chemical stability**
· **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
· **Possibility of hazardous reactions** No dangerous reactions known.
· **Conditions to avoid** No further relevant information available.
· **Incompatible materials:** No further relevant information available.

(Contd. on page 7)

Safety Data Sheet
acc. to OSHA HCS

Printing date 01/08/2020 Reviewed on 01/08/2020

Trade name: UR 3490 Part A Isocyanate

(Contd. of page 6)

· **Hazardous decomposition products:** Carbon monoxide and carbon dioxide

*
11 Toxicological information

· **Information on toxicological effects**
· **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**		
Oral	LD50	>15,000 mg/kg (rat)

· **Primary irritant effect:**
· **on the skin:** No irritant effect.
· **on the eye:** No irritating effect.
· **Sensitization:**
Sensitization possible through inhalation.
Sensitization possible through skin contact.
· **Additional toxicological information:**
The product shows the following dangers according to internally approved calculation methods for preparations:
Harmful
Irritant

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**		
13463-67-7	titanium dioxide	2B

· **NTP (National Toxicology Program)**
None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**
None of the ingredients is listed.

12 Ecological information

· **Toxicity**
· **Aquatic toxicity:** No further relevant information available.
· **Persistence and degradability** No further relevant information available.
· **Behavior in environmental systems:**
· **Bioaccumulative potential** No further relevant information available.
· **Mobility in soil** No further relevant information available.
· **Additional ecological information:**
· **General notes:**
Water hazard class 2 (Self-assessment): hazardous for water
Do not allow product to reach ground water, water course or sewage system.
Danger to drinking water if even small quantities leak into the ground.
· **Results of PBT and vPvB assessment**
· **PBT:** Not applicable.

(Contd. on page 8)

Safety Data Sheet
acc. to OSHA HCS

Printing date 01/08/2020 Reviewed on 01/08/2020

Trade name: UR 3490 Part A Isocyanate

(Contd. of page 7)

· **vPvB:** Not applicable.
· **Other adverse effects** No further relevant information available.

13 Disposal considerations

· **Waste treatment methods**
· **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packagings:**
· **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

· **UN-Number**	
· **DOT, ADN, IMDG, IATA**	not regulated
· **UN proper shipping name**	
· **DOT, ADN, IMDG, IATA**	not regulated
· **Transport hazard class(es)**	
· **DOT, ADN, IMDG, IATA**	
· **Class**	not regulated
· **Packing group**	
· **DOT, IMDG, IATA**	not regulated
· **Environmental hazards:**	
· **Marine pollutant:**	No
· **Special precautions for user**	Not applicable.
· **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**	Not applicable.
· **UN "Model Regulation":**	not regulated

*
15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**
· **Sara**

· **Section 355 (extremely hazardous substances):**	
584-84-9	4-methyl-m-phenylene diisocyanate

(Contd. on page 9)

Safety Data Sheet
acc. to OSHA HCS

Printing date 01/08/2020 Reviewed on 01/08/2020

Trade name: UR 3490 Part A Isocyanate

(Contd. of page 8)

· **Section 313 (Specific toxic chemical listings):**

822-06-0	hexamethylene-di-isocyanate

· **TSCA (Toxic Substances Control Act):**

All components have the value ACTIVE.

· **Chemicals regulated by TSCA Section 12(b)**

None of the ingredients is listed.

· **Chemical regulated by TSCA 5(a)(2)rule:**

None of the ingredients is listed.

· **Hazardous Air Pollutants**

822-06-0	hexamethylene-di-isocyanate
584-84-9	4-methyl-m-phenylene diisocyanate

· **Proposition 65**

· **Chemicals known to cause cancer:**

13463-67-7	titanium dioxide
98-82-8	cumene
100-41-4	ethylbenzene

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

68515-49-1	diisodecyl phthalate

· **Carcinogenic categories**

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

13463-67-7	titanium dioxide

· **Listed in CWC Regulations**

None of the ingredients is listed.

· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**

GHS08

· **Signal word** Danger

· **Hazard-determining components of labeling:**
Hexane, 1,6-diisocyanato-, homopolymer.

(Contd. on page 10)

Safety Data Sheet
acc. to OSHA HCS

Printing date 01/08/2020 Reviewed on 01/08/2020

Trade name: UR 3490 Part A Isocyanate

(Contd. of page 9)

hexamethylene-di-isocyanate
4-methyl-m-phenylene diisocyanate

· ***Hazard statements***
May cause allergy or asthma symptoms or breathing difficulties if inhaled.
May cause an allergic skin reaction.

· ***Precautionary statements***
Avoid breathing dust/fume/gas/mist/vapors/spray
Wear protective gloves.
[In case of inadequate ventilation] wear respiratory protection.
If on skin: Wash with plenty of water.
If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing.
If skin irritation or rash occurs: Get medical advice/attention.
Specific treatment (see on this label).
If experiencing respiratory symptoms: Call a poison center/doctor.
Wash contaminated clothing before reuse.
Dispose of contents/container in accordance with local/regional/national/international regulations.

· ***Chemical safety assessment:*** *A Chemical Safety Assessment has not been carried out.*

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· ***Date of preparation / last revision*** *01/08/2020 / 4*

· ***Abbreviations and acronyms:***
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Resp. Sens. 1: Respiratory sensitisation – Category 1
Skin Sens. 1: Skin sensitisation – Category 1

· **** Data compared to the previous version altered.***