


LITHOTEX Pavecrafters Catalog

Architectural Concrete Patterns and Textures for Designers and Contractors

Stamped Concrete Pattern and Texture Guide



Protect Your Concrete with Scofield Sealers

Scofi ld sealers protect the surface, enhance the appearance of colored concrete, and may provide protection a ainst contamination and chemi al a ack by imparting a fil forming layer on the surface of the concrete. Consult a Scofield Conc ete Cures & Sealers Guide.

LITHOTEX® Pavecra ers® stamping tools are used to transform the surface of freshly placed architectural concrete into pa erns and textures that mimic wood, stone, brick or tile. The resulting concrete surface is natural looking and low-maintenance, with the structural strength and wear-resistance of concrete.



A SIKA BRAND



ika Scofiel is pleased to provide distributors, contractors and architectural specifie s with this comprehensive catalog of our products. This catalog is designed as a guide for choosing paterns and products for your decoratities concrete installations. The pictures used in this catalog should not be used to choose color for your project. Please refer to our color charts or an actual sample for the specific product you have chosen, and always create a job site mock-up prior to all decoratities concrete installations.

Please visit www.scofield. om to view our extensive photo gallery, product descriptions and cur ent Product Data Sheets (PDS). The Product Data Sheets provide a more comprehensive overview of each product with complete instructions or use. These are a must read before the start of each job. Also available for download on our website are our Architectural Guide Specifi ations. These speci ations assi t the design professional in creating decorati e concrete specifi ations

| Cover | age Rates | 2 |
|--------|--|-------|
| Decor | ative Concrete Texturing Systems | |
| | Stone Patterns | 3-10 |
| | Wood Patterns | 11-16 |
| | Slate Patterns | 17-19 |
| | Brick Patterns | 21-23 |
| | Texture Mats & Touch-up Skins | |
| | Texture Rollers | |
| | Compass Patterns | |
| | Specialty Patterns | |
| | Border Patterns | |
| | Soldier Course Accessories | |
| | Textured Stamping Shoes | |
| | Stamping Accessories | |
| | Stackable Form Liner | |
| | Country Ledge Form Liner | |
| | | 45-51 |
| Uretha | ane Precast Molds | |
| | Table Mold System | |
| | Concrete Bench Mold System | |
| | Wood Slab Mold System | 54 |
| Vertic | al Texturing Systems | |
| | Vertical Stamping Tools | 55 |
| | Vertical Overlay Accessories | 56 |
| Decor | ative Concrete Stencils | |
| | Infield Patterns | 57 |
| | Borders | |
| | Stencil Accessories | |
| Docor | ative Concrete Overlays | |
| Decoi | SCOFIELD® Texturetop Pro Stamp Grade | 58 |
| | SCOFIELD® Texturetop Pro Primer | |
| | SCOFIELD® Texturetop Pro Stencil Grade | |
| _ | · | |
| Concr | rete Coloring, Staining & Release Systems | |
| | LITHOCHROME® Color Hardener | |
| | LITHOTIQUE [™] Antiquing AgentCHROMIX® Admixtures for Color-Conditioned® Concrete | 60 |
| | SCOFIELD® Integral Color SG | |
| | LITHOCHROME® Antiquing Release Pro | |
| | SCOFIELD® Liquid Release BG | |
| | LITHOCHROME® Chemstain® Classic | |
| | LITHOCHROME® Tintura™ Stain | |
| | | |
| Concr | rete Curing & Sealing Products | |
| | SCOFIELD® Cureseal™ 700 | |
| | SCOFIELD® Cureseal™ 350 | |
| | SCOFIELD® Selectoral IM Plus | |
| | SCOFIELD® Selectseal™ Plus | |
| | SCOFIELD® Repello® FPSLITHOCHROME® Colorwax™ | |
| | LITTIOGTROWE- GUIDIWAX | 00 |
| Misce | llaneous Products | |
| | LITHOCAST™ Surface Retarder | 67 |


COVERAGE RATES

All coverage rates may vary depending on job site conditions. For actual coverage rates, job site mock-ups must be completed.

| PRODUCT | PACKAGING | COVERAGE | | |
|---|---------------------------------|---|--|--|
| INTEGRAL COLOR | | | | |
| CHROMIX® Admixtures (5 Sack) | dissolvable bag (weight varies) | 1 bag/cu. yd. | | |
| CHROMIX® Admixtures (6 Sack) | dissolvable bag (weight varies) | 1 bag/cu. yd. | | |
| SCOFIELD® Integral Color SG | dissolvable bag | 1 bag/2 cu. yd., 1 bag/1 cu. yd., 2 bags/1 cu. yd., 3 bags/1 cu. yd. | | |
| COLOR HARDENER | | | | |
| LITHOCHROME® Color Hardener | 50 lb. square pail | 50 to 110 pounds per 100 sq. ft. | | |
| EMERCHROME® SC Color Hardener | 60 lb. round pail | 90 to 120 pounds per 100 sq. ft. | | |
| ANTIQUING AGENTS | | | | |
| LITHOTIQUE™ Antiquing Agent | 3 lb. (1.4 kg) pail | 2,000-3,000 sq. ft. (185-279 m2) per 3 lb. of powder mixed with clean potable water | | |
| RELEASE AGENTS | | | | |
| LITHOCHROME® Antiquing Release Pro | 30 lb. pail | 1,000-1,200 sq. ft. | | |
| SCOFIELD® Liquid Release BG | 5 gal. pail | 750 sq. ft. | | |
| CONCRETE STAINS | | | | |
| LITHOCHROME® Chemstain® Classic | 1 gal. jug | 200-300 sq. ft. (mixed with 1 gal. potable water) | | |
| LITHOCHROME® Tintura Stain | 32 oz. unit | 200-400 sq. ft. (mixed with 96 oz. potable water) | | |
| OVERLAY MATERIALS | | | | |
| SCOFIELD® Texuretop® Pro Stamp Grade (gray & white) | 55 lb. bag | 16 sq. ft. at 3/8" thickness | | |
| SCOFIELD® Texuretop® Pro Stencil Grade (gray & white) | 55 lb. bag | 48 sq. ft. at 1/8" thickness | | |
| SCOFIELD® Texuretop® Pro Primer | 1 gal. jug | 200 sq.ft. per mixed gallon (4.9 m²/L) | | |
| SCOFIELD® Texuretop® Pro Color Pack (available in Texuretop® & Integral SG dry colors) | bag (weight varies) | 1 bag/1 bag of overlay | | |
| STENCILS | | | | |
| Non-Adhesive Stencils | 1,000 sq. ft. roll (4' x 250') | 900 sq. ft. after cutting | | |
| Adhesive Stencils | 500 sq. ft. roll (3' x 167') | 400 sq. ft. after cutting | | |
| Non-Adhesive Soldier Course Stencils | 300 ft. roll | 275 LF after cutting | | |
| Adhesive Soldier Course Stencils | 300 ft. roll | 275 LF after cutting | | |
| SURFACE RETARDERS | | | | |
| LITHOCAST™ Surface Retarder | 5 gal. | 175-300 sq. ft./gal. | | |
| CURING & SEALING | | | | |
| SCOFIELD® Cureseal™ 700 | 5 gal. | Curing: 300 sq. ft./gal. Sealing: 300-400 sq. ft./gal. | | |
| SCOFIELD® Cureseal™ 350 | 5 gal. | Curing: 300 sq. ft./gal. Sealing: 300-400 sq. ft./gal. | | |
| SCOFIELD® Cureseal-W™ | 1 gal., 5 gal. | 200-400 sq. ft./gal. | | |
| SCOFIELD® Selectseal™Plus | 1 gal., 5 gal. | 200-400 sq. ft./gal. | | |
| SCOFIELD® Repello® | 1 gal., 5 gal. | 200-400 sq. ft./gal. | | |
| LITHOCHROME® Colorwax™ | 1 gal., 5 gal. | 100-400 sq. ft./gal. | | |







LITHOTEX® Pavecrafters® Concrete Patterns and Textures

Note: All measurements are approximate



Dublin Cobble

Pattern # S5800

Additional Tools: Filler Stone – S5801




Recommended Contractor Set: 8 Rigid (4 of each color), 2 Flex (1 of each color), 1 Filler Stone, 1 Skin, 1 Roller Sleeve

Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: Bluestone – S20018-TS
Touch-up Texture Roller Sleeve: Bluestone – SR0920

Chisels: 2", 4", 8" & 12" Touch-up Wheel: Medium Stone Edge





Mayan Cobblestone Circle

Available Tools:


5' Diameter (Black) – S5165 10' Diameter (Green) – S5170 15' Diameter (Blue) – S5175

Recommended Contractor Set: 4 Rigid (S5165), 3 Rigid (S5170), 3 Rigid (S5175), 1 Skin, 1 Roller Sleeve

Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: Coarse Stone – S7418-TS
Touch-up Texture Roller Sleeve: Coarse Stone – SR0974

Chisels: 2" & 4" **Touch-up Wheel:** 3/16" or 3/8"





Large Stone Fan


Pattern # S5200

Recommended Contractor Set: 10 Rigid, 2 Flex, 1 Skin, 1 Roller Sleeve

Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: Chiseled Slate – S7618-TS Touch-up Texture Roller Sleeve: Chiseled Slate – SR0976

Chisels: 2" Touch-up Wheel: 3/16"





Verona Cobblestone

Pattern # S5400

Recommended Contractor Set: 7 Rigid, 1 Flex, 1 Skin, 1 Roller Sleeve

Grout Line Width: 3/16"


Grout Line Width: 3/16"-1/2"

Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: Chiseled Slate – S7618-TS Touch-up Texture Roller Sleeve: Chiseled Slate – SR0976

Chisels: 4", 8", & 12" Touch-up Wheel: 3/8"

This tool can be rotated to reduce repetition and provide a more natural stone appearance.





LITHOTEX® Pavecrafters® Concrete Patterns and Textures

Note: All measurements are approximate




English Yorkstone

Pattern # S4380

Recommended Contractor Set: 9 Rigid, 2 Flex, 1 Skin, 1 Roller Sleeve

Suggested Touch-up and Detailing Tools: Touch-up Texture Skin: Italian Slate - S7218-TS Touch-up Texture Roller Sleeve: Italian Slate – SR0972 Chisels: 2", 4", & 8" Touch-up Wheel: 3/8"

Grout Line Width: 3/8"-1"





Mayan Cobblestone

Pattern # S5100


Recommended Contractor Set: 10 Rigid, 2 Flex, 1 Skin, 1 Roller Sleeve

Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: Coarse Stone - S7418-TS Touch-up Texture Roller Sleeve: Coarse Stone - SR0974

Chisels: 2" & 4" Touch-up Wheel: 3/16" or 3/8"

Grout Line Width: 1/8"-3/4"





Cobblestone

Pattern # S5000

Recommended Contractor Set: 10 Rigid, 2 Flex, 1 Skin, 1 Roller Sleeve


Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: Chiseled Slate - S7618-TS

Touch-up Texture Roller Sleeve: Chiseled Slate - SR0976

Chisels: 2" & 4" Touch-up Wheel: 3/16"

Grout Line Width: 1/4"-1/2"





Baltic Cobblestone

Pattern # S5500


Recommended Contractor Set: 9 Rigid, 2 Flex, 1 Skin, 1 Roller Sleeve

Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: Chiseled Slate - S7618-TS Touch-up Texture Roller Sleeve: Chiseled Slate - SR0976

Chisels: 2" & 4" Touch-up Wheel: 3/16"

Grout Line Width: 1/4" Stone Size: 5 3/4" x 4"-5 3/4" x 9 1/4"



LITHOTEX® Pavecrafters® Concrete Patterns and Textures

Note: All measurements are approximate



Granite Herringbone

Pattern # S5600

Recommended Contractor Set: 8 Rigid, 1 Flex, 1 Skin

Suggested Touch-up and Detailing Tools:

Pattern # S5601-TS

Touch-up Texture Skin: Granite Herringbone - S5601-TS

Chisels: 2", 4", & 8" Touch-up Wheel: 3/16"

Touch-up Texture Skin




Grout Line Width: 3/16"-1/2"

Grout Line Width: 1/4"-1

Grout Line Width: 3/16"-3/8"

Grout Line Depth: 1/16"-5/16"

Grout Line Width: 1/2' Stone Size: 11 1/2" x 5 1/2"





Tetra Stone


Pattern # S5300

Recommended Contractor Set: 6 Rigid, 1 Flex, 1 Skin, 1 Roller Sleeve

Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: Chiseled Slate - S7618-TS Touch-up Texture Roller Sleeve: Chiseled Slate - SR0976 Chisels: 2", 4", & 8" Touch-up Wheel: 3/16" or 3/8"

Flex stamp is approx. 30" x 30"






English Rivenstone

Pattern # S5700

Recommended Contractor Set: 9 Rigid, 2 Flex, 1 Skin, 1 Roller Sleeve

Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: Bluestone - S20018-TS Touch-up Texture Roller Sleeve: Bluestone - SR0920 Chisels: 2" & 4" Touch-up Wheel: 3/16" or 3/8"







Colorado Flag


Pattern # S3200

Recommended Contractor Set: 7 Rigid, 1 Flex, 1 Skin, 1 Roller Sleeve

Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: Bluestone - S20018-TS Touch-up Texture Roller Sleeve: Bluestone - SR0920

Chisels: 2", 4", 8" & 12" Touch-up Wheel: 3/16" or 3/8"





LITHOTEX® Pavecrafters® Concrete Patterns and Textures

Note: All measurements are approximate



9"x 54" Bluestone


Recommended Contractor Set: 12 Rigid, 3 Flex, 1 Skin, 1 Roller Sleeve

Grout Line Width: 1/4"

Grout Line Depth: 5/32"

Grout Line Width: 3/8"

Suggested Touch-up and Detailing Tools: Touch-up Texture Skin: Bluestone - S20018-TS Touch-up Texture Roller Sleeve: Bluestone - SR0920 Chisels: 2", 4", 8", & 12" Touch-up Wheel: 3/16"





18" x 36" Bluestone

Pattern # S4210

Recommended Contractor Set: 9 Rigid, 2 Flex, 1 Skin, 1 Roller Sleeve

Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: Bluestone - S20018-TS Touch-up Texture Roller Sleeve: Bluestone - SR0920 Chisels: 2", 4", 8", & 12" Touch-up Wheel: 3/16"

This example is laid out in a herringbone pattern. It can also be laid out in running bond, stacked bond, or basket weave.







York Bluestone

Available Tools:

24" x 6" - S20624

18" x 12" - S21218

30" x 18" - S21830

12" x 12" - S21212

18" x 18" - S21818

24" x 24" - S22424

30" x 30" - S23030

36" x 36" - S23636







Grout Line Width: 1/2"

Recommended Contractor Set: 2 of each Rigid, 1 – 12"x 12" Flex, 1 – 18"x18" Flex, 1 Skin, 1 Roller Sleeve

Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: Bluestone - S20018-TS

Touch-up Texture Roller Sleeve: Bluestone - SR0920

Chisels: 2", 4", 8", & 12" Touch-up Wheel: 3/16"











Grout Line Width: 1/4"-5/8"

Grout Line Width: 3/8"-5/8"

Classic Stone Patterns

LITHOTEX® Pavecrafters® Concrete Patterns and Textures

Note: All measurements are approximate



24" x 24" Bluestone

Recommended Contractor Set: 7 Rigid, 2 Flex, 1 Skin, 1 Roller Sleeve

Suggested Touch-up and Detailing Tools: Touch-up Texture Skin: Bluestone - S20018-TS Touch-up Texture Roller Sleeve: Bluestone - SR0920

Chisels: 2", 4", & 8" Touch-up Wheel: 3/16"






8" Tumbled Edge Stone Pattern # S8200

Recommended Contractor Set: 8 Rigid, 1 Flex, 1 Skin, 1 Roller Sleeve

Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: Chiseled Slate - S7618-TS Touch-up Texture Roller Sleeve: Chiseled Slate - SR0976 Chisels: 2", 4", & 8" Touch-up Wheel: 3/16" or 3/8"






4" x 4" Granite Set

Pattern # S5610


Recommended Contractor Set: 10 Rigid, 2 Flex, 1 Skin

Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: 4" x 4" Granite Set – S5618-TS Chisels: 2" & 4" Touch-up Wheel: 3/16" or 3/8"



Grout Line Width: 3/8"-3/4" Stone Size: 1" x 1 1/2"-12 1/2" x 19



Garden Path


Pattern # S3400

Recommended Contractor Set: 12 Rigid, 2 Flex, 1 Skin, 1 Roller Sleeve

Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: Chiseled Slate - S7618-TS Touch-up Texture Roller Sleeve: Chiseled Slate - SR0976

Chisels: 2" Touch-up Wheel: 3/16" or 3/8"





LITHOTEX® Pavecrafters® Concrete Patterns and Textures

Note: All measurements are approximate



Fieldstone

Pattern # S3000

Recommended Contractor Set: 12 Rigid, 2 Flex, 1 Skin, 1 Roller Sleeve

Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: Chiseled Slate – S7618-TS

Touch-up Texture Roller Sleeve: Chiseled Slate – SR0976

Chisels: 2" Touch-up Wheel: 3/16" or 3/8"

Grout Line Width: 1/4"-5/8"





Brook Stone

Pattern # S3600

Recommended Contractor Set: 9 Rigid, 2 Flex, 1 Skin, 1 Roller Sleeve


Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: Coarse Stone – S7418-TS

Touch-up Texture Roller Sleeve: Coarse Stone - SR0974

Chisels: 2" Touch-up Wheel: 3/16" or 3/8"

Grout Line Width: 1/4"-5/8" Grout Line Depth: 1/16"-1/4"





Ashler Stone

Pattern # S4370


Recommended Contractor Set: 12 Rigid, 2 Flex, 1 Skin, 1 Roller Sleeve

Grout Line Width: 1/4"

Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: Chiseled Slate – S7618-TS Touch-up Texture Roller Sleeve: Chiseled Slate – SR0976

Chisels: 4" & 8" Touch-up Wheel: 3/16"





Octagon Stone


Pattern # S8220

Recommended Contractor Set: 4 Rigid, 1 Flex, 1 Skin, 1 Roller Sleeve

Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: Bluestone – S20018-TS
Touch-up Texture Roller Sleeve: Bluestone – SR0920
Chisels: 4" & 8" Touch-up Wheel: 3/16" or 3/8"

Grout Line Width: 3/8"-3/4"



Appalachian Flagstone

Grout Line Width: 3/8"-3/4"

Classic Stone Patterns

LITHOTEX® Pavecrafters® Concrete Patterns and Textures

Note: All measurements are approximate



Orchard Stone

Pattern # S3100


Recommended Contractor Set: 7 Rigid, 2 Flex, 1 Skin, 1 Roller Sleeve

Suggested Touch-up and Detailing Tools: Touch-up Texture Skin: Italian Slate - S7218-TS

Touch-up Texture Roller Sleeve: Italian Slate - SR0972

Chisels: 2" Touch-up Wheel: 3/8"







Fox Valley Flagstone Pattern # \$3300

Additional Tools:

Half Flexible - S3200-F

Recommended Contractor Set: 9 Rigid, 2 Half Flex, 1 Skin, 1 Roller Sleeve

Grout Line Width: 1/2"-1"

Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: Coarse Stone - S7418-TS Touch-up Texture Roller Sleeve: Coarse Stone - SR0974

Chisels: 2", 4", & 8" Touch-up Wheel: 3/8"









Appalachian Flagstone

Pattern # S3700

Recommended Contractor Set: 9 Rigid (3 of each color), 3 Flex (1 of each color), 1 Skin

Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: Oxford Slate - S8418-TS

Chisels: 2" & 4"


Touch-up Wheel: 3/8" or Medium Stone Edge

Grout Line Width: 1/4"-1 3/8" Grout Line Depth: 3/16"





Rustic Wood Patterns LITHOTEX® Pavecrafters® Concrete Patterns and Textures



LITHOTEX® Pavecrafters® Concrete Patterns and Textures

Note: All measurements are approximate



6" Wood Plank

Grout Line Width: 1/8" Pattern # S7370

Additional Tools:

Single Wood Plank Flexible - S7371FL

Flexible 'X' - S7370XFL

Flexible 'Y' - S7370YFL

8" Timber End Grain Set - S7398 (see page 16)


Recommended Contractor Set: 3 Black Rigid, 3 Blue Rigid,

1 'X' Flex, 1 'Y' Flex, 1 Single Plank Flex, 1 Skin


Suggested Touch-up and Detailing Tools:


Touch-up Texture Skin: 6" Wood Plank - S7372-TS Chisels: 2", 4", & 8" Touch-up Wheel: not recommended

Both Flexible 'X' and Flexible 'Y' tools are recommended to









Flexible 'X' Pattern # S7370XFL

Flexible 'Y' Pattern # S7370YFL



Single Wood Plank Flexible Pattern # S7371FL

22 1/2" x 5 1/2"

Touch-up Texture Skin Pattern # S7372-TS



3 1/2" Hardwood Planks Pattern # \$7350

Additional Tools:

Single Hardwood Plank Flexible - S7351FL

Flexible 'X' - S7350XFL

Flexible 'Y' - S7350YFL

8" Timber End Grain Set - S7398 (see page 16)

Recommended Contractor Set: 5 Rigid, 1 'X' Flex, 1 'Y' Flex, 2 Single Plank Flex

Suggested Touch-up and Detailing Tools:

Chisels: 2", 4", & 8" Touch-up Wheel: not recommended

Both Flexible 'X' and Flexible 'Y' tools are recommended to continue consistency of wood grain in stamped pattern


Grout Line Width: 1/16"



Single Hardwood Plank Flexible Pattern # S7351FL

Flexible 'X' Pattern # S7350XFL

17 7/8'





LITHOTEX® Pavecrafters® Concrete Patterns and Textures

Note: All measurements are approximate



12" Wood Plank

Available Tools:

16" x 12" - S7516 32" x 12" - S7532

48" x 12" – S7548 64" x 12" – S7564 80" x 12" - S7580

96" x 12" - S7596



8" Timber End Grain Set - S7398 (see page 16)

Recommended Contractor Set: 2 to 3 of each Rigid, 1 - 16" x 12" Flex, 1 - 32" x 12" Flex, 1 - 48" x 12" Flex, 1 Skin

Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: 12" Wood Plank – S7599-TS Chisels: 2", 4", 8", & 12" Touch-up Wheel: not recommended

















Pebblewood

Pattern # S7360

Additional Tools:

Pebblewood Touch-up Set of 2 - S7361

Recommended Contractor Set: 12 Rigid, 2 Flex,


1 Touch-up Set of 2, 1 Skin

Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin:

Pebblewood Grain - S7362-TS

Chisels: 2", 4", & 8" Touch-up Wheel: 3/16"



Grout Line Width: 1/8"











Grout Line Width: 1/8" Grout Line Depth: 1/8"



LITHOTEX® Pavecrafters® Concrete Patterns and Textures

Note: All measurements are approximate





Gilpin's Falls Bridge Plank

Available Tools:

55" x 16" (Green) – S7380GR 55" x 16" (Blue) – S7380BL 55" x 16" (Black) – S7380BK

Grout Line Width: 1/8" Grout Line Depth: 3/16"

Additional Tools:

96" x 16" (Black) - S7388BK

8" Timber End Grain Set - S7398 (see page 16)

4" End Grain Liner- S9177

Recommended Contractor Set: 9 Rigid, 2 Flex, 1-25" x 13 1/2" Skin, 1-53" x 15" Skin

Suggested Touch-up and Detailing Tools:

Touch-up Texture Skins:

25" x 13 1/2" Gilpin's Falls Bridge Plank – S7380-TS 53" x 15" Gilpin's Falls Bridge Plank – S7381-TS

Chisels: 2", 4", 8", & 12" Touch-up Wheel: not recommended







Image shows cross section

only to show texture



Used to create an end grain texture/pattern on the face of a slab or riser when using Gilpin's Falls Bridge Plank stamp pattern

96" x 16"

96" x 16" Gilpin's Falls Bridge Plank
Pattern # S7388BK

Grout Line Width: 1/8"

Grout Line Depth: 3/16"



LITHOTEX® Pavecrafters® Concrete Patterns and Textures

Note: All measurements are approximate



Wood Paver Ashlar

Pattern # S7345

Additional Tools:


Wood Paver Ashlar Set of 2 Starter Pieces – S7346 (see 4)

Recommended Contractor Set: 9 Rigid, 2 Flex, 1 Set of 2 Starter Pieces, 1 Skin

Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: Wood Paver – S7344-TS (see 1) Chisels: 2", 4", 8", & 12 Touch-up Wheel: 3/16"


This tool can be rotated to reduce repetition





Grout Line Width: 1/16"-1/4"

Grout Line Depth: 1/8"





Wood Paver Cobble

Pattern # S7340


Recommended Contractor Set: 9 Rigid, 2 Flex, 1 Skin

Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: Wood Paver – S7344-TS (see 📵)

Chisels: 2", 4", 8", & 12" Touch-up Wheel: 3/16"

Grout Line Width: 1/16"-1/8" Grout Line Depth: 1/8"-1/4"





Wood Paver Running Bond

Pattern # S7390


Additional Tools:

Single Paver Touch-up Tool Set of 2 – S7391 Starter Tool – S7392

Recommended Contractor Set: 7 Rigid, 2 Flex, 1 Single Paver Touch-up Tool Set of 2, 1 Flex and 1 Rigid Starter Tool

Suggested Touch-up and Detailing Tools:

Chisels: 2", 4", 8", & 12" Touch-up Wheel: not recommended





Single Paver Touch-up Tool Set of 2

Pattern # S7391

Includes 1 Flex and 1 Rigid



Grout Line Width: 1/16"-1/8" Grout Line Depth: 1/16"-1/8" Paver Block Size: 7" x 3 1/4"

Pebbleweood

Rustic Wood Patterns

LITHOTEX® Pavecrafters® Concrete Patterns and Textures

Note: All measurements are approximate



Gilpin's Falls Bridge Plank with 8" Timber End Grain Set

8" Timber End Grain Set

Pattern # S7398






The 8" Timber End Grain Set includes two 8" x 16" end grain texture skins (can be easily cut to desired size). They are commonly used to face patio edges and steps or used as a form liner.



Gilpin's Falls Bridge Plank



Stylish Slate Patterns LITHOTEX® Pavecrafters® Concrete Patterns and Textures



Majestic Ashlar

Stylish Slate Patterns

LITHOTEX® Pavecrafters® Concrete Patterns and Textures

Note: All measurements are approximate



Ashlar Slate


Pattern # S4000

Recommended Contractor Set: 12 Rigid, 2 Flex, 1 Skin, 1 Roller Sleeve

Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: Italian Slate – S7218-TS

Touch-up Texture Roller Sleeve: Italian Slate – SR0972 Chisels: 2", 4", & 8" Touch-up Wheel: 3/16"







Majestic Ashlar

Pattern # S4100

Recommended Contractor Set: 9 Rigid, 2 Flex, 1 Skin, 1 Roller Sleeve


Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: Italian Slate – S7218-TS Touch-up Texture Roller Sleeve: Italian Slate – SR0972

Grout Line Width: 1/4"-3/8"

Grout Line Width: 3/16"-3/8"

Chisels: 2", 4", & 8" Touch-up Wheel: 3/16"







Cottage Slate


Pattern # S4400

Recommended Contractor Set: 9 Rigid, 2 Flex, 1 Skin, 1 Roller Sleeve

Suggested Touch-up and Detailing Tools: Touch-up Texture Skin: Italian Slate – S7218-TS

Touch-up Texture Roller Sleeve: Italian Slate – SR0972 Chisels: 2", 4", & 8" Touch-up Wheel: 3/16"

Grout Line Width: 3/8"-1/2"










3' x 3' Slate

Pattern # S4403

Recommended Contractor Set: 9 Rigid, 2 Flex, 1 Skin, 1 Roller Sleeve

Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: Italian Slate – S7218-TS Touch-up Texture Roller Sleeve: Italian Slate – SR0972 Chisels: 2", 4", 8", & 12" Touch-up Wheel: 3/16"







Stylish Slate Patterns

LITHOTEX® Pavecrafters® Concrete Patterns and Textures

Note: All measurements are approximate



18" x 18" Slate

Pattern # S4400BL

Recommended Contractor Set: 9 Rigid, 2 Flex, 1 Skin, 1 Roller Sleeve

Grout Line Width: 3/8"-1/2"


Grout Line Width: 3/16"-5/16"

Grout Line Width: 1/4"-3/8"

Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: Italian Slate - S7218-TS Touch-up Texture Roller Sleeve: Italian Slate - SR0972

Chisels: 2", 4", & 8" Touch-up Wheel: 3/16"






6" x 6" Slate Pattern # \$4350

Recommended Contractor Set: 9 Rigid, 2 Flex, 1 Skin, 1 Roller Sleeve

Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: Italian Slate - S7218-TS Touch-up Texture Roller Sleeve: Italian Slate - SR0972

Chisels: 2", 4", & 8" Touch-up Wheel: 3/16"





12" x 12" Slate


Recommended Contractor Set: 13 Rigid, 2 Flex, 1 Skin, 1 Roller Sleeve

Grout Line Width: 1/4"

Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: Italian Slate - S7218-TS Touch-up Texture Roller Sleeve: Italian Slate - SR0972

Chisels: 2", 4", & 8" Touch-up Wheel: 3/16"





Diamond Tile


Pattern # S4500

Recommended Contractor Set: 8 Rigid, 1 Flex, 1 Skin, 1 Roller Sleeve

Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: Bluestone - S20018-TS Touch-up Texture Roller Sleeve: Bluestone - SR0920

Chisels: 2", 4", & 8" Touch-up Wheel: 3/16"











Vintage Brick Patterns LITHOTEX® Pavecrafters® Concrete Patterns and Textures

Pennsylvania Avenue Brick Running Bond



Brick Size: 7 5/8" x 3 3/4"

Grout Line Width: 1/4"-3/8"

Grout Line Width: 1/4"-1/2"

Brick Size: 7 5/8" x 3 3/4"

Grout Line Width: 1/4"-7/8" Brick Size: 8 1/2" x 4"

Brick Size: 7 5/8" x 3 3/4"

Vintage Brick Patterns

LITHOTEX® Pavecrafters® Concrete Patterns and Textures

Note: All measurements are approximate



New Brick Running Bond

Pattern # S6200

Recommended Contractor Set: 10 Rigid, 2 Flex, 1 Skin, 1 Roller Sleeve


Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: New Brick – S7318-TS

Touch-up Texture Roller Sleeve: New Brick – SR0960

Chisels: 2", 4", & 8" Touch-up Wheel: 3/16" or 3/8"







New Brick Herringbone

Pattern # S6000


Recommended Contractor Set: 10 Rigid, 2 Flex, 1 Skin, 1 Roller Sleeve

Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: New Brick – S7318-TS

Touch-up Texture Roller Sleeve: New Brick – SR0960

Chisels: 2", 4", & 8" Touch-up Wheel: 3/16" or 3/8"





New Brick Basket Weave

Pattern # S6100


Recommended Contractor Set: 10 Rigid, 2 Flex, 1 Skin, 1 Roller Sleeve

Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: New Brick – S7318-TS

Touch-up Texture Roller Sleeve: New Brick – SR0960

Chisels: 2", 4", & 8" Touch-up Wheel: 3/16" or 3/8"





Old Chicago Running Bond Brick

Pattern # S6600

Recommended Contractor Set: 10 Rigid, 2 Flex, 1 Skin, 1 Roller Sleeve

Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: Old Chicago – S73180-TS
Touch-up Texture Roller Sleeve: Old Chicago – SR0966

Chisels: 2", 4", & 8" Touch-up Wheel: 3/8"

21 3/8"

Brick Pattern Accessories



9" Old Chicago Texture Roller Sleeve

Pattern # SR0966 Patent No. 9,079,330



9" New Brick Texture Roller Sleeve

> Pattern # SR0960 Patent No. 9,079,330





Vintage Brick Patterns

LITHOTEX® Pavecrafters® Concrete Patterns and Textures

Note: All measurements are approximate



Old Chicago Herringbone Brick

Pattern # S6700


Recommended Contractor Set: 10 Rigid, 2 Flex, 1 Skin, 1 Roller Sleeve

Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: Old Chicago – S73180-TS
Touch-up Texture Roller Sleeve: Old Chicago – SR0966

Chisels: 2", 4", & 8" Touch-up Wheel: 3/8"

Grout Line Width: 3/8"-7/8" Grout Line Depth: 1/16"-1/4" Brick Size: 8 1/2" x 4"





Pennsylvania Avenue Brick Running Bond

Pattern # \$6605


Recommended Contractor Set: 10 Rigid, 2 Flex, 1 Skin, 1 Roller Sleeve

Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: Old Chicago – S73180-TS **Touch-up Texture Roller Sleeve:** Old Chicago – SR0966

Chisels: 2", 4", & 8" Touch-up Wheel: 3/16"

Grout Line Width: 1/4"-3/8" Brick Size: 8" x 3 7/8"





Pennsylvania Avenue Herringbone Brick

Pattern # \$6606


Recommended Contractor Set: 10 Rigid, 2 Flex, 1 Skin, 1 Roller Sleeve

Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: Old Chicago – S73180-TS Touch-up Texture Roller Sleeve: Old Chicago – SR0966

Chisels: 2", 4", & 8" Touch-up Wheel: 3/16"

Grout Line Width: 1/4"-3/8"
Brick Size: 8" x 3 7/8"





Jumbo Brick Running Bond

Pattern # S6202

Recommended Contractor Set: 10 Rigid, 2 Flex, 1 Skin, 1 Roller Sleeve


Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: New Brick – S7318-TS

Touch-up Texture Roller Sleeve: New Brick - SR0960

Chisels: 2", 4", & 8" Touch-up Wheel: 3/8"

Grout Line Width: 3/8"-1/2" Brick Size: 9 1/8" x 6"



Brick Pattern Accessories are also used with Brick Border Patterns (see page 37-39)




Old Chicago Touch-up Texture Skin Pattern # S73180-TS



New Brick Touch-up Texture Skin Pattern # S7318-TS














Rugged Textures LITHOTEX® Pavecrafters® Concrete Patterns and Textures



LITHOTEX® Pavecrafters® Concrete Patterns and Textures

Note: All measurements are approximate



Travertine Texture Mats & Touch-up Skins

Available Tools:

18" x 18" – S8618-TS (touch-up texture skin) 36" x 36" – S8636-TS (texture mat with handles) 48" x 48" – S8648-TS (texture mat with handles)

Recommended Contractor Set: 4 – 48" x 48", 1 – 18" x 18"





Chiseled Slate Texture Mats & Touch-up Skins

Available Tools:

18" x 18" – S7618-TS (touch-up texture skin) 36" x 36" – S7636-TS (texture mat with handles)

48" x 48" - S7648-TS (texture mat with handles)

Recommended Contractor Set: $4-48" \times 48"$, $1-18" \times 18"$, 1 Roller Sleeve

Suggested Touch-up and Detailing Tools:

Touch-up Texture Roller Sleeve: Chiseled Slate – SR0976





Heavy Stone Texture Mats & Touch-up Skins

Available Tools:

18" x 18" – S7118-TS (touch-up texture skin) 36" x 36" – S7136-TS (texture mat with handles) 48" x 48" – S7148-TS (texture mat with handles)

Recommended Contractor Set: 4 - 48" x 48", 1 - 18" x 18"





Italian Slate Texture Mats & Touch-up Skins

Available Tools:

18" x 18" - S7218-TS (touch-up texture skin)

36" x 36" - S7236-TS (texture mat with handles)

48" x 48" – S7248-TS (texture mat with handles)

Recommended Contractor Set: 4 – 48" x 48", 1 – 18" x 18", 1 Roller Sleeve

Suggested Touch-up and Detailing Tools:

Touch-up Texture Roller Sleeve: Italian Slate – SR0972





LITHOTEX® Pavecrafters® Concrete Patterns and Textures

Note: All measurements are approximate



Coarse Stone Texture Mats & Touch-up Skins

Available Tools:

18" x 18" – S7418-TS (touch-up texture skin) 36" x 36" – S7436-TS (texture mat with handles) 48" x 48" – S7448-TS (texture mat with handles)

Recommended Contractor Set: 4-48" x 48", 1-18" x 18", 1 Roller Sleeve

Suggested Touch-up and Detailing Tools:

Touch-up Texture Roller Sleeve: Coarse Stone - SR0974






Quartzite Strata Texture Mats & Touch-up Skins

Available Tools:

18" x 18" – S7718-TS (touch-up texture skin) 36" x 36" – S7736-TS (texture mat with handles) 48" x 48" – S7748-TS (texture mat with handles)

Recommended Contractor Set: 4 – 48" x 48", 1 – 18" x 18"





Bluestone Texture Mats & Touch-up Skins

Available Tools:

18" x 18" - S20018-TS (touch-up texture skin)

 $36"\ x\ 36"-S20036\text{-TS}$ (texture mat with handles)

48" x 48" - S20048-TS (texture mat with handles)

Recommended Contractor Set: 4 - 48" x 48", 1 - 18" x 18",

1 Roller Sleeve

Suggested Touch-up and Detailing Tools:

Touch-up Texture Roller Sleeve: Bluestone - SR0920





River Bottom Texture Mats & Touch-up Skins

Available Tools:

18" x 18" – S7018-TS (touch-up texture skin)

36" x 36" – S7036-TS (texture mat with handles)

48" x 48" – S7048-TS (texture mat with handles)

Recommended Contractor Set: 4 - 48" x 48", 1 - 18" x 18"



LITHOTEX® Pavecrafters® Concrete Patterns and Textures

Note: All measurements are approximate



Pebblestone Texture Mats & Touch-up Skins

Available Tools:

18" x 18" – S8318-TS (touch-up texture skin) 36" x 36" – S8336-TS (texture mat with handles)

48" x 48" – S8348-TS (texture mat with handles)

Recommended Contractor Set: 4 – 48" x 48", 1 – 18" x 18"





Oxford Slate Texture Mats & Touch-up Skins

Available Tools:

18" x 18" – S8418-TS (touch-up texture skin) 36" x 36" – S8436-TS (texture mat with handles)

48" x 48" – S8448-TS (texture mat with handles)

Recommended Contractor Set: 4 – 48" x 48", 1 – 18" x 18"





Hadley Creek Shale Texture Mats & Touch-up Skins

Available Tools:

18" x 18" – S8518-TS (touch-up texture skin)

36" x 36" - S8536-TS (texture mat with handles)

48" x 48" - S8548-TS (texture mat with handles)

Recommended Contractor Set: 4 - 48" x 48", 1 - 18" x 18"





Rock Salt Texture Mats & Touch-up Skins

Available Tools:

18" x 18" – S7818-TS (touch-up texture skin)

 $36"\ x\ 36"-S7836\text{-TS}$ (texture mat with handles)

48" x 48" – S7848-TS (texture mat with handles)

Recommended Contractor Set: 4 – 48" x 48", 1 – 18" x 18"





LITHOTEX® Pavecrafters® Concrete Patterns and Textures

Note: All measurements are approximate



Graded Rock Salt Texture Mats & Touch-up Skins

Available Tools:

18" x 18" – S8818-TS (touch-up texture skin)

36" x 36" - S8836-TS (texture mat with handles)

48" x 48" - S8848-TS (texture mat with handles)

Recommended Contractor Set: 4 – 48" x 48", 1 – 18" x 18"





Fractured Slate Texture Mats & Touch-up Skins

Available Tools:

18" x 18" – S8918-TS (touch-up texture skin)

36" x 36" - S8936-TS (texture mat with handles)

48" x 48" - S8948-TS (texture mat with handles)

Recommended Contractor Set: 4 – 48" x 48", 1 – 18" x 18"





Fractured Earth Texture Mats & Touch-up Skins

Available Tools:

18" x 18" – S8718-TS (touch-up texture skin)

36" x 36" - S8736-TS (texture mat with handles)

48" x 48" - S8748-TS (texture mat with handles)

Recommended Contractor Set: 4 – 48" x 48", 1 – 18" x 18"



9" Texture Roller Sleeves

Patent No. 9,079,330

- · For use as touch-up tools with their corresponding texture mats
- · They can also be used as stand-alone tools
- The 9" texture roller sleeves fit on most 9" paint rollers with 3/4" nap (paint roller with nap not included)
- · Use with stampable overlays or fresh concrete

Available Types:

Italian Slate - SR0972 Bluestone - SR0920 Chiseled Slate - SR0976 Coarse Stone - SR0974



Chiseled Slate Texture

Rugged Textures

LITHOTEX® Pavecrafters® Concrete Patterns and Textures













18" Texture Roller Sleeves

Patent No. 9.079.330

- Made to create the look of natural stone or slate similar to Scofield® texture skins
- · Use with stampable overlays or fresh concrete
- A fully assembled 18" Roller Frame with 3/4" Nap Roller and texture roller sleeve attaches to a standard broom handle
- They eliminate the need for a heavy urethane core making them cost effective and lightweight

Available Types:

Italian Slate - SR1872 Bluestone - SR1820 Chiseled Slate - SR1876 Coarse Stone - SR1874 Rock Salt - SR1878

Additional Tools:

SR1899 - 18" Roller Frame with 3/4" Nap Roller and End Caps







18" Bluestone **Texture Roller Sleeve** Pattern # SR1820 Patent No. 9,079,330



18" Roller Frame with 3/4" **Nap Roller and End Caps** Pattern # SR1899




18" Chiseled Slate **Texture Roller Sleeve** Pattern # SR1876 Patent No. 9,079,330





18" Coarse Stone **Texture Roller Sleeve** Pattern # SR1874 Patent No. 9,079,330






18" Rock Salt **Texture Roller Sleeve** Pattern # SR1878 Patent No. 9,079,330





Special Patterns LITHOTEX® Pavecrafters® Concrete Patterns and Textures



Special Patterns LITHOTEX® Pavecrafters® Concrete Patterns and Textures

Note: All measurements are approximate



48" Compass Rose Pattern # S8235

Grout Line Width: 1/8"-1/2"





48" Windrose Pattern # S8230


Grout Line Width: 1/4"-1/2"





96" Windrose 1/4 Circle Pattern # S8240

Grout Line Width: 1/8"-5/8" Grout Line Depth: 1/16"-1/4" The 96" Windrose 1/4 Circle consists of a single 1/4 circle stamp. Recommended contractor set is 2 for alignment purposes.



Nickel Plate Rail Spur


Pattern # S8900


Suggested Touch-up and Detailing Tools:

Touch-up Texture Skins: 6" Wood Plank - S7372-TS

Pebblestone - S8318-TS

Tool Depth: 1/4"







Special Patterns LITHOTEX® Pavecrafters® Concrete Patterns and Textures



Texas State & Star Available Sizes:

2' x 2' - S7702 3' x 3' - S7703

Grout Line Width: 1/4"





Texas Weave


Pattern # S7705

Additional Tools:

Texas Weave Touch-up - S7706

Grout Line Width: 1/8"-1/4" Grout Line Depth: 1/8"









ADA Truncated Dome Mat


Available Sizes:

24" x 24" - S7500

36" x 24" - S7503

48" x 24" - S7504

60" x 24" - S7505







34"

Special Patterns

LITHOTEX® Pavecrafters® Concrete Patterns and Textures


Note: All measurements are approximate



Diamond Tactile Pattern

Pattern # S7400

Grout Line Width: 3/16" Grout Line Depth: 3/16" Diamond Size: 5/8" x 1 3/8"





Numbers

· Sold as set: 0 through 9

Available Heights:

3 7/8" Set – S7890 1 1/8" Set – S7892








Letters


- . Both heights are available in letters A through Z
- · Each letter is sold separately

Available Heights:

3 7/8" - S7890LET

1 1/8" - S7892LET







Special Patterns LITHOTEX® Pavecrafters® Concrete Patterns and Textures




Steer Head Pattern # S9973


Grout Line Width: 3/8"



Lake Trout Pattern # S9930

Grout Line Width: 1/8"









Deer Dewclaw (Set of Two)

Pattern # S9934





Deer Hoof Print (Set of Four)

Pattern # S9932









Coyote Paw Print (Set of Four)

Pattern # S9933







Gray Wolf Paw Print (Set of Two)

Pattern # S9931





LITHOTEX® Pavecrafters® Concrete Patterns and Textures

Note: All measurements are approximate



4" Tumbled Edge Stone Border

Pattern # S8210

Additional Tools:

Finishing Corner – S8211 'T' – S8212 Cross – S8213

Recommended Contractor Set: 2 Rigid, 1 Flex,


1 Corner, 1 Skin, 1 Roller Sleeve (1 Cross & 1 'T' if needed)

Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: Bluestone – S20018-TS
Touch-up Texture Roller Sleeve: Bluestone – SR0920
Chisels: 2" & 4" Touch-up Wheel: 3/16" or 3/8"




Grout Line Width: 1/4"-5/8"





Pattern # S8211





18" Tumbled Edge Stone with 4" Stone Border


Pattern # S8205

Recommended Contractor Set: 6 Rigid, 1 Flex, 1 Skin, 1 Roller Sleeve

Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: Bluestone – S20018-TS Touch-up Texture Roller Sleeve: Bluestone – SR0920 Chisels: 2", 4", & 8" Touch-up Wheel: 3/16" or 3/8"

Grout Line Width: 3/16"-1/2"





4" x 4" Granite Border 2 Row

Pattern # S5615

Recommended Contractor Set: 2 Rigid, 1 Flex, 1 Skin

Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: 4" x 4" Granite Set – S5618-TS

Chisels: 2" & 4" Touch-up Wheel: 3/16" or 3/8"

Grout Line Width: 3/8"-5/8"





LITHOTEX® Pavecrafters® Concrete Patterns and Textures

Note: All measurements are approximate



4" x 4" Granite Border 3 Row

Pattern # S5616


Recommended Contractor Set: 2 Rigid, 1 Flex, 1 Skin

Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: 4" x 4" Granite Set - S5618-TS

Chisels: 2" & 4" Touch-up Wheel: 3/16" or 3/8"

Grout Line Width: 3/8"-5/8"





Roman Rope

Pattern # S7900

Recommended Contractor Set: 2 Rigid, 1 Flex, 1 Skin

Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: Roman Rope – S7918-TS

Chisels: not recommended Touch-up Wheel: 3/16" [™]N

Grout Line Width: 1/4"







New Brick Soldier Course

Pattern # S6900

Finishing Corner – S6903 (see **(A)**)
Soldier Curve – S6230, Single Brick Set – S6905 (see **(3)**)

Recommended Contractor Set: 2 Rigid, 1 Flex, 1 Finishing Corner, 1 Soldier Curve, 1 Single Brick Set, 1 Skin, 1 Roller Sleeve, 1 Touch-up Tool Set

Grout Line Width: 1/4"-3/8


Grout Line Width: 1/4'

Brick Size: 3 7/8" x 8"

Brick Size: 3 3/4" x 7 3/4"

Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: New Brick – S7318-TS Touch-up Texture Roller Sleeve: New Brick – SR0960 Touch-up Tool Set: New Brick Soldier Course - S6231







Pennsylvania Avenue Soldier Course


Pattern # \$6805

Additional Tools:
Finishing Corner – S6806 (see **(c)**),
Soldier Curve – S6630, Single Brick Set – S6807 (see **(b)**)

Recommended Contractor Set: 2 Rigid, 1 Flex, 1 Finishing Corner, 1 Soldier Curve, 1 Single Brick Set, 1 Skin, 1 Roller Sleeve, 1 Touch-up Tool Set

Suggested Touch-up and Detailing Tools:
Touch-up Texture Skin: Old Chicago – S73180-TS
Touch-up Texture Roller Sleeve: Old Chicago – SR0966

Touch-up Tool Set: Pennsylvania Avenue Soldier Course - S6631



LITHOTEX® Pavecrafters® Concrete Patterns and Textures

Note: All measurements are approximate



Old Chicago Soldier Course

Pattern # S6800

Additional Tools:


Finishing Corner – S6801 (see **(Section 2)**), Soldier Curve – S6830, Single Brick Set – S6803 (see **(Section 2)**)

Recommended Contractor Set: 2 Rigid, 1 Flex, 1 Finishing Corner, 1 Soldier Curve, 1 Single Brick Set, 1 Skin, 1 Roller Sleeve, 1 Touch-up Tool Set

Grout Line Width: 3/8"

Brick Size: 4" x 8 1/2"

Suggested Touch-up and Detailing Tools:
Touch-up Texture Skin: Old Chicago – S73180-TS
Touch-up Texture Roller Sleeve: Old Chicago – SR0966 Touch-up Tool Set: Old Chicago Soldier Course – S6831 Chisels: 2", 4", & 8" Touch-up Wheel: 3/8"



Old Chicago Soldier

Pattern # S6831

Course Touch-up Tool Set



Pennsylvania Avenue

Pattern # S6631

Soldier Course Touch-up Tool Set 1/2"

New Brick Soldier

Pattern # S6231

Course Touch-up Tool Set

1/2"



LITHOTEX® Pavecrafters® Concrete Patterns and Textures

Note: All measurements are approximate



New Brick Soldier Course Stacked

Pattern # S6901

Recommended Contractor Set: 2 Rigid, 1 Flex,

1 Skin, 1 Roller Sleeve

Grout Line Width: 1/4"-3/8" Brick Size: 3 3/4" x 7 5/8"

Suggested Touch-up and Detailing Tools: Touch-up Texture Skin: New Brick - S7318-TS Touch-up Texture Roller Sleeve: New Brick - SR0960 Chisels: 2", 4", & 8" Touch-up Wheel: 3/16" or 3/8"





New Brick Sailor Course

Pattern # S6950

Additional Tools:

Single Brick Set - S6955 (see A)

Recommended Contractor Set: 2 Rigid, 1 Flex, 1 Single Brick Set, 1 Skin, 1 Roller Sleeve

Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: New Brick - S7318-TS

Touch-up Texture Roller Sleeve: New Brick - SR0960 Chisels: 2", 4", & 8" Touch-up Wheel: 3/16" or 3/8"



Grout Line Width: 1/4"-3/8" Grout Line Depth: 1/8"-3/16" Brick Size: 7 5/8" x 3 3/4"






Large Brick Soldier Course

Recommended Contractor Set: 2 Rigid, 1 Flex, 1 Skin, 1 Roller Sleeve

Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: New Brick - S7318-TS

Touch-up Texture Roller Sleeve: New Brick - SR0960 Chisels: 2", 4", & 8" Touch-up Wheel: not recommended



Grout Line Width: 1/8" Brick Size: 3 7/8" x 11 3/4"

Chiseled Slate Shoe-In Texture Shoes

Pattern # SI76

Available Sizes:

M (men's shoe sizes less than 9) L (men's shoe sizes 9-11) XL (men's shoe sizes above 11)



Coarse Stone Shoe-In Texture Shoes

Pattern # SI74

Available Sizes:

M (men's shoe sizes less than 9) L (men's shoe sizes 9-11) XL (men's shoe sizes above 11)



Bluestone Shoe-In Texture Shoes

Pattern # SI20

Available Sizes:


M (men's shoe sizes less than 9) L (men's shoe sizes 9-11) XL (men's shoe sizes above 11)







Stamping Accessories LITHOTEX® Pavecrafters® Concrete Patterns and Textures


































| | ITEM NAME | PART NO. | SPECIFICATIONS |
|----|--|----------------|--|
| A. | 2" Chisel | S8101 | Aluminum |
| B. | 4" Chisel | S8103 | Aluminum |
| C. | 8" Chisel | S8108 | Aluminum |
| D. | 12" Chisel | S8112 | Aluminum |
| E. | 3/16" Touch-up Wheel | S8115 | Aluminum with a 3/16" flat joint |
| F. | 3/8" Touch-up Wheel | S8116 | Aluminum with a 3/8" flat joint |
| G. | Thin Stone Edge Touch-up Wheel | S8120 | Aluminum with a stone edge joint varying 1/8"-1/4" |
| H. | Medium Stone Edge Touch-up Wheel | S8121 | Aluminum with a stone edge joint varying 3/16"-1/2" |
| I. | Large Sanded Joint Touch-up Wheel | S8122 | Aluminum with a 5/8" sanded joint |
| J. | Control Joint Stone Texture Roller | S8117 | Urethane joint roller for creating natural texture in joints |
| K. | 6" x 6" Shock Absorbing Tamper | TMP06SHOCKLESS | Shock absorbing tamper. Removable steel handle is square at head for easy alignment. |
| L. | 6" x 6" Shock Absorbing Tamper Short Handle | TMP06SHORT | The 6" x 6" Shock Absorbing Tamper is used along wall lines and hard to reach areas. Available with either a long or short handle. |
| М. | 12" x 12" Shock Absorbing Tamper | TMP12SHOCKLESS | Shock absorbing tamper. Removable steel handle is square at head for easy alignment. |



Form and Step Liners LITHOTEX® Pavecrafters® Concrete Patterns and Textures



STACKABLE FORM LINER





2' Offset Pattern # S50062



8" End Set of 2 Pattern # S5006E08



9" x 6"

Pattern # S5006E10

Control Joint Texture Strip
Pattern # S58001

2.5

Refer to ACI Standards and Guidelines on placement of vertical control joint strips




The Control Joint
Texture Strip
is used to help
control random
cracking in the
wall while adding a
decorative feature.



COUNTRY LEDGE FORM LINER





Country Ledge Form Liner

Patent No. 5,885,502

Available Tools:

2' - S3624

3' - S3636

6" x 6" Filler Stone - S3606

3" x 12" Filler Stone - S36123

6" x 12" Filler Stone Single – S36126SINGLE

6" x 12" Filler Stone Double - S36126DOUBLE

Additional Tools:

Extension – (see pattern #(s) below)

Outside Corner A – (see pattern #(s) below)

Outside Corner B – (see pattern #(s) below)

Inside Corner D – (see pattern #(s) below)

Inside Corner E – (see pattern #(s) below)

10" End Piece C – (see pattern #(s) below)

12" End Piece C – (see pattern #(s) below)

7' 6' က်


The 2' and 3' liners can be used together to create any wall height in one foot increments

Grout Line Width: 1/2"-1"

6" x 6" Filler Stone

Pattern # S3606









Pattern # S36123



6" x 12" Filler Stone - Single



Pattern # S36126S



Outside Corner (2 pieces)

Available Sizes:

2' A - S3624A

2' B - S3624B

3' A - S3636A 3' B - S3636B



6" x 12" Filler Stone - Double

Pattern # S36126D



3' D - S3636D



12" End Piece C

10" End Piece C Available Sizes:

2' - S3624C

3' - S3636C

Available Sizes:

2' - S3624C 12



Extension

Available Sizes:

2' - S3624X

3' - S3636X



Inside Corner (2 pieces) Available Sizes:


2' D - S3624D

2' E - S3624E

3' E - S3636E



COUNTRY LEDGE FORM LINER



Country Ledge Column Form

- · Can be used to create stand alone columns or in conjunction with the Country Ledge Form Liner System
- · Natural look of real stone
- · Extender pieces are used to increase the height of both size columns by 6"

Available Tools:

24" A - S361824A (see A) 24" B - S361824B (see B)

24" C - S361824C (see **©**) 24" D - S361824D (see **D**)

40" A - S361840A

40" B - S361840B

40" C - S361840C

40" D - S361840D

Additional Tools:


6" Extender A - S361806A

6" Extender B - S361806B

6" Extender C - S361806C

6" Extender D - S361806D





Also available in 40" height





All liner pieces are labeled on the back for identification

18" 16 1/2" 24"



6" Extender A Pattern # S361806A



6" Extender B Pattern # S361806B



6" Extender C Pattern # S361806C



6" Extender D Pattern # S361806D



FORM & STEP LINERS



Stone Form Liners

2 1/2" Cantilevered

2 1/2" Cantilevered Cut Stone Step Liner Pattern # S9101

Additional Tools:

90° Outside Corner – S9103 (see 🔳) 90° Inside Corner – BST9109 (see 1)









4" Cantilevered Cut Stone Step Liner


Pattern # S9102

Additional Tools:

90° Outside Corner – S9105 (see **G**) 90° Inside Corner – S9113 (see 🕕)











One Piece Cantilevered Step Liners

Available Sizes:


8' x 6 1/4" - S9133 8' x 7 1/4" - S9150

Additional Tools:

Corner - S9151

Corner works with both size liners















45° Stone Edge Step Liners

Available Sizes: 8' x 6 1/4" – S9135 8' x 7 1/4" – S9115














FORM & STEP LINERS - STONE FORM LINERS



1 1/2" Cut Stone Form Liner

Pattern # S9101.5

Additional Tools:

90° Outside Corner – S9118 (see (A)) 90° Inside Corner – S9119 (see B)







8' x 1 1/2"



2 1/4" Cut Stone Form Liner

Pattern # S9100

Additional Tools:

90° Outside Corner – S9107 (see (a)) 90° Inside Corner – S9108 (see 1)













4" Cut Stone Form Liner


Pattern # S9104

Additional Tools:

90° Outside Corner – S9106 (see 🖹) 90° Inside Corner – S9112 (see F)












6" Cut Stone Form Liner


Pattern # S9130


Additional Tools:

90° Outside Corner – S9132 (see **G**) 90° Inside Corner – S9131 (see 📳)









6" Slab

FORM & STEP LINERS - STONE FORM LINERS

8' x 2 1/4"

2 1/4" Arcadian Stone Form Liner

Pattern # S9162

Additional Tools:

90° Outside Corner – S9163 (see **(A)**) 90° Inside Corner – S9161 (see **(B)**)





4" Arcadian Stone Form Liner

Pattern # S9164

Additional Tools:

90° Outside Corner – S9165 (see **©**) 90° Inside Corner – S9166 (see **©**)











Bull Nose Form Liners

2 1/8" Bull Nose Form Liner

Pattern # S9120

Additional Tools:

90° Outside Corner – S9121 (see 🕒)

90° Inside Corner – S9123 (see 🕞)

90° Sweeping Outside Corner – S9122 (see **G**)

90° Sweeping Inside Corner – S9124 (see 1)







2 1/2" Bull Nose with Quarter Round Form Liner

Pattern # S9125








FORM & STEP LINERS - WOOD FORM LINERS



Gilpin's Falls Bridge Plank Texture



Wood One Piece 7 1/4" Step Liner

Pattern # S9178

- · Achieve a cantilevered wood grain edge and wood textured riser without complex forming
- · Liner designed to allow for finishing of step or slab below
- · Flexible high quality, multiple use urethane liner can be used on radius application
- · Specially designed corner piece available for creating cantilevered returns
- · Recommended for use with Gilpin's Falls Bridge Plank Texture

Additional Tools:

Corner - S9179

Gilpin's Falls Bridge Plank Texture



Corner Pattern # S9179







4" Gilpin's Falls End Grain Liner

Pattern # S9177

Used to create an end grain texture/pattern on the face of a slab or riser when using Gilpin's Falls Bridge Plank stamp pattern (see page 14)

Image shows cross section only to show texture

Grout Line Width: 1/8" Grout Line Depth: 3/16"





Gilpin's Plank Edge Liners

Available Sizes:


8' x 2" - S9192 8' x 4" - S9194





8' x 2"

FORM & STEP LINERS - WOOD FORM LINERS



FORM & STEP LINERS - RISER LINERS



5 1/8" Riser Cobblestone Liner

Pattern # S9116



Image shows cross section only to show texture


8' x 5 1/8"

The 5 1/8" Riser Cobblestone Liner is designed to be used with the 2 1/2" Cantilevered Cut Stone Step Liner and 2 1/4" Cut Stone Step Liner to create 7 3/8" steps or with the 2 1/8" Bull Nose Form Liner to create 7 1/4" steps. It may also be used as a standalone liner.

5 1/8" Riser Slate Liner

Pattern # S9117





The 5 1/8" Riser Slate Liner is designed to be used with the 2 1/2" Cantilevered Cut Stone Step Liner and 2 1/4" Cut Stone Step Liner to create 7 3/8" steps or with the 2 1/8" Bull Nose Form Liner to create 7 1/4" steps. It may also be used as a standalone liner.

9 1/4" Riser Stone Liner

Pattern # S9110





The 9 1/4" Riser Stone Liner can be trimmed on-site to desired riser height. It can be used as a standalone liner or in conjunction with all sizes of the Cut Stone Form Liner, Cantilevered Cut Stone Step Liner, and Bull Nose Form Liner.

18" Riser Stone Liner

Pattern # S9111







The 18" Riser Stone Liner can be trimmed on-site to desired riser height. It can be used as a standalone liner or in conjunction with all sizes of the Cut Stone Form Liner, Cantilevered Cut Stone Step Liner, and Bull Nose Form Liner.



1 1/2" Pebblestone Form Liner

Pattern # S9141





7 1/4" Pebblestone Form Liner


Pattern # S9140



URETHANE PRECAST MOLDS


Table Mold System


- The 2', 3', & 4' molds replicate the look of a cut log round
- The molds can be poured with standard concrete, Flat Out® Countertop Mix, or a variety of other high strength concrete mix designs
- · Legs work for both 3' and 4' Log Round Table Mold (1 leg per mold, 2 legs per table)






4' Log Round Table Top Mold Pattern # SLR4












Pattern # SLEG101

Block set used to reduce height of table legs by 6"

Concrete Bench Mold System

- · Durable urethane molds
- Gilpin's Falls Bridge Plank and Bluestone Texture tops work with both leg systems







Bluestone Texture Bench Top Mold
Pattern # SBM4200 (see 3)



Bench Leg with Backrest Mold Set



URETHANE PRECAST MOLDS - WOOD SLAB MOLD SYSTEM



VERTICAL STAMPING TOOLS





Weathered Edge Wall

Pattern # S1100

Additional Tools:

Finishing Tool – S1101 (see (A))

Recommended Contractor Set: 1 of each color Wall Stamp, 1 of each color Finishing Tool

Grout Line Width: 1/4"-3/4"





Top Stone Wall

Pattern # S1200

Additional Tools:

Finishing Tool – S1201 (see **B**)

Recommended Contractor Set: 1 of each color Wall Stamp, 1 Finishing Tool

Grout Line Width: 1/4"-1"





17 15/16"



Platteville Limestone (Small)

Pattern # S1300

Additional Tools: Single (Small) – S1350BL (see (Small)) Grout Line Width: 1/2"

Recommended Contractor Set: 1 of each color Wall Stamp, 1 Single (Small)

The Platteville Limestone (Small) tools can be used separately or interchangeably with the Platteville Limestone (Large) tools (S1400) to achieve additional random stone variation.











Platteville Limestone (Large)

Pattern # S1400

Recommended Contractor Set: 1 of each color Wall Stamp

The Platteville Limestone (Large) tools can be used separately or interchangeably with the Platteville Limestone (Small) tools (S1300) to achieve additional random stone variation.

Grout Line Width: 1/2"







VERTICAL OVERLAY ACCESSORIES



9" Rock Face Texture Roller

Pattern # S8002

Suggested Touch-up and Detailing Tools: Touch-up Texture Skin: Rock Face - S8102









9" Pitted Rock Face Texture Roller

Pattern # S8003

Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: Pitted Rock Face - S8103

Touch-up Texture Skin Pattern # S8103





Knife Edge Joint Roller

Pattern # S8001

Dimensions: Tapers out from 5/8" down to blade thin

Frame is included







Medium Wood Grain Texture

Available Sizes:

2' x 10 1/2" - S1502 7' x 10 1/2" - S1507

Suggested Touch-up and Detailing Tools:

Touch-up Texture Roller: 9" Medium Wood Grain - S8010

Touch-up Texture Roller Pattern # S8010





7' x 10 1/2"



9" Light Bark Texture Roller

Pattern # S8015

Suggested Touch-up and Detailing Tools: Touch-up Texture Skin: Light Bark - S8115



Touch-up Texture Skin Pattern # S8115



Touch-up Texture Skin Pattern # S8116





9" Heavy Bark Texture Roller

Pattern # S8016









18" x 18"

DECORATIVE CONCRETE STENCILS

Stencils are available in adhesive back and non-adhesive back rolls. Adhesive back stencils are used with SCOFIELD® Texturetop® Pro Stencil Grade (see page 59).

Non-adhesive back stencils are used with LITHOCHROME® Color Hardener (see page 60) or LITHOCAST™Surface Retarder (see page 67)




Ashlar Slate

Available Tools & Sizes: Non-Adhesive Back:

36"W x 335 LF (1,000 sq. ft.) – ST01

Adhesive Back: 36"W x 167 LF (500 sq. ft.) – ST01/ADH



Face Brick

Available Tools & Sizes:

Non-Adhesive Back: 36"W x 335 LF (1,000 sq. ft.) – ST04

Adhesive Back: 36"W x 167 LF (500 sq. ft.) – ST04/ADH



Description: Random size squares and rectangles from 2 3/4" x 4 3/4" to 11" x 12" in size. Mortar joints range from 1/2" to 1" wide.

Description: 2 1/4" x 7 3/4" bricks with 1/2" mortar joints arranged in running bond pattern.





Flagstone

Available Tools & Sizes:

Non-Adhesive Back: 33"W x 365 LF (1,000 sq. ft.) – ST06

Adhesive Back: 33"W x 167 LF (462 sq. ft.) – ST06/ADH





Old Chicago Brick

Available Tools & Sizes: Non-Adhesive Back:

37"W x 335 LF (1,000 sq. ft.) - ST10



Description: Irregular shaped stones ranging in size from 8" x 15" to 7" x 9"

Description: Random broken bricks ranging in size from 2 1/2" x 3 3/4" x 9"

with mortar joints ranging from 1/2" to 1 1/2".







Old English Cobblestone

Available Tools & Sizes:

Non-Adhesive Back: 33"W x 365 LF (1,000 sq. ft.) – ST11

Adhesive Back: 33"W x 167 LF (462 sq. ft.) – ST11/ADH



Description: Random shaped stones with highly rounded corners. Stone sizes range from 3 1/4" x 3 1/2" to 7" x 8 1/4" with irregular mortar joints.





Running Bond

Available Tools & Sizes:

Non-Adhesive Back: 36"W x 335 LF (1,000 sq. ft.) – ST14

Adhesive Back: 36"W x 167 LF (500 sq. ft.) – ST14/ADH





Silverdale

Available Tools & Sizes:
Non-Adhesive Back:

36"W x 335 LF (1,000 sq. ft.) – ST22



Description: 4" x 7 3/4" bricks with 1/2" mortar joints arranged in a running bond pattern. **Description:** Random squares and rectangles ranging in size from 5" x 5" to 11" x 13 1/2" with 3/4" mortar joints.

Soldier Course

Available Tools & Sizes:

Non-Adhesive Back Small Roll: 300 LF – ST20/Small Adhesive Back: 300 LF – ST20/ADH





Description: 3 5/8" x 7 3/4" bricks with 1/2" mortar joints arranged in single file for borders.

Cobble Header


Available Tools & Sizes:

Non-Adhesive Back: 300 LF - ST21





Description: Irregular stones varying from 4" x 8" to 5" x 8". Mortar joints from 1/2" to 1". Arranged in single file for borders.



Stencil Knock Down Roller

Available Sizes:


18" Roller - ST KNOCK-DWN ROLLER

Additional Tools:

18" Roller Frame - ST KNOCK-DWN FRAME

Used for embedding stencils into fresh concrete. Attaches to a standard broom handle.





SCOFIELD® Texturetop® Pro Stamp Grade

SCOFIELD® Texturetop® Pro Stamp Grade is a polymer modified cementitious topping formulated for resurfacing structurally sound, non-moving concrete floors and exterior hardscapes. The overlay provides a durable surface suitable for stamping with LITHOTEX® Pavecrafters® Stamping Tools or textured with SCOFIELD® Texture Rollers. The cured product is abrasion resistant and suitable for pedestrian and automobile traffic. It is an ideal system for creating a stamped or textured surface when the existing concrete is in good condition.

- 24 standard color packs available
- 21-day compressive strength is 5,250 psi
- · Mixes with water



- Can be used with stamping tools and texture rollers
- · Only primer needed, no slurry coat required

SCOFIELD® Texturetop® Pro Primer

SCOFIELD® Texturetop® Pro Primer is a bonding agent for use with SCOFIELD® Texturetop® Pro Stamp Grade Overlay, a cementitious overlay for the resurfacing of interior or exterior concrete. As an option, it may also be used with SCOFIELD® Texturetop® Pro Stencil Grade Overlay to improve adhesion and workability. It is a concentrated ethyl vinyl acetate (EVA) copolymer liquid, that when properly mixed and applied, enhances the adhesion, workability and curing of cementitious overlays. It is a white liquid that dries to a clear film. For interior or exterior and horizontal or vertical use.

- · Interior or exterior use
- · Re-emulsifies only once
- Promotes excellent adhesion
- Applied by roller, squeegee or broom





SCOFIELD® Texturetop® Pro Stencil Grade

SCOFIELD® Texturetop® Pro Stencil Grade is a polymer modified cementitious topping formulated for resurfacing structurally sound, non-moving concrete floors, walls, and exterior hardscapes. The cured product creates an abrasion resistant surface suitable for pedestrian and automobile traffic. It is an ideal system for restoring worn or color blemished concrete, or correcting construction errors.

SCOFIELD® Texturetop® Pro Stencil Grade is a precise

blend of graded sand, cement, and polymer, which allow for thin applications. It can be smooth troweled, broom finished, or applied using a hopper gun for a knock down finish. Application thickness ranges from 1/16 inch (1.5mm) to a maximum of 3/16 inch (4.5 mm). SCOFIELD® Texturetop® Pro Stencil Grade is pre-packaged in medium gray or white.



- · Mixes with water
- · Excellent for broom finish repair
- · Can be integrally colored or stained
- · 24 standard color packs available
- · May be used vertically or horizontally
- 21-day compressive strength is 5,860 psi



LITHOCHROME® Color Hardener

LITHOCHROME® Color Hardener is a dry shake color hardener that is applied to the surface of freshly placed concrete. It is a precise blend of cement, silica quartz aggregates, synthetic iron oxides and plasticizer. LITHOCHROME® Color Hardener conforms to ASTM Standard C979 for color stability. It is a cementitious-based coloring material that may be used to create abrasion resistant interior floors and freeze-thaw stable exterior hardscapes.

The time-tested formulation of LITHOCHROME® Color Hardener creates an extremely dense surface that is resistant to foot and vehicular traffic and extreme weather. It is available in a wide range of streak free, uniform colors ranging from subtle pastels to deep, rich hues. It is used to uniformly color gray concrete or provide random accents of color to integrally colored concrete.

The water-reducing wetting agent in LITHOCHROME® Color Hardener allows it to be readily incorporated into the concrete surface, forming a rich paste that makes finishing easier. In addition to strength and durability, the color hardened surface is resistant to fading.

- · 24 standard colors
- · Hardens & densifies concrete surface
- 50 lb. square pail covers approx.
 80-100 sq. ft. depending on color
- · Superior quality control

- Superior aggregate gradation allows for easy finishing
- · Color matching and custom colors available
- 5 lb. square pail covers approx. 6-10 sq. ft. depending on color

LITHOCHROME® Color Hardener



LITHOTIQUE™ Antiquing Agent is a proprietary blend of powders which mixes with water. If properly applied to a stamped concrete surface, it will impart a secondary color to the surface visually enhancing its texture. LITHOTIQUE™ Antiquing Agent can be applied to newly stamped concrete, unsealed existing stamped concrete and unsealed SCOFIELD® Texturetop® Pro Stamp Grade overlay. LITHOTIQUE™ Antiquing Agent is inventoried in 14 standard colors that can be found on our LITHOCHROME® Antiquing Release Pro color chart.

LITHOTIQUE™ Antiquing Agent is designed for use on stamped textured surfaces and should not be used on untextured surfaces.

- · Easy to use
- Water-based cementitious antiquing agent for stamped concrete textured surfaces
- · Mixes with water
- · 14 standard colors
- · Applied with pump up sprayer or soft bristle brush





CHROMIX® Admixtures for Color-Conditioned® Concrete

CHROMIX® Admixtures for Color-Conditioned® Concrete is a premeasured admixture for integrally coloring ready mixed concrete during batching. Conforming to ASTM Standard C979 (Standard Specification for Pigments for Integrally Colored Concrete), it is a blend of non-fading, synthetic iron oxides and a water-reducer, which produce uniform, streak-free colors in concrete.

The water-reducer in CHROMIX® Admixtures for Color-Conditioned® Concrete allows the color to quickly and evenly disperse without additional water, thereby maintaining the strength and freeze/thaw resistance of the cured concrete. This same component improves the finishing characteristics of the concrete, which contributes

to color uniformity and surface durability. Superior quality control during manufacturing and packaging help to ensure your jobs will have uniform color

from load-to-load. CHROMIX® Admixtures for Color-Conditioned® Concrete is suitable for all concrete flat work installations, interior floors and exterior hardscapes, as well as precast,

- · 24 standard colors
- · Self-dissolving bags
- · One bag per cubic yard
- · Custom colors available
- · Color matching available
- · Superior quality control
- Also available in granular form from select ready mix producers





SCOFIELD® Integral Color SG

SCOFIELD® Integral Color SG is an economical pre-measured pigment for integrally coloring ready mixed concrete and all manufactured concrete products during batching. Conforming to ASTM Standard C979 (Standard Specification for Pigments for Integrally Colored Concrete); it is a blend of non-fading, synthetic iron oxides.

The SCOFIELD® Integral Color SG color chart includes 11 standard base colors packaged in premeasured dissolving bags. It represents dosages ranging from 1 bag per 2 yards of concrete to 3 bags per 1 yard of concrete of a single base color. By varying the dosage, each base color can produce 4 different colors.



11 base colors creates 44

- · Pre-measured self-dissolving bags
- · Economic alternative

- · Uniform color load-to-load
- Easy loading
- · Reduces inventory





LITHOCHROME® Antiquing Release Pro



LITHOCHROME® Antiquing Release Pro is a pigmented powder bond breaker used with stamping mats, texturing skins and texture rollers. It also provides accent colors that compliment or contrast with the underlying concrete surface. Additionally, it enhances the transfer of the detailed pattern and texture, and prolongs the surface life of the stamping mat or texturing tool.

LITHOCHROME® Antiquing Release Pro is a finely ground, streak free powder that is a blend of UV-resistant pigments and water repelling additives. It is broadcast over the concrete surface prior to placing the stamping or texturing tools. As the imprinting tool is pressed into the plastic concrete surface, a portion of the LITHOCHROME® Antiquing Release Pro is embedded into the textured surface of the concrete.



• 30 lb. bucket covers approximately 1,000-1,200 sq. ft.

 Lightweight/fine consistency allows for excellent stamp impressions

· May be applied with mason brush





SCOFIELD® Liquid Release BG is a bond breaker used with stamping mats, texturing skins or texture rollers prior to imprinting concrete or cementitious overlays. It prevents the stamping or texturing tool from sticking to the surface and enhances the transfer of the detailed pattern and texture. It is suitable for outdoor and indoor use.

SCOFIELD® Liquid Release BG is particularly useful with overlays since it will not contaminate the existing concrete substrate as readily as powdered releases.

- Recommended for use with stampable overlay
- · Ideal for indoor stamping and texturing
- · Bubble gum scent

- · Easy to apply
- No dust
- · Liquid evaporates quickly



LITHOCHROME® Chemstain® Classic

LITHOCHROME® Chemstain Classic® is a penetrating, reactive stain that chemically combines with cured concrete to produce permanent, variegated coloring effects. LITHOCHROME® Chemstain Classic® is suitable for exterior hardscapes, artificial rock formations, interior floors, walls, statuary, and countertops. Expect wide color variations, mottling and unevenness of the color. Each application of LITHOCHROME® Chemstain Classic® produces unique results.

Apply to clean, sound concrete or cementitious overlays. Different stain colors may be used in combination for more coloration affects. In addition, many faux finishing techniques used with paints, can be utilized with chemical stains. Introduce saw cuts to create patterns and graphics in the substrate before staining. For truly unique and creative concrete installations, use of LITHOCHROME® Chemstain Classic® can be combined with other Scofield® products.

- · 8 standard colors
- Use on interior or exterior concrete and cementitious overlays
- · Reactive acid stain
- · Concentrate that mixes 1:1 with water



- Natural looking color variations
- · Apply to colored and uncolored concrete
- · Seal for enhanced colorations

LITHOCHROME® Tintura Stain

LITHOCHROME® Tintura™ Stain represents the latest in nanopigment technology. It is formulated to create translucent color variations similar to reactive acid stain. It is a penetrating, non-film forming stain for existing concrete surfaces. Most colors are resistant to fading from sunlight (see note on color chart for colors not to be used exterior). It can be used on interior concrete floors and most colors can be used on exterior concrete hardscapes. It may also be applied to SCOFIELD® Texturetop® Pro cementitious overlays.

- · 24 standard colors
- · Creates translucent mottled color
- Water-based, contains no acid
- · Broader color range compared to chemical stain
- · Quick and easy clean-up
- Must be applied with HVLP or pneumatic airless sprayer





WARNING: TREATED SURFACES MAY BE SLIPPERY DURING APPLICATION PRIOR TO DRYING, AND WHEN WET WITH WATER OR LIQUIDS AFTER DRYING. CONCRETE SHOULD BE TEXTURED SUFFICIENTLY TO ELIMINATE POTENTIAL SLIPPING HAZARDS. IN ADDITION, USE A NON-SLIP ADDITIVE WHEN SEALING. INTERIOR FLOORS MAY BE MAINTAINED WITH A SLIP RESISTANT WAX. TEST AND CONFIRM THAT THE TREATED SURFACE IS ADEQUATELY SLIP RESISTANT PRIOR TO OPENING INSTALLATION AREA TO ANY TRAFFIC.

uring and sealing concrete increases the strength and durability of the concrete surface. The appearance and visual coloration of decorative concrete is greatly enhanced. New colored concrete should be cured with a liquid applied, film-forming curing compound. Curing with plastic sheeting or water spray should never be utilized with colored concrete. Sealing concrete provides economical protection for floors and hardscapes, reducing maintenance costs. It also minimizes the effect of de-icing salts and exposure to gas or oil and discoloration from dirt and spills.



Solvent-Based Sealers

SCOFIELD® CureSeal™ 700

- A solvent-based, curing and sealing compound suitable for residential, commercial and municipal concrete surfaces
- · Provides excellent color enhancement and protection for decorative concrete
- Non-yellowing seal for new and old concrete surfaces
- Available in 1 gallon (3.8 L) pails, 5 gallon (18.9 L) pails, or 55 gallon (208.2 L) drums
- Dries to a high gloss, UV resistant film



SCOFIELD® CureSeal™ 350

- Formulated for use in regions that require less than 350 g/L VOC
- A solvent-based, curing and sealing compound suitable for residential, commercial and municipal concrete surfaces
- · Provides excellent color enhancement and protection for decorative concrete
- Non-yellowing seal for new and old concrete surfaces
- Available in 1 gallon (3.8 L) pails, 5 gallon (18.9 L) pails, or 55 gallon (208.2 L) drums
- · Dries to a high gloss, UV resistant film
- · Contains no acetone or TBA







Water-Based Sealers

SCOFIELD® SelectSeal™ Plus

- · A high solids, low odor acrylic sealer developed for use on interior or exterior concrete
- · Provides superior wet-slip resistance while forming a tough stain- and abrasion-resistant finish
- Clear semi-gloss coating that will increase in gloss as subsequent coats are applied
- Available in 1 gallon (3.8 L) pails, 5 gallon (18.9 L) pails, or 55 gallon (208.2 L) drums
- · Provides minimal alteration to color
- VOC = 90.4 g/L



SCOFIELD[®] CureSeal-W™

- Developed for use on interior and exterior colored or uncolored concrete where uniform color and stain resistance is required immediately after placement
- · Medium-duty sealer with a low-gloss finish
- Available in 1 gallon (3.8 L) pails, 5 gallon (18.9 L) pails, or 55 gallon (208.2 L) drums
- · Provides minimal alteration to color
- VOC = 96.07 g/L



SCOFIELD® Repello FPS®


- · Deeply penetrates porous cementitious surfaces
- · Water repellent
- · Resistant to staining from oils, sugar, and common foods
- Available in 1 gallon (3.8 L) pails, 5 gallon (18.9 L) pails, or 55 gallon (208.2 L) drums
- Barely perceptible when dry
- VOC = 5.1 g/L



LITHOCHROME® ColorWax™ Concrete Curing Compound

- · Color-matched, low VOC concrete curing material
- · Use to improve the visual uniformity of freshly placed concrete
- VOC = 42.27 g/L





LITHOCAST™ Surface Retarder

LITHOCAST™ Surface Retarder is a water-based, biodegradable, low odor micro surface retarder designed to lightly etch the surface of concrete. Applied to the surface of new concrete following the finishing process, LITHOCAST™ Surface Retarder delays the set of the top layer of concrete while allowing the underlying concrete to hydrate normally. Once washed off, LITHOCAST™ Surface Retarder produces a simulated light sand blasted surface exposing the sands and small aggregate from 1/16" to 1/8".

Apply LITHOCAST™ Surface Retarder on gray concrete or concrete colored with CHROMIX® Admixtures for Color-Conditioned® Concrete or SCOFIELD® Integral Color SG. Use on poured-in-place flatwork: curbs, sidewalks, driveways, patios, pool decks, tilt-up and precast panels, and most horizontal concrete installations.

- · 6 standard formulations
- Color-coded with fugitive dye
- · Consistent finish
- Deactivates surface permanently
- · Aids curing process
- No need to cover with polyethylene









BASE COLOR: A-78 STONE GRAY RELEASE COLOR: A-21 DEEP CHARCOAL

SIKA CORPORATION
SIKA SCOFIELD SALES OFFICE
4155 SCOFIELD ROAD
DOUGLASVILLE, GA 30134
PHONE: 800-800-9900 | www.scofield. om
© Sika Corpora on / Concrete / 11.1332.1 / 04.20