

## PRODUCT DATA SHEET

# Sarnafelt

---

Sarnafelt is a non-woven polyester leveling and/or separation layer

---

### PRODUCT DESCRIPTION

Sarnafelt is a non-woven polyester leveling and/or separation layer provided for use within Sarnafil and Sikaplan roofing systems.

### USES

To act as a levelling layer for irregular surfaces and separates the membrane from existing non compatible substrates.

#### Areas of Application

- Walls
- Curbs
- Substrates

### CHARACTERISTICS / ADVANTAGES

N/A

## PRODUCT INFORMATION

<b>Chemical Base</b>	Sarnafelt is composed of non-woven unsaturated polyester.
<b>Packaging</b>	Wrapped in clear polyethylene, 70 lbs (31.8 kg) per roll
<b>Appearance / Color</b>	White
<b>Shelf Life</b>	N/A
<b>Storage Conditions</b>	Store Sarnafelt in a cool, dry location away from inclement weather conditions.
<b>Dimensions</b>	Width: 82" (2 m) Length: 135 ft (41.1 m)
<b>Unit weight</b>	11.0 oz/yd <sup>2</sup>

## APPLICATION INSTRUCTIONS

Sarnafelt is installed by a Sika Sarnafil Authorized Applicator on walls, curbs and deck substrates. Sarnafelt is adhered to substrates with Sarnacol adhesives in adhered roof applications and loose-laid over substrates in mechanically-attached roof applications. Once Sarnafelt has set into the Sarnacol adhesive the Sarnafil membrane is then adhered to the Sarnafelt.

## MAINTENANCE

Standard maintenance of Sarnafil or Sikaplan systems should include inspections of flashings, drains, and termination sealants at least twice a year and after each storm.

## AVAILABILITY/WARRANTY

### Availability

From Sika Corporation – Roofing Authorized Applications for use within Sarnafil or Sikaplan systems.

### Warranty

Upon successful completion of the installed roof by the Sika Authorized Applicator, Sika Corporation will provide a warranty to the Building Owner via the Sika Authorized Applicator

## BASIS OF PRODUCT DATA

Results may differ based upon statistical variations depending upon mixing methods and equipment, temperature, application methods, test methods, actual site conditions and curing conditions.

## OTHER RESTRICTIONS

See Legal Disclaimer.

## ENVIRONMENTAL, HEALTH AND SAFETY

For further information and advice regarding transportation, handling, storage and disposal of chemical products, user should refer to the actual Safety Data Sheets containing physical, environmental, toxicological and other safety related data. User must read the current actual Safety Data Sheets before using any products. In case of an emergency, call CHEMTREC at 1-800-424-9300, International 703-527-3887.

## LEGAL DISCLAIMER

- KEEP CONTAINER TIGHTLY CLOSED
- KEEP OUT OF REACH OF CHILDREN
- NOT FOR INTERNAL CONSUMPTION
- FOR INDUSTRIAL USE ONLY
- FOR PROFESSIONAL USE ONLY

Prior to each use of any product of Sika Corporation, its subsidiaries or affiliates ("SIKA"), the user must always read and follow the warnings and instructions on the product's most current product label, Product Data Sheet and Safety Data Sheet which are available at [usa.sika.com](http://usa.sika.com) or by calling SIKA's Technical Service Department at 1-800-933-7452. Nothing contained in any SIKA literature or materials relieves the user of the obligation to read and follow the warnings and instructions for each SIKA product as set forth in the current product label, Product Data Sheet and Safety Data Sheet prior to use of the SIKA product.

SIKA warrants this product for one year from date of installation to be free from manufacturing defects and to meet the technical properties on the current Product Data Sheet if used as directed within the product's shelf life. User determines suitability of product for intended use and assumes all risks. User's and/or buyer's sole remedy shall be limited to the purchase price or replacement of this product exclusive of any labor costs. **NO OTHER WARRANTIES EXPRESS OR IMPLIED SHALL APPLY INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. SIKA SHALL NOT BE LIABLE UNDER ANY LEGAL THEORY FOR SPECIAL OR CONSEQUENTIAL DAMAGES. SIKA SHALL NOT BE RESPONSIBLE FOR THE USE OF THIS PRODUCT IN A MANNER TO INFRINGE ON ANY PATENT OR ANY OTHER INTELLECTUAL PROPERTY RIGHTS HELD BY OTHERS.**

Sale of SIKA products are subject to the Terms and Conditions of Sale which are available at <https://usa.sika.com/en/group/SikaCorp/termsandconditions.html> or by calling 1-800-933-7452.

### Sika Corporation

201 Polito Avenue  
Lyndhurst, NJ 07071  
Phone: +1-800-933-7452  
Fax: +1-201-933-6225  
[usa.sika.com](http://usa.sika.com)

### Sika Sarnafil

100 Dan Road  
Canton, MA 02021  
Phone: +1 800-451-2504  
Fax: +1 781-828-5365  
[usa.sika.com/sarnafil](http://usa.sika.com/sarnafil)  
[webmaster.sarnafil@us.sika.com](mailto:webmaster.sarnafil@us.sika.com)

### Sika Mexicana S.A. de C.V.

Carretera Libre Celaya Km. 8.5  
Fracc. Industrial Balvanera  
Corregidora, Queretaro  
C.P. 76920  
Phone: 52 442 2385800  
Fax: 52 442 2250537



### Product Data Sheet

Sarnafelt  
February 2020, Version 04.02  
020945051050000010

Sarnafelt-en-US-(02-2020)-4-2.pdf