

Version 1.0	Revision Date: 09/11/2020		OS Number: 0000540426	Date of last issue: - Date of first issue: 09/11/2020	
SECTION	1. IDENTIFICATION				
Prod	luct name	:	PEBBLETEX T	ERSUS F1.0 TB MED	
Prod	luct code	:	0000000000504	494090	
Man	ufacturer or supplier's	s deta	ails		
Com	pany name of supplier	:	Sika MBCC US	LLC	
Addr	ress	:	201 POLITO AV Lyndhurst NJ 0		
Eme	rgency telephone	:	ChemTel: +1-8	13-248-0585	
Reco	ommended use of the	chen	nical and restric	tions on use	
Reco	ommended use	:	Product for con	struction chemicals	
Rest	rictions on use	:	Reserved for in	dustrial and professional use.	

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accord Skin sensitization	lan :	ce with 29 CFR 1910.1200 Category 1
Specific target organ toxicity - repeated exposure (Inhala- tion)	:	Category 1 (Lung)
GHS label elements Hazard pictograms	:	
Signal Word	:	Danger
Hazard Statements	:	H317 May cause an allergic skin reaction. H372 Causes damage to organs (Lung) through prolonged or repeated exposure if inhaled.
Precautionary Statements	:	Prevention: P280 Wear protective gloves. P260 Do not breathe dust or mist. P270 Do not eat, drink or smoke when using this product. P264 Wash face, hands and any exposed skin thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace.



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	09/11/2020	000000540426	Date of first issue: 09/11/2020
		P303 + P352 IF and water.	cal advice/ attention if you feel unwell. F ON SKIN (or hair): Wash with plenty of soap skin irritation or rash occurs: Call a POISON ctor/physician.

P362 + P364 Take off contaminated clothing and wash it before reuse.

Disposal:

P501 Dispose of contents/container to appropriate hazardous waste collection point.

Other hazards

No data available.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components

Chemical name	CAS-No.	Concentration (% w/w)
Quartz (SiO2)	14808-60-7	>= 1 - < 5
Mica-group minerals	12001-26-2	>= 1 - < 3
Titanium dioxide	13463-67-7	>= 0.3 - < 3
2,2',2"-(hexahydro-1,3,5-triazine- 1,3,5-triyl)triethanol	4719-04-4	>= 0.2 - < 0.3

SECTION 4. FIRST AID MEASURES

General advice	:	First aid personnel should pay attention to their own safety. Immediately remove contaminated clothing.
If inhaled	:	If difficulties occur after vapour/aerosol has been inhaled, remove to fresh air and seek medical attention.
In case of skin contact	:	After contact with skin, wash immediately with plenty of water and soap. Under no circumstances should organic solvent be used. If irritation develops, seek medical attention.
In case of eye contact	:	Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing.
If swallowed	:	Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention. Do NOT induce vomiting.
Most important symptoms and effects, both acute and delayed	:	May cause an allergic skin reaction. Causes damage to organs through prolonged or repeated exposure if inhaled.



Version 1.0	Revision Date: 09/11/2020		OS Number: 0000540426	Date of last issue: - Date of first issue: 09/11/2020
SECTIO	N 5. FIRE-FIGHTING ME	ASL	JRES	
Sui	table extinguishing media	:	Water spray Foam Dry powder Carbon dioxide (C	202)
Un: me	suitable extinguishing dia	:	High volume wate	er jet
	ecific hazards during fire ting	:	See SDS section	10 - Stability and reactivity.
Ha: uct	zardous combustion prod- s	:	harmful vapours nitrogen oxides fumes/smoke carbon black carbon oxides	
Fur	ther information	:	the fire conditions If exposed to fire, Collect contamina allow to reach sev Contaminated ext	k is governed by the burning substance and keep containers cool by spraying with water. ated extinguishing water separately, do not wage or effluent systems. inguishing water must be disposed of in official regulations.
	ecial protective equipment fire-fighters	:	Wear a self-conta	ined breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Do not breathe vapour/aerosol/spray mists. Wear eye/face protection. If exposed to high vapour concentration, leave area immedi- ately. Use personal protective clothing. Handle in accordance with good building materials hygiene and safety practice.
Environmental precautions	:	Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.
Methods and materials for containment and cleaning up	:	Large spills should be collected mechanically (remove by pumping) for disposal. Pick up with inert absorbent material (e.g. sand, earth etc.). Spilled product should be disposed in accordance with all applicable government regulations.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	:	Avoid aerosol formation.
		Avoid inhalation of mists/vapours.



Version 1.0	Revision Date: 09/11/2020		S Number: 0000540426	Date of last issue: - Date of first issue: 09/11/2020
			Avoid skin contac Avoid contact with	
	ther information on stor- conditions	:		original container in a cool, dry, well- way from ignition sources, heat or flame. ct sunlight.
Mat	erials to avoid	:	No applicable info	ormation available.
	ther information on stor- stability	:	No data available	

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	CAS-No.	Value type	Control parame-	Basis
		(Form of	ters / Permissible	
		exposure)	concentration	
Mica-group minerals	12001-26-2	TWA value	3 mg/m3	ACGIHTLV
		(Respirable	-	
		fraction)		
		REL value	3 mg/m3	NIOSH
		(Respirable)		
		TWA value	3 mg/m3	29 CFR
		(Respirable		1910.1000
		dust)		(Table Z-1-A)
		TWA value	20 millions of	29 CFR
			particles per cubic	1910.1000
			foot of air	(Table Z-3)
		TWA (Res-	3 mg/m3	ACGIH
		pirable par-		
		ticulate mat-		
		ter)		
		TWA (Dust)	20 Million parti-	OSHA Z-3
			cles per cubic foot	
		TWA (Res-	3 mg/m3	NIOSH REL
		pirable)		
		TWA (respir-	3 mg/m3	OSHA P0
		able dust		
		fraction)		
Titanium dioxide	13463-67-7	TWA value	10 mg/m3	ACGIHTLV
		PEL (Total	15 mg/m3	29 CFR
		dust)		1910.1000
				(Table Z-1)
		TWA value	10 mg/m3	29 CFR
		(Total dust)		1910.1000
				(Table Z-1-A)
		TWA (total	15 mg/m3	OSHA Z-1
		dust)		
		TWA (Total	10 mg/m3	OSHA P0
		dust)		
		TWA	10 mg/m3	ACGIH

Ingredients with workplace control parameters



rsion	Revision Date: 09/11/2020	SDS Number: 000000540426	Date of last Date of first	t issue: - t issue: 09/11/2020	
1		1	1	(Titanium dioxide)	1
Quartz	z (SiO2)	14808-60-7	TWA value (Respirable fraction)	0.025 mg/m3	ACGIHTL
			TWA value	0.05 mg/m3 (Respirable dust)	29 CFR 1910.100 1050
			OSHA Action level	0.025 mg/m3 (Respirable dust)	29 CFR 1910.100 ⁻ 1050
			REL value (Respirable dust)	0.05 mg/m3	NIOSH
			TWÁ (Res- pirable dust)	0.05 mg/m3	OSHA Z-1
			TWA (respir- able)	10 mg/m3 / %SiO2+2	OSHA Z-3
			TWA (respir- able)	250 mppcf / %SiO2+5	OSHA Z-3
			TWA (respir- able dust fraction)	0.1 mg/m3	OSHA PO
			TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3 (Silica)	ACGIH
			PEL (respir- able)	0.05 mg/m3	OSHA CA
			TWA (Res- pirable dust)	0.05 mg/m3 (Silica)	NIOSH RI
crysta	alline silica	14808-60-7	TWA value (Respirable fraction)	0.025 mg/m3	ACGIHTL
			REL value (Respirable dust)	0.05 mg/m3	NIOSH
			TWA value	0.05 mg/m3 (Respirable dust)	29 CFR 1910.100 1050
			OSHA Action level	0.025 mg/m3 (Respirable dust)	29 CFR 1910.100 1050
			TWA (Res- pirable dust)	0.05 mg/m3	OSHA Z-1
			TWA (respir- able)	10 mg/m3 / %SiO2+2	OSHA Z-3
			TWA (respir- able)	250 mppcf / %SiO2+5	OSHA Z-3
			TWA (respir- able dust fraction)	0.1 mg/m3	OSHA PO
			TWA (Res- pirable par- ticulate mat-	0.025 mg/m3 (Silica)	ACGIH



sion			OS Number: 00000540426		Date of last issue: - Date of first issue: 09/11/2020		
				ter) PEL (respir-	0.05 mg/m3	OSHA CA	
				able) TWA (Res- pirable dust)	0.05 mg/m3 (Silica)	NIOSH RE	
Engir	neering measures	:	No applicable	information ava	ilable.		
Perso	onal protective equip	ment					
Respi	ratory protection	:	Wear appropr may be excee		pirator when exposu	re limits	
Hand	protection						
Re	emarks	:		use should be o	ctive gloves. Manufa bserved because of		
Eye p	rotection	:	Safety glasse	s with side-shiel	ds.		
Skin a	and body protection	:	Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical- protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).				
Protec	ctive measures	:	Avoid contact Avoid exposu Handle in acc and safety pra	re - obtain speci ordance with go actice.	aerosols. /es and clothing. al instructions before od building materials ng is recommended.	s hygiene	
Hygie	ne measures	:	Hands and/or the end of the At the end of care agents a Remove conta re-use or disp Gloves must I	shift. the shift the skin pplied. aminated clothin ose it if necessa	washed before break should be cleaned a g immediately and c ary. gularly and prior to ea	and skin- lean before	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: viscous
Color	: off-white
Odor	: mild
Odor Threshold	: No data available



Version 1.0	Revision Date: 09/11/2020		S Number:)000540426	Date of last issue: - Date of first issue: 09/11/2020
pН		:	8.5 - 9.8 (74 °F /	23 °C)
Melti	ng point	:	No applicable inf	ormation available.
Boilir	ng point	:		ormation available.
Flash	n point	:		
			Method: Standard Method of Test for Flash Point by Setaflas Closed Tester	
Evap	poration rate	:	No applicable inf	ormation available.
Flam	mability (solid, gas)	:	not determined	
Self-	ignition	:	Based on the wa	ter content the product does not ignite.
	er explosion limit / Upper nability limit	:	No applicable inf	ormation available.
	er explosion limit / Lower nability limit	:	No applicable information available.	
Vapo	or pressure	:	No applicable information available.	
Relat	tive vapor density	:	No applicable information available.	
Relat	tive density	:	No applicable information available.	
Dens	sity	:	15 lb/USg (74 °F	/ 23 °C)
	bility(ies) /ater solubility	:	partly miscible(59 °F / 15 °C)
S	olubility in other solvents	:	No applicable inf	ormation available.
	tion coefficient: n- nol/water	:	No applicable inf	ormation available.
Auto	ignition temperature	:	Based on the wa	ter content the product does not ignite.
Deco	omposition temperature	:	: No decomposition if stored and handled as pre- scribed/indicated.	
Visco V	osity iscosity, dynamic	:	: 19,500 mPa.s (73 °F / 23 °C)	
V	iscosity, kinematic	:	: No applicable information available.	
Explo	osive properties	:	: Not explosive	
Oxid	izing properties	:	Not an oxidizer.	



Vers 1.0	ion	Revision Date: 09/11/2020		S Number: 0000540426	Date of last issue: - Date of first issue: 09/11/2020
	Sublim	ation point	:	No applicable inf	ormation available.
	Molecu	ılar weight	:	No data available	9
	Metal c	corrosion rate	:	No corrosive effe	ect on metal.
SEC	TION 1	0. STABILITY AND RI	EAC	ΤΙVITY	
	Reactiv	vity	:	No hazardous reactions if stored and handled as pre- scribed/indicated.	
	Chemio	cal stability	:	The product is stable if stored and handled as pre- scribed/indicated.	
	Possibi tions	ility of hazardous reac-	:	: The product is stable if stored and handled as pre- scribed/indicated.	
	Conditi	ons to avoid	:	: See SDS section 7 - Handling and storage.	
	Incomp	patible materials	:	 Strong acids Strong bases Strong oxidizing agents Strong reducing agents 	
	Hazard produc	lous decomposition ts	:	No hazardous decomposition products if stored and handled as prescribed/indicated.	

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	:	Remarks: No applicable information available.
Acute inhalation toxicity	:	Remarks: No applicable information available.
Acute dermal toxicity	:	Remarks: No applicable information available.

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.

SAFETY DATA SHEET

PEBBLETEX TERSUS F1.0 TB MED



Version 1.0	Revision Date: 09/11/2020		DS Number: 0000540426	Date of last issue: - Date of first issue: 09/11/2020
	n cell mutagenicity			
	lassified based on avai	ilable	information.	
	inogenicity lassified based on avai	ilable	information.	
•	oductive toxicity lassified based on avai	ilable	information.	
	Γ-single exposure lassified based on avai	ilable	information	
STO	F-repeated exposure			ged or repeated exposure if inhaled.
Aspii	ration toxicity lassified based on avai			
	12. ECOLOGICAL IN			
	oxicity ata available			
	i stence and degradab ata available	oility		
Bioa	ccumulative potential	I		
Com	ponents:			
Partit	tz (SiO2): ion coefficient: n- iol/water	:	Remarks: not a	applicable
Titan	ium dioxide:			
	ion coefficient: n- ol/water	:	Remarks: not a	applicable
2,2',2	2"-(hexahydro-1,3,5-tr	iazin	e-1,3,5-triyl)trie	thanol:
	ion coefficient: n- ol/water	:	log Pow: -2 (75 pH: 7 Method: Partiti GLP: yes	,
	lity in soil ata available			
	r adverse effects			
<u>Prod</u>	uct:			
Addit matic	ional ecological infor- n	:	harmful to aqua The product ha	probability that the product is not acutely atic organisms. Is not been tested. The statements on ecotoxi- een derived from the properties of the individual



Version 1.0	Revision Date: 09/11/2020	SDS Number: 000000540426	Date of last issue: - Date of first issue: 09/11/2020
		components.	
SECTION	13. DISPOSAL CONS	IDERATIONS	
Dispo	osal methods		
Wast	e from residues	tions. Do not discha	accordance with national, state and local regula- rge into drains/surface waters/groundwater. uld be disposed of in the same manner as the duct.
Conta	aminated packaging		packaging should be emptied as far as possible of in the same manner as the sub- t.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

US State Regulations

Pennsylvania Right To Know

Mica-group minerals Titanium dioxide Quartz (SiO2) crystalline silica	12001-26-2 13463-67-7 14808-60-7 14808-60-7
New Jersey Right To Know	
Mica-group minerals	12001-26-2
Titanium dioxide	13463-67-7
crystalline silica	14808-60-7

California Prop. 65

WARNING: This product can expose you to chemicals including benzophenone, which is/are known to the State of California to cause cancer, and



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	09/11/2020	000000540426	Date of first issue: 09/11/2020


ethyleneglycol, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

The ingredients of this product are reported in the following inventories:TSCA:On the inventory, or in compliance with the inventory

SECTION 16. OTHER INFORMATION

Further information





HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

29 CFR 1910.1000 (Table Z- 1-A)	:	OSHA - Table Z-1-A (29 CFR 1910.1000)
,	:	OSHA - Table Z-1 (Limits for Air Contaminants) 29 CFR 1910.1000
29 CFR 1910.1000 (Table Z- 3)	:	OSHA Table Z-3 (Mineral Dusts) 29 CFR 1910.1000
29 CFR 1910.1001-1050	:	OSHA - Specifically Regulated Substances (29 CFR 1910.1001-1050)
ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
ACGIHTLV	:	American Conference of Governmental Industrial Hygienists - threshold limit values (US)
NIOSH	:	NIOSH Pocket Guide to Chemical Hazards (US)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA CARC	:	OSHA Specifically Regulated Chemicals/Carcinogens
OSHA PO	:	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants
OSHA Z-3	:	USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts
29 CFR 1910.1000 (Table Z- 1-A) / TWA value	:	Time Weighted Average (TWA):





Version 1.0	Revision Date: 09/11/2020		OS Number: 0000540426	Date of last issue: - Date of first issue: 09/11/2020		
29 CF 1) / PE	R 1910.1000 (Table Z- -L	: Permissible expos		sure limit		
	R 1910.1000 (Table Z- VA value	:	Time Weighted Average (TWA):			
	R 1910.1001-1050 / Action level	:	: OSHA Action level:			
29 CF TWA v	R 1910.1001-1050 / /alue	:	: Time Weighted Average (TWA):			
	H/TWA		: 8-hour, time-weighted average			
	HTLV / TWA value		Time Weighted A			
NIOSH	H / REL value	:		xposure limit (REL):		
NIOSI	HREL/TWA	:	: Time-weighted average concentration for up to a 10-hou workday during a 40-hour workweek			
OSHA	CARC / PEL	:	: Permissible exposure limit (PEL)			
OSHA	P0 / TWA	: 8-hour time weighted average		nted average		
OSHA	Z-1 / TWA	:	8-hour time weigh	nted average		
OSHA	Z-3 / TWA	:	8-hour time weigh	nted average		

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships: MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB -Very Persistent and Very Bioaccumulative

Revision Date

: 09/11/2020



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	09/11/2020	000000540426	Date of first issue: 09/11/2020

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE , IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.

US / EN