

Version 2.0	Revision Date: 04/15/2021		DS Number: 00000837591	Date of last issue: 09/15/2020 Date of first issue: 09/15/2020			
SECTION	1. IDENTIFICATION						
Produ	uct name	:	SENERFLEX INT	ONACO TB MED			
Product code		:	00000000050002530				
Manu	facturer or supplier's	det	ails				
Comp	pany name of supplier	:	Sika MBCC US L	LC			
Addre	ess	:	201 POLITO AVE Lyndhurst NJ 070	-			
Emer	gency telephone	:	ChemTel: +1-813	3-248-0585			
Reco	mmended use of the	cher	nical and restriction	ons on use			
Reco	mmended use	:	Product for const	ruction chemicals			
Restr	ictions on use	:	Reserved for indu	ustrial and professional use.			

SECTION 2. HAZARDS IDENTIFICATION

GHS cla	assification in accordan	ce with the OSH	A Hazard Comr	nunication Standard	(29 CFR
1910.12	00)				•
.		<u> </u>			

Skin sensitization	:	Category 1
Carcinogenicity (Inhalation)	:	Category 1A
Specific target organ toxicity - repeated exposure (Inhala- tion)	:	Category 1 (Lungs)
Specific target organ toxicity - repeated exposure (Inhala- tion)	:	Category 2 (Kidney, Immune system)
GHS label elements Hazard pictograms	:	
Signal Word	:	Danger
Hazard Statements	:	 H317 May cause an allergic skin reaction. H350 May cause cancer by inhalation. H372 Causes damage to organs (Lungs) through prolonged or repeated exposure if inhaled. H373 May cause damage to organs (Kidney, Immune system) through prolonged or repeated exposure if inhaled.



ersion .0	Revision Date: 04/15/2021	SDS Number: 000000837591	Date of last issue: 09/15/2020 Date of first issue: 09/15/2020
Preca	utionary Statements	P202 Do not h and understoo P260 Do not b P264 Wash sk P270 Do not e P272 Contami the workplace.	reathe dust/ fume/ gas/ mist/ vapors/ spray. in thoroughly after handling. at, drink or smoke when using this product. nated work clothing must not be allowed out of otective gloves/ protective clothing/ eye protectior
		P308 + P313 I attention. P333 + P313 I attention.	F ON SKIN: Wash with plenty of soap and water. F exposed or concerned: Get medical advice/ f skin irritation or rash occurs: Get medical advice ntaminated clothing before reuse.
		Storage: P405 Store loc	-
		Disposal: P501 Dispose posal plant.	of contents/ container to an approved waste dis-
••	r hazards Ita available.		

Chemical nature

: No applicable information available.

Components

Chemical name	CAS-No.	Concentration (% w/w)
Limestone	1317-65-3	>= 30 - < 50
Quartz (SiO2)	14808-60-7	>= 10 - < 20
Titanium dioxide	13463-67-7	>= 1 - < 5
Kieselguhr, soda ash flux-calcined	68855-54-9	>= 1 - < 5
cristobalite	14464-46-1	>= 0.1 - < 1
1,3,5-Triazine-1,3,5(2H,4H,6H)- triethanol	4719-04-4	>= 0.1 - < 1

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice

: Move out of dangerous area.

Show this material safety data sheet to the doctor in attendance. Do not leave the victim unattended.

2/13

SAFETY DATA SHEET





Versio 2.0	'n	Revision Date: 04/15/2021		9S Number: 0000837591	Date of last issue: 09/15/2020 Date of first issue: 09/15/2020
lf	inhale	d	:	advice.	ace in recovery position and seek medical st, call a physician.
In	n case	of skin contact	:	If on skin, rinse w	ell with water.
In	n case	of eye contact	:	Remove contact le Protect unharmed Keep eye wide op	l eye.
lf	swalld	owed	:	Never give anythin If symptoms persi	ract clear. In alcoholic beverages. Ing by mouth to an unconscious person. st, call a physician. diately to hospital.
ar		portant symptoms ects, both acute and	:	May cause cance Causes damage t exposure if inhale	o organs through prolonged or repeated d. ated inhalation of respirable crystalline silica
N	otes to	o physician	:	Treat symptomation	cally.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Foam Dry powder Carbon dioxide (CO2)
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during fire fighting	:	See SDS section 10 - Stability and reactivity.
Hazardous combustion prod- ucts	:	harmful vapours nitrogen oxides fumes/smoke carbon black carbon oxides
Further information	:	Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.
Special protective equipment for fire-fighters	:	Wear self-contained breathing apparatus for firefighting if nec- essary.



Versior 2.0	Revision Date: 04/15/2021		DS Number: 00000837591	Date of last issue: 09/15/2020 Date of first issue: 09/15/2020
SECTI	ON 6. ACCIDENTAL RELE	AS	E MEASURES	
tiv	ersonal precautions, protec- e equipment and emer- ncy procedures	• :	Use personal pro	tective equipment.
Er	vironmental precautions	:	Prevent further le	rom entering drains. akage or spillage if safe to do so. taminates rivers and lakes or drains inform ities.
	ethods and materials for ntainment and cleaning up	:	acid binder, unive	t absorbent material (e.g. sand, silica gel, ersal binder, sawdust). closed containers for disposal.
SECTI	ON 7. HANDLING AND ST	OR	AGE	
	lvice on protection against	:	Normal measures	s for preventive fire protection.

fire and explosion		
Advice on safe handling	:	Do not breathe vapors/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. Dispose of rinse water in accordance with local and national regulations. Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
Conditions for safe storage	:	Keep container tightly closed in a dry and well-ventilated place. Electrical installations / working materials must comply with the technological safety standards.
Further information on stor- age conditions	:	Keep only in the original container in a cool, dry, well- ventilated place away from ignition sources, heat or flame. Protect from direct sunlight.
Materials to avoid	:	No applicable information available.
Further information on stor- age stability	:	No data available

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of	Control parame- ters / Permissible	Basis
------------	---------	------------------------	---------------------------------------	-------



sion	Revision Date: 04/15/2021	SDS Number: 000000837591		t issue: 09/15/2020 t issue: 09/15/2020	
			,		
			exposure)	concentration	
Limes	stone	1317-65-3	REL value (Respirable)	5 mg/m3	NIOSH
			REL value (Total)	10 mg/m3	NIOSH
			PEL (Respir- able fraction)	5 mg/m3	29 CFR 1910.100 (Table Z-
			PEL (Total dust)	15 mg/m3	29 CFR 1910.100 (Table Z-
			TWA value (Respirable fraction)	5 mg/m3	29 CFR 1910.100 (Table Z-
			TWA value (Total dust)	15 mg/m3	29 CFR 1910.100 (Table Z-
			TWA (total dust)	15 mg/m3	OSHA Z-
			TWA (respir- able fraction)	5 mg/m3	OSHA Z-
			TWA (Total dust)	15 mg/m3	OSHA PO
			TWA (respir- able dust fraction)	5 mg/m3	OSHA P(
			TWA (Res- pirable)	5 mg/m3 (Calcium car- bonate)	NIOSH R
			TWA (total)	10 mg/m3 (Calcium car- bonate)	NIOSH R
Titani	um dioxide	13463-67-7	TWA (total dust)	15 mg/m3	OSHA Z-
			TWA (Total dust)	10 mg/m3	OSHA P(
			TWA	10 mg/m3 (Titanium dioxide)	ACGIH
cristol	balite	14464-46-1	TWA value (Respirable fraction)	0.025 mg/m3	ACGIHTL
			TWA (Res- pirable dust)	0.05 mg/m3	OSHA Z-
		TWA (respir- able dust fraction)	0.05 mg/m3	OSHA P(
		TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3 (Silica)	ACGIH	
			PÉL (respir- able)	0.05 mg/m3	OSHA CA
			TWA (Res- pirable dust)	0.05 mg/m3 (Silica)	NIOSH R



ersion 0	Revision Date: 04/15/2021	SDS Number: 000000837591		t issue: 09/15/2020 t issue: 09/15/2020	
Quart	z (SiO2)	14808-60-7	TWA value (Respirable fraction)	0.025 mg/m3	ACGIHTLV
			TWA value	0.05 mg/m3 (Respirable dust)	29 CFR 1910.1001- 1050
			OSHA Action level	0.025 mg/m3 (Respirable dust)	29 CFR 1910.1001- 1050
			REL value (Respirable dust)	0.05 mg/m3	NIOSH
			TWA (Res- pirable dust)	0.05 mg/m3	OSHA Z-1
			TWA (respir- able)	10 mg/m3 / %SiO2+2	OSHA Z-3
			TWA (respir- able)	250 mppcf / %SiO2+5	OSHA Z-3
			TWA (respir- able dust fraction)	0.1 mg/m3	OSHA P0
			TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3 (Silica)	ACGIH
			PEL (respir- able)	0.05 mg/m3	OSHA CAR
			TWA (Res- pirable dust)	0.05 mg/m3 (Silica)	NIOSH REI
Kiese calcin	lguhr, soda ash flux- ied	68855-54-9	REL value	6 mg/m3	NIOSH
			TWA value	20 millions of particles per cubic foot of air	29 CFR 1910.1000 (Table Z-3)
			TWA value	0.8 mg/m3	29 CFR 1910.1000 (Table Z-3)
			OSHA Action level	0.025 mg/m3 (Respirable dust)	29 CFR 1910.1001- 1050
			TWA value	0.05 mg/m3 (Respirable dust)	29 CFR 1910.1001- 1050
			TWA (Dust)	20 Million parti- cles per cubic foot (Silica)	OSHA Z-3
			TWA (Dust)	80 mg/m3 / %SiO2 (Silica)	OSHA Z-3
			TWA	6 mg/m3 (Silica)	NIOSH REL

Engineering measures : No applicable information available.

SAFETY DATA SHEET

SENERFLEX INTONACO TB MED



Version 2.0	Revision Date: 04/15/2021		S Number: 000837591	Date of last issue: 09/15/2020 Date of first issue: 09/15/2020	
Pers	sonal protective equip	ment			
	Respiratory protection		Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) organic va- pour/particulate respirator.		
Han	d protection				
F	Remarks			a specific workplace should be discussed s of the protective gloves.	
Eye	Eye protection		Eye wash bottle with pure water Tightly fitting safety goggles		
Skin	Skin and body protection		Impervious clothing Choose body protection according to the amount and con- centration of the dangerous substance at the work place.		
Prot	Protective measures		Do not inhale gases/vapours/aerosols. Avoid contact with the skin, eyes and clothing. Avoid exposure - obtain special instructions before use. Handle in accordance with good building materials hygiene and safety practice. Wearing of closed work clothing is recommended.		
Hygi	iene measures	:	Wash hands befo	re breaks and at the end of workday.	
SECTION	N 9. PHYSICAL AND C	HEMIC		S	
Арр	earance	:	paste		
Colo	pr	:	white		
Odo	r	:	moderate odour		
Odo	r Threshold	:	No data available	9	
pН		:	9.5 (approx. 73.4	0 °F / 23.00 °C)	
Melt	ing point	:	No applicable inf	ormation available.	
Boili	ng point	:	No applicable inf	ormation available.	
Flas	h point	:	approx. 201.20 °	F / 94.00 °C	
Eva	poration rate	:	No applicable inf	ormation available.	
Flan	nmability (solid, gas)	:	Based on the stru flammability	ucture or composition there is no indication of	

SAFETY DATA SHEET



SENERFLEX INTONACO TB MED

Vers 2.0	sion	Revision Date: 04/15/2021		S Number: 0000837591	Date of last issue: 09/15/2020 Date of first issue: 09/15/2020
	Upper explosion limit / Upper flammability limit		:	No applicable info	ormation available.
		explosion limit / Lower bility limit	:	No applicable info	ormation available.
	Vapor p	ressure	:		
	Relative	e vapor density	:	No applicable info	ormation available.
	Relative	e density	:	No applicable info	ormation available.
	Density		:	approx. 1.8100 g	/cm3 (68 °F / 20 °C)
	Solubilit Wate	y(ies) er solubility	:	No applicable info	ormation available.
	Solu	bility in other solvents	:	No applicable info	ormation available.
	Partitior octanol/	n coefficient: n- /water	:	No applicable info	ormation available.
	Autoign	ition temperature	:	No applicable info	ormation available.
	Decomp	position temperature	:	No decompositio scribed/indicated	n if stored and handled as pre-
	Viscosit Visco	y osity, dynamic	:	No applicable info	ormation available.
	Visc	osity, kinematic	:	No applicable info	ormation available.
	Oxidizin	g properties	:	Not an oxidizer.	
	Sublima	ation point	:	No applicable info	ormation available.
	Molecul	ar weight	:	No data available	9

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reac- tions	:	No decomposition if stored and applied as directed.
Conditions to avoid	:	See SDS section 7 - Handling and storage.
Incompatible materials	:	Strong acids Strong bases Strong oxidizing agents Strong reducing agents



Version 2.0	Revision Date: 04/15/2021	SDS Number: 000000837591	Date of last issue: 09/15/2020 Date of first issue: 09/15/2020
Haza produ	rdous decomposition cts		us decomposition products if stored and handled ed/indicated.
ECTION	11. TOXICOLOGICAL	INFORMATION	
Acute	e toxicity		
Not cl	assified based on avail	able information.	
Prod	uct:		
Acute	oral toxicity	: Remarks: No	o applicable information available.
Acute	inhalation toxicity	: Remarks: No	o applicable information available.
			y estimate: > 200 mg/l
		Exposure tin	
		Test atmosp Method: Cal	culation method
Acute	e dermal toxicity	: Remarks: No	o applicable information available.
Skin	corrosion/irritation		
Not cl	assified based on avail	able information.	
	us eye damage/eye ir		
Not cl	assified based on avail	able information.	
Resp	iratory or skin sensiti	zation	
Skin	sensitization		
May o	ause an allergic skin re	eaction.	
Resp	iratory sensitization		
Not cl	assified based on avail	able information.	
Germ	cell mutagenicity		
Not cl	assified based on avail	able information.	
Carci	nogenicity		
May o	cause cancer by inhalat	ion.	
Repro	oductive toxicity		
Not c	assified based on avail	able information.	
	-single exposure		
Not cl	assified based on avail	able information.	
	-repeated exposure		
	cause damage to organ		longed or repeated exposure if inhaled. e system) through prolonged or repeated exposur
Aspir	ation toxicity		
-	assified based on avail	able information	

Not classified based on available information.



Version 2.0	Revision Date: 04/15/2021		OS Number: 0000837591	Date of last issue: 09/15/2020 Date of first issue: 09/15/2020
Fur	ther information			
	<u>duct:</u> narks	:	No data available	
SECTIO	N 12. ECOLOGICAL INFO	ORM	MATION	
Eco	toxicity			
Pro	duct:			
Eco	toxicology Assessment			
Acu	te aquatic toxicity	:	This product has	no known ecotoxicological effects.
Chr	onic aquatic toxicity	:	This product has	no known ecotoxicological effects.
	sistence and degradabil data available	ity		
Bio	accumulative potential			
<u>Cor</u>	nponents:			
Kie	selguhr, soda ash flux-c	alci	ned:	
	ition coefficient: n- nol/water	:	Remarks: Not app	blicable
	bility in soil data available			
Oth	er adverse effects			
	<u>duct:</u> itional ecological infor- ion	:	harmful to aquation The product has r	obability that the product is not acutely organisms. not been tested. The statements on ecotoxi- derived from the properties of the individual

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods		
Waste from residues	:	Do not contaminate ponds, waterways or ditches with chemi- cal or used container. Dispose of in accordance with national, state and local regula- tions. Do not discharge into drains/surface waters/groundwater.
Contaminated packaging	:	Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the sub- stance/product.



Version	Revision Date:	SDS Number:	Date of last issue: 09/15/2020
2.0	04/15/2021	00000837591	Date of first issue: 09/15/2020

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

New

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

US State Regulations

Pennsylvania Right To Know

Limestone	1317-65-3
Titanium dioxide	13463-67-7
cristobalite	14464-46-1
Quartz (SiO2)	14808-60-7
Kieselguhr, soda ash flux-calcined	68855-54-9
Jersey Right To Know Limestone	1317-65-3
Titanium dioxide	13463-67-7
cristobalite	14464-46-1

California Prop. 65


WARNING: This product can expose you to chemicals including ethylene oxide, which is/are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

The ingredients of this product are reported in the following inventories:				
DSL	:	All components of this product are on the Canadian DSL		
TSCA	:	All chemical substances in this product are either listed as active on the TSCA Inventory or are in compliance with a TSCA Inventory exemption.		

SECTION 16. OTHER INFORMATION

Further information





Full text of other abbreviations

	/13	
	:	OSHA - Table Z-1-A (29 CFR 1910.1000)
1-A)		
	:	OSHA - Table Z-1 (Limits for Air Contaminants) 29 CFR 1910.1000
1) 20 CED 1010 1000 (Table 7		
29 CFR 1910.1000 (Table Z-	·	OSHA Table Z-3 (Mineral Dusts) 29 CFR 1910.1000
3) 29 CFR 1910.1001-1050	:	OSHA Specifically Degulated Substances (20 CED
29 CFR 1910.1001-1050	•	OSHA - Specifically Regulated Substances (29 CFR 1910.1001-1050)
ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
ACGIHTLV	:	American Conference of Governmental Industrial Hygienists -
		threshold limit values (US)
NIOSH	:	NIOSH Pocket Guide to Chemical Hazards (US)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA CARC	:	OSHA Specifically Regulated Chemicals/Carcinogens
OSHA P0	:	USA. OSHA - TABLE Z-1 Limits for Air Contaminants -
		1910.1000
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-
		its for Air Contaminants
OSHA Z-3	:	USA. Occupational Exposure Limits (OSHA) - Table Z-3 Min-
		eral Dusts
29 CFR 1910.1000 (Table Z-	:	Time Weighted Average (TWA):
1-A) / TWA value		
29 CFR 1910.1000 (Table Z-	:	Permissible exposure limit
1) / PEL		
29 CFR 1910.1000 (Table Z-	:	Time Weighted Average (TWA):
3) / TWA value		
29 CFR 1910.1001-1050 /	:	OSHA Action level:
OSHA Action level		
29 CFR 1910.1001-1050 /	:	Time Weighted Average (TWA):
TWA value		
ACGIH / TWA	:	8-hour, time-weighted average
ACGIHTLV / TWA value	:	Time Weighted Average (TWA):
NIOSH / REL value	:	Recommended exposure limit (REL):



Version	Revision Date:	SDS Number:	Date of last issue: 09/15/2020
2.0	04/15/2021	000000837591	Date of first issue: 09/15/2020
OSHA OSHA OSHA	HREL / TWA CARC / PEL P0 / TWA Z-1 / TWA Z-3 / TWA	workday dur Permissible 8-hour time 8-hour time	ted average concentration for up to a 10-hour ing a 40-hour workweek exposure limit (PEL) weighted average weighted average weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB -Very Persistent and Very Bioaccumulative

Revision Date

: 04/15/2021

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN