

Version 1.0	Revision Date: 10/07/2020	-	DS Number: 00000260176	Date of last issue: - Date of first issue: 10/07/2020		
SECTION	I 1. IDENTIFICATION					
Prod	uct name	:	PIGMENT MAGE	ENTA 8880422V		
Prod	Product code		00000000005643	0000000056435713		
Man	ufacturer or supplier's	det	ails			
Com	Company name of supplier		Sika MBCC US L	LC		
Address		:	201 POLITO AVE Lyndhurst NJ 07071			
Eme	Emergency telephone		ChemTel: +1-813-248-0585			
Recommended use of the ch			nical and restricti	ons on use		
Reco	Recommended use		Product for construction chemicals			
Restrictions on use		:	Reserved for industrial and professional use.			

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with 29 CFR 1910.1200 Germ cell mutagenicity : Category 1B						
Carcinogenicity :	Category 1B					
Specific target organ toxicity : - repeated exposure	Category 2 (Kidney)					
GHS label elements Hazard pictograms :						
Signal Word :	Danger					
Hazard Statements :	H350 May cause cancer. H340 May cause genetic defects. H373 May cause damage to organs (Kidney) through prolonged or repeated exposure.					
Precautionary Statements :	Prevention:					
	 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P260 Do not breathe dust or mist. 					





Version 1.0	Revision Date: 10/07/2020	SDS Number: 000000260176	Date of last issue: - Date of first issue: 10/07/2020
		CENTER/ doctor Storage:	
		P405 Store lock Disposal:	
		P501 Dispose of waste collection	of contents/container to appropriate hazardous point.

Other hazards

No data available.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature

: No data available.

Components

Chemical name	CAS-No.	Concentration (% w/w)
ethyleneglycol	107-21-1	>= 20 - <= 40
talc	14807-96-6	>= 20 - <= 40
Diethylene glycol	111-46-6	>= 2.5 - <= 10
Stoddard solvent	8052-41-3	>= 1 - <= 1

SECTION 4. FIRST AID MEASURES

General advice :	First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing. Move out of dangerous area. Show this material safety data sheet to the doctor in attend- ance. Do not leave the victim unattended.
If inhaled :	Keep patient calm, remove to fresh air, seek medical atten- tion.
	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact :	Immediately wash thoroughly with soap and water, seek med- ical attention.
In case of eye contact :	Wash affected eyes for at least 15 minutes under running water with eyelids held open.
	Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye.



Version 1.0	Revision Date: 10/07/2020	SDS Number: 000000260176	Date of last issue: - Date of first issue: 10/07/2020
			e open while rinsing. n persists, consult a specialist.
If swa	allowed	: Immediately r seek medical	inse mouth and then drink 200-300 ml of water, attention.
		Keep respirat Do not give m Never give an If symptoms p	ng immediately and call a physician. ory tract clear. hilk or alcoholic beverages. hything by mouth to an unconscious person. persist, call a physician. hmediately to hospital.
Most important symptoms and effects, both acute and delayed Notes to physician		: May cause ge May cause ca	
		: Treat symptor	matically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Foam Dry powder Carbon dioxide (CO2)
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during fire fighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for fire-fighters	:	Wear self-contained breathing apparatus for firefighting if nec- essary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment.
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).





Version 1.0	Revision Date: 10/07/2020		DS Number: 00000260176	Date of last issue: - Date of first issue: 10/07/2020
			Keep in suitable,	closed containers for disposal.
SECTIO	ON 7. HANDLING AND ST	OR	AGE	
	Advice on protection against fire and explosion		Product is not exp	blosive.
			Normal measures	s for preventive fire protection.
Ad	vice on safe handling	:	Avoid contact with For personal prot Smoking, eating a plication area.	obtain special instructions before use.
Co	Conditions for safe storage		place. Observe label pre Electrical installat	ghtly closed in a dry and well-ventilated ecautions. ions / working materials must comply with safety standards.
	rther information on stor- e conditions	: Keep only in the original container in a cool, dry, well ventilated place away from ignition sources, heat or f Protect from direct sunlight.		way from ignition sources, heat or flame.
Ma	aterials to avoid	:	Observe VCI stor	age rules.
	rther information on stor- e stability	: No data available		

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
ethyleneglycol	107-21-1	TWA value (Vapor frac- tion)	25 ppm	ACGIHTLV
		STEL value (Vapor frac- tion)	50 ppm	ACGIHTLV
		STEL value (Aerosol, inhalable.)	10 mg/m3	ACGIHTLV
		TWA (Vapor)	25 ppm	ACGIH
		STEL (Va- por)	50 ppm	ACGIH
		STEL (Inhal-	10 mg/m3	ACGIH



te of first issue: 10/07/202	20	
action, ol only)		
50 ppm 125 mg/m3	OSHA P0	
value 100 ppm	ACGIHTL	
alue 350 mg/m3	NIOSH	
ime 1,800 mg/m3	NIOSH	
500 ppm 2,900 mg/m3	29 CFR 1910.1000 (Table Z-1	
value 100 ppm 525 mg/m3	29 CFR 1910.1000 (Table Z-1	
100 ppm	ACGIH	
350 mg/m3	NIOSH RE	
1,800 mg/m3	NIOSH RE	
500 ppm 2,900 mg/m3	OSHA Z-1	
100 ppm 525 mg/m3	OSHA P0	
value 2 mg/m3 irable n)	ACGIHTL	
(Dust) 20 Million parti- cles per cubic f		
(respir- 2 mg/m3 ust n)	OSHA P0	
(Res- 2 mg/m3 e)	NIOSH RE	
0.1 fibres per cubic centimete	ACGIH er	
(Res- 2 mg/m3 e par- e mat-	ACGIH	
ation available.		
ection if ventilation is inac	lequate.	
pecific workplace should be the protective gloves.	be discussed	
Eye wash bottle with pure water Tightly fitting safety goggles		
: Impervious clothing Choose body protection according to the amount and con- centration of the dangerous substance at the work place.		
g ecti	g ection according to the amou	



Vers 1.0	sion	Revision Date: 10/07/2020	-	S Number: 0000260176	Date of last issue: - Date of first issue: 10/07/2020
	Protective measures		:	Avoid contact with Avoid exposure - Handle in accorda and safety practic	es/vapours/aerosols. In the skin, eyes and clothing. In the skin skin skin skin skin skin skin skin
	Hygiene measures		:	When using do no When using do no Wash hands befo	
SEC	CTION 9	PHYSICAL AND CHI	EMI		6
	Appear	ance	:	liquid	
	Color		:	magenta	
	Odor		:	of glycol	
	Odor TI	nreshold	:	No data available	9
	рН		:	slightly alkaline	
	Melting	point	:	No applicable info	ormation available.
	Boiling	point	:	not applicable	
	Flash p	oint	:	A flash point dete water content.	ermination is unnecessary due to the high
	Evapora	ation rate	:	No applicable info	ormation available.
	Flamma	ability (solid, gas)	:	not determined	
		explosion limit / Upper bility limit	:	No applicable info	ormation available.
		explosion limit / Lower bility limit	:	No applicable info	ormation available.
	Vapor p	pressure	:	No data available)
	Relative	e vapor density	:	No applicable info	ormation available.
	Relative	e density	:	No applicable info	ormation available.
	Density	,	:	1.2 g/cm3 (68 °F	/ 20 °C)
	Bulk de	nsity	:	not applicable	
	Solubili	ty(ies)			

SAFETY DATA SHEET



PIGMENT MAGENTA 8880422V

Version 1.0	Revision Date: 10/07/2020		S Number: 0000260176	Date of last issue: - Date of first issue: 10/07/2020
١	Vater solubility	:	partly soluble	
ç	Solubility in other solvents	:	No applicable inf	ormation available.
Partition coefficient: n- octanol/water		:	No applicable information available.	
Auto	pignition temperature	:	No data available	9
Dec	Decomposition temperature		No applicable inf	ormation available.
Viscosity Viscosity, dynamic		:	No applicable inf	ormation available.
١	iscosity, kinematic	:	No applicable inf	ormation available.
Explosive properties		:	Not explosive Not explosive	
Oxio	Oxidizing properties		not fire-propagati	ng
Sub	limation point	:	No applicable inf	ormation available.
Molecular weight		:	No data available	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reac- tions	:	No decomposition if stored and applied as directed.
Conditions to avoid	:	See SDS section 7 - Handling and storage.
Incompatible materials	:	Strong acids Strong bases Strong oxidizing agents Strong reducing agents
Hazardous decomposition products	:	No hazardous decomposition products if stored and handled as prescribed/indicated.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Not classified based on available information.

SAFETY DATA SHEET





ersion)	Revision Date: 10/07/2020	SDS Number: 000000260176	Date of last issue: - Date of first issue: 10/07/2020		
Serio	us eye damage/eye	irritation			
Not cl	assified based on ava	ailable information.			
Respi	iratory or skin sensi	tization			
Skin s	sensitization				
Not cl	assified based on ava	ailable information.			
Respi	iratory sensitization				
Not cl	assified based on ava	ailable information.			
Germ	cell mutagenicity				
May c	ause genetic defects				
Carci	nogenicity				
May c	ause cancer.				
Reproductive toxicity					
Not classified based on available information.					
	-single exposure				
	assified based on ava				
	-repeated exposure				
	assified based on ava	allable information.			
Aspiration toxicity					
Not classified based on available information.					
Furth	er information				
<u>Produ</u>					
Rema	ırks	•	s not been tested. The statement has been e properties of the individual components.		
Rema	ırks	: No data availat	le		

Ecotoxicity No data available					
Persistence and degradability No data available					
Bioaccumulative potential					
Components:					
ethyleneglycol:					
Partition coefficient: n- : octanol/water	log Pow: approx1.36 (73 °F / 23 °C) Method: Calculation Hansch/Leo GLP: no data Remarks: Information taken from reference works and the literature.				

Ver 1.0	sion	Revision Date: 10/07/2020		DS Number: 0000260176	Date of last issue: - Date of first issue: 10/07/2020
talc: Partition coefficient: n- octanol/water		:	Remarks: not app	licable	
	Stoddard solvent: Partition coefficient: n- octanol/water		:	log Pow: 3.5 - 6.4 (68 °F / 20 °C) Method: Partition coefficient (n-octanol/water), HPLC metho	
	No dat	ty in soil a available adverse effects			
	Produ Additic mation	onal ecological infor-	:	harmful to aquation The product has i	robability that the product is not acutely c organisms. not been tested. The statements on ecotoxi- n derived from the properties of the individual

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods		
Waste from residues	:	Do not contaminate ponds, waterways or ditches with chemi- cal or used container. Dispose of in accordance with national, state and local regula- tions. Do not discharge into drains/surface waters/groundwater.
Contaminated packaging	:	Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the sub- stance/product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG Not regulated as a dangerous good

IATA-DGR Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR Not regulated as a dangerous good



Version 1.0	Revision Date: 10/07/2020	•	DS Number: 00000260176	Date of last issue: Date of first issue	
SECTION	15. REGULATORY I	NFOR	MATION		
SAR	SARA 313		: The following components are subject to reporting levels es tablished by SARA Title III, Section 313:		
			ethyleneglycol	107-21-1	
US S	tate Regulations				
Penn	sylvania Right To Kr	างพ			
	ethyleneglycol Diethylene glycol Stoddard solvent talc				107-21-1 111-46-6 8052-41-3 14807-96-6
New	Jersey Right To Kno	w			
	ethyleneglycol Stoddard solvent talc				107-21-1 8052-41-3 14807-96-6
Califo	ornia Prop. 65				

WARNING: This product can expose you to chemicals including ethyleneglycol, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.


The ingredients of this product are reported in the following inventories:TSCA:On the inventory, or in compliance with the inventory

SECTION 16. OTHER INFORMATION

Further information







29 CFR 1910.1000 (Table Z- : Time Weighted Average (TWA): 1-A) / TWA value 29 CFR 1910.1000 (Table Z- : Permissible exposure limit 1) / PEL ACGIH / TWA 8-hour, time-weighted average Short-term exposure limit ACGIH / STEL 1 Short Term Exposure Limit (STEL): ACGIHTLV / STEL value 2 Time Weighted Average (TWA): ACGIHTLV / TWA value 1 Ceiling Limit Value and Time Period (if specified): NIOSH / Ceil_Time 5 Recommended exposure limit (REL): NIOSH / REL value 5 NIOSH REL / TWA Time-weighted average concentration for up to a 10-hour

workday during a 40-hour workweek NIOSH REL / C · Ceiling value not be exceeded at any time. OSHA P0 / TWA 8-hour time weighted average 5 OSHA P0/C ÷ Ceiling limit 8-hour time weighted average OSHA Z-1 / TWA ÷ OSHA Z-3 / TWA 8-hour time weighted average :



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	10/07/2020	00000260176	Date of first issue: 10/07/2020

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB -Very Persistent and Very Bioaccumulative

Revision Date

10/07/2020

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE , IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED



Version	Revision Date:	SDS Number:
1.0	10/07/2020	000000260176

Date of last issue: -Date of first issue: 10/07/2020

WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.

US / EN