

Version 1.2	Revision Date: 11/02/2022		DS Number: 00000260345	Date of last issue: 01/05/2021 Date of first issue: 05/20/2020
SECTION	N 1. IDENTIFICATION			
Proc	luct name	:	FINESTOP RA	
Proc	luct code	:	00000000005551	2506
Man	ufacturer or supplier's	deta	ails	
Com	pany name of supplier	:	Sika MBCC US L	LC
Addı	ress	:	201 POLITO AVE Lyndhurst NJ 070	
Eme	ergency telephone	:	ChemTel: +1-813	-248-0585
Rec	ommended use of the o	cher	nical and restriction	ons on use
Reco	ommended use	:	Functional surface	e coating
Rest	trictions on use	:	Reserved for indu	strial and professional use.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in ac 1910.1200)	ccordance with the OSHA Hazard Communication Standard (29 CFR
Skin sensitization	: Category 1

Skin sensitization	:	Category 1
Carcinogenicity (Inhalation)	:	Category 1A
Specific target organ toxicity - repeated exposure (Inhala- tion)	:	Category 1 (Lungs)
Specific target organ toxicity - repeated exposure (Inhala- tion)	:	Category 2 (Kidney, Immune system)
GHS label elements Hazard pictograms	:	
Signal Word	:	Danger
Hazard Statements	:	 H317 May cause an allergic skin reaction. H350 May cause cancer by inhalation. H372 Causes damage to organs (Lungs) through prolonged or repeated exposure if inhaled. H373 May cause damage to organs (Kidney, Immune system) through prolonged or repeated exposure if inhaled.



Precautio	onary Statements	P202 Do not har and understood. P260 Do not bre P264 Wash skin	eathe mist or vapors.
		P272 Contamination the workplace.	ated work clothing must not be allowed out of ective gloves/ protective clothing/ eye protection,
		P308 + P313 IF attention. P333 + P313 If s attention.	ON SKIN: Wash with plenty of soap and water. exposed or concerned: Get medical advice/ skin irritation or rash occurs: Get medical advice/ taminated clothing before reuse.
		Storage: P405 Store lock	ed up.
		Disposal: P501 Dispose o posal plant.	f contents/ container to an approved waste dis-

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature	:	polymers
		inorganic compounds

Components

CAS-No.	Concentration (% w/w)
14808-60-7	>= 20 - < 30
1317-65-3	>= 10 - < 20
13463-67-7	>= 1 - < 5
57-55-6	>= 1 - < 5
14464-46-1	>= 1 - < 5
68855-54-9	>= 1 - < 5
4719-04-4	>= 0.1 - < 1
	14808-60-7 1317-65-3 13463-67-7 57-55-6 14464-46-1 68855-54-9

Actual concentration is withheld as a trade secret

:

SECTION 4. FIRST AID MEASURES

General advice

First aid personnel should pay attention to their own safety. Immediately remove contaminated clothing.



Versio 1.2		Revision Date: 1/02/2022		9S Number: 0000260345	Date of last issue: 01/05/2021 Date of first issue: 05/20/2020
lf	inhaled		:		, remove to fresh air. st, seek medical advice.
In	n case o	f skin contact	:	and soap. Under no circums	skin, wash immediately with plenty of water tances should organic solvent be used. os, seek medical attention.
In	n case o	f eye contact	:	flush with copious	ould be removed. Hold eyelids open and amounts of clean, fresh water or a special and seek medical advice.
lf	swallov	ved	:	seek medical atte	mouth and then drink 200-300 ml of water, ntion. niting unless told to by a poison control cen-
a		ortant symptoms ts, both acute and	:	exposure if inhale	r by inhalation. o organs through prolonged or repeated d. ated inhalation of respirable crystalline silica
Ν	lotes to	physician	:	Treat symptomation	cally.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Foam Water spray Dry powder Carbon dioxide (CO2)
Unsuitable extinguishing media	:	water jet
Hazardous combustion prod- ucts	:	fumes/smoke harmful vapours Carbon oxides nitrogen oxides carbon black
Further information	:	The degree of risk is governed by the burning substance and the fire conditions. If exposed to fire, keep containers cool by spraying with water. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Contaminated extinguishing water must be disposed of in accordance with official regulations.
Special protective equipment for fire-fighters	:	Wear a self-contained breathing apparatus.



Version 1.2	Revision Date: 11/02/2022		DS Number: 00000260345	Date of last issue: 01/05/2021 Date of first issue: 05/20/2020
SECTION	6. ACCIDENTAL RELE	AS	E MEASURES	
tive e	onal precautions, protec- quipment and emer- y procedures	:	Wear eye/face p Use personal pr	otective clothing. dance with good building materials hygiene
Envir	onmental precautions	:		inated water/firefighting water. e into drains/surface waters/groundwater.
	ods and materials for inment and cleaning up	:	acid binder, univ	ert absorbent material (e.g. sand, silica gel, versal binder, sawdust). e, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Advice on safe handling	:	Avoid inhalation of dusts/mists/vapours. Avoid skin contact. Ensure adequate ventilation. No special measures necessary provided product is used correctly.
Conditions for safe storage	:	Keep only in the original container in a cool, dry, well- ventilated place away from ignition sources, heat or flame. Protect from direct sunlight.
Recommended storage tem- perature	:	> 39 °F / > 4 °C
Further information on stor- age stability	:	PROTECT FROM FREEZING DURING THE COLD-SEASON (BELOW 40°F / 5°C).

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
crystalline silica	14808-60-7	TWA (Res- pirable dust)	0.05 mg/m3	OSHA Z-1
		TWA (respir- able)	10 mg/m3 / %SiO2+2	OSHA Z-3
		TWA (respir- able)	250 mppcf / %SiO2+5	OSHA Z-3
		TWA (respir- able dust fraction)	0.1 mg/m3	OSHA P0
		TWA (Res-	0.025 mg/m3	ACGIH



11/0	02/2022	000000260345	Date of firs	t issue: 05/20/2020	
			pirable par- ticulate mat- ter)	(Silica)	
			TWA (Res- pirable dust)	0.05 mg/m3 (Silica)	NIOSH R
Limestone		1317-65-3	TWA (total dust)	15 mg/m3	OSHA Z-
			TWÁ (respir- able fraction)	5 mg/m3	OSHA Z-
			TWA (Total dust)	15 mg/m3	OSHA PO
			TWA (respir- able dust fraction)	5 mg/m3	OSHA PO
			TWA (Res- pirable)	5 mg/m3 (Calcium car- bonate)	NIOSH R
			TWA (total)	10 mg/m3 (Calcium car- bonate)	NIOSH R
Titanium dioxide	xide	13463-67-7	TWA (total dust)	15 mg/m3	OSHA Z-
		TWA (Total dust)	10 mg/m3	OSHA PO	
			TWA (Res- pirable par- ticulate mat- ter)	0.2 mg/m3 (Titanium dioxide)	ACGIH
			TWA (Res- pirable par- ticulate mat- ter)	2.5 mg/m3 (Titanium dioxide)	ACGIH
propane-1,2	-diol	57-55-6	ΤŴΑ	10 mg/m3	US WEEL
cristobalite		14464-46-1	TWA (Res- pirable dust)	0.05 mg/m3	OSHA Z-
			TWA (respir- able dust fraction)	0.05 mg/m3	OSHA PO
			TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3 (Silica)	ACGIH
			TWA (Res- pirable dust)	0.05 mg/m3 (Silica)	NIOSH R
Kieselguhr, s calcined	soda ash flux-	68855-54-9	REL value	6 mg/m3	NIOSH
			TWA value	20 millions of particles per cubic foot of air	29 CFR 1910.100 (Table Z-3
			TWA value	0.8 mg/m3	29 CFR 1910.100 (Table Z-3
			OSHA Action level	0.025 mg/m3 (Respirable dust)	29 CFR 1910.100



rsion			S Number: 0000260345		Date of last issue: 01/05/2021 Date of first issue: 05/20/2020		
1					1	1050	
				TWA value	0.05 mg/m3 (Respirable dust)	29 CFR 1910.1001 1050	
				TWA (Dust)	20 Million parti- cles per cubic foot (Silica)	OSHA Z-3	
				TWA (Dust)	80 mg/m3 / %SiO2 (Silica)	OSHA Z-3	
				TWA	6 mg/m3 (Silica)	NIOSH RE	
Engir	eering measures	:	Ensure adeq	uate ventilation.			
Perso	onal protective equip	oment					
Respi	ratory protection	:	may be exce		spirator when exposur atory protection.	e limits	
Hand	protection						
Re	marks	:			gloves. Manufacturer ved because of great		
Eye p	rotection	:	Wear safety g	glasses with side	e shields or goggles.		
Skin a	and body protection	:	Body protecti and exposure		sen based on level of	activity	
Protec	ctive measures	:	Avoid contact Avoid exposu Handle in acc and safety pr	re - obtain spec cordance with go actice.	osols. yes and clothing. ial instructions before ood building materials ing is recommended.		
Hygie	ne measures	:	Hands and/or the end of the At the end of care agents a Gloves must	e shift. the shift the skir applied.	washed before break n should be cleaned a gularly and prior to ea	nd skin-	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: viscous liquid

Color : gray



Vers 1.2	sion	Revision Date: 11/02/2022		S Number: 0000260345	Date of last issue: 01/05/2021 Date of first issue: 05/20/2020
	Odor		:	slight odour, acid	ulous
	Odor T	hreshold	:	not determined	
	рН		:	8 - 9.5 (73 °F / 23	3 °C)
	Melting	point	:	No data available)
	Boiling	point	:	Not applicable	
	Flash p	point	:	A flash point dete water content.	ermination is unnecessary due to the high
	Evapor	ation rate	:	No data available	9
	Flamma	ability (liquids)	:	Not classified as	a flammability hazard
		explosion limit / Upper bility limit	:	No data available	9
		explosion limit / Lower bility limit	:	No data available	
	Vapor p	oressure	:	Not applicable	
	Relative	e vapor density	:	No data available)
	Relative	e density	:	No data available)
	Density	/	:	1.47 g/cm3 (73 °	F / 23 °C)
				12.27 lb/USg	
	Bulk de	ensity	:	Not applicable	
	Solubili Wat	ity(ies) er solubility	:	soluble, partly mi	scible
	Solu	ubility in other solvents	:	No data available	2
	Partitio octanol	n coefficient: n- /water	:	Not applicable	
	Autoigr	nition temperature	:	Based on the wa	ter content the product does not ignite.
	Decom	position temperature	:	No decompositio scribed/indicated	n if stored and handled as pre-
	Viscosi Visc	ty cosity, dynamic	:	No data available	9
	Visc	cosity, kinematic	:	No data available	



Version 1.2	Revision Date: 11/02/2022		9S Number: 0000260345	Date of last issue: 01/05/2021 Date of first issue: 05/20/2020
Exp	plosive properties	:	Not explosive	
Oxi	dizing properties	:	Not an oxidizer.	
Sub	Sublimation point		No data availabl	9
Мо	Molecular weight		Not applicable	
SECTIO	N 10. STABILITY AND R	EAC	ΤΙνιτγ	
Rea	activity	:	No hazardous re scribed/indicated	actions if stored and handled as pre-
Che	Chemical stability :		The product is st scribed/indicated	able if stored and handled as pre- l.

Possibility of hazardous reac- tions	:	The product is stable if stored and handled as pre- scribed/indicated.
Conditions to avoid	:	See SDS section 7 - Handling and storage.
Incompatible materials	:	Strong acids Strong bases

		Strong oxidizing agents Strong reducing agents
Hazardous decomposition products	:	No hazardous decomposition products if stored and handled as prescribed/indicated.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

May cause cancer by inhalation.



Version 1.2	Revision Date: 11/02/2022	SDS Number: 000000260345	Date of last issue: 01/05/2021 Date of first issue: 05/20/2020
IARC	crystalline	arcinogenic to humans silica , crystalline)	14808-60-7
	cristobalite	arcinogenic to humans , crystalline)	14464-46-1
	Group 2B: Titanium di	Possibly carcinogenic oxide	o humans 13463-67-7
NTP	crystalline	e human carcinogen silica stalline (Respirable Siz	14808-60-7 e))
	cristobalite	e human carcinogen stalline (Respirable Siz	14464-46-1 e))
•	oductive toxicity	ailable information	
	-single exposure		
	assified based on ava	ailable information.	
STOT	-repeated exposure		
	cause damage to orga		ged or repeated exposure if inhaled. (stem) through prolonged or repeated exposure
Aspir	ation toxicity		
Not cl	assified based on ava	ailable information.	
Furth	er information		
Produ	uct:		
Rema	arks	The product ha	are not known or expected under normal use. s not been tested. The statements on toxicolo- lerived from the properties of the individual

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity		
Product:		
Ecotoxicology Assessment Acute aquatic toxicity Chronic aquatic toxicity	:	This product has no known ecotoxicological effects. This product has no known ecotoxicological effects.
Persistence and degradabil	lity	
<u>Product:</u> Biodegradability	:	Remarks: Taking into consideration the properties of several



Version 1.2	Revision Date: 11/02/2022		DS Number: 00000260345	Date of last issue: 01/05/2021 Date of first issue: 05/20/2020
			.	roduct is estimated not to be readily biode- ng to OECD classification.
Bioa	cumulative potential			
Prod	uct:			
Bioac	cumulation	:	Remarks: No data Discharge into the	a available. e environment must be avoided.
Mobi	lity in soil			
No da	ata available			
Othe	r adverse effects			
Prod	uct:			
Additi matio	onal ecological infor- n	:	The product has	product into the environment without control. not been tested. The statements on ecotoxi- n derived from the properties of the individual

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods		
Waste from residues	:	Dispose of in accordance with national, state and local regula- tions. Do not discharge into drains/surface waters/groundwater. Do not contaminate ponds, waterways or ditches with chemi- cal or used container.
Contaminated packaging	:	Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the sub- stance/product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR Not regulated as a dangerous good



1317-65-3

57-55-6

13463-67-7

14464-46-1

Version	Revision Date:	SDS Number:	Date of last issue: 01/05/2021
1.2	11/02/2022	00000260345	Date of first issue: 05/20/2020

SECTION 15. REGULATORY INFORMATION

US State Regulations

Pennsylvania Right To Know

	5	
	crystalline silica	14808-60-7
	Limestone	1317-65-3
	Titanium dioxide	13463-67-7
	propane-1,2-diol	57-55-6
	cristobalite	14464-46-1
	Kieselguhr, soda ash flux-calcined	68855-54-9
	Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5
	Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0
New Je	sey Right To Know	
	crystalline silica	14808-60-7

Limestone Titanium dioxide propane-1,2-diol cristobalite

California Prop. 65

WARNING: This product can expose you to chemicals including crystalline silica, which is/are known to the State of California to cause cancer, and

4-vinyl cyclohexene, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

The ingredients of this product are reported in the following inventories:

TSCA	:	All substances listed as active on the TSCA inventory
DSL	:	This product contains one or more components not listed on the Canadian DSL or NDSL. All other components are on the Canadian DSL.

SECTION 16. OTHER INFORMATION

Further information

OSHA Action level 29 CFR 1910.1001-1050 /

NIOSH / REL value

NIOSH REL / TWA

OSHA P0 / TWA

OSHA Z-1 / TWA


OSHA Z-3 / TWA

US WEEL / TWA

TWA value ACGIH / TWA

FINESTOP RA





AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic

Time Weighted Average (TWA):

8-hour, time-weighted average

8-hour time weighted average

8-hour time weighted average

Recommended exposure limit (REL):

workday during a 40-hour workweek 8-hour time weighted average

Time-weighted average concentration for up to a 10-hour

:

1

1

2

1

1

÷

8-hr TWA



Version	Revision Date:	SDS Number:	Date of last issue: 01/05/2021
1.2	11/02/2022	000000260345	Date of first issue: 05/20/2020

Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date

11/02/2022

5

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN