

Version 2.0	Revision Date: 03/29/2021		DS Number: 00000858095	Date of last issue: 12/01/2020 Date of first issue: 12/01/2020
SECTIO	N 1. IDENTIFICATION			
Proc	duct name	:	PEBBLETEX TE	RSUS R1.5 MED COL
Proc	duct code	:	0000000005054	8537
Mar	nufacturer or supplier's	deta	ails	
Con	npany name of supplier	:	Sika MBCC US L	LC
Add	ress	:	201 POLITO AVE Lyndhurst NJ 070	-
Eme	ergency telephone	:	ChemTel: +1-813	-248-0585
Rec	Recommended use of the		nical and restriction	ons on use
Rec	ommended use	:	Product for const	ruction chemicals
Res	trictions on use	:	Reserved for indu	ustrial and professional use.

## SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accore 1910.1200)	dan	ce with the OSHA Hazard Communication Standard (29 CFR
Skin sensitization	:	Category 1

Carcinogenicity (Inhalation)	:	Category 1A
Specific target organ toxicity - repeated exposure (Inhala- tion)	:	Category 1 (Lungs)
Specific target organ toxicity - repeated exposure (Inhala- tion)	:	Category 2 (Kidney, Immune system)
Germ cell mutagenicity	:	Category 1B
GHS label elements		
Hazard pictograms	:	
Signal Word	:	Danger
Hazard Statements	:	H350 May cause cancer by inhalation. H372 Causes damage to organs (Lungs) through prolonged or repeated exposure if inhaled. H373 May cause damage to organs (Kidney, Immune system)



Version 2.0	Revision Date: 03/29/2021	SDS Number: 000000858095	Date of last issue: 12/01/2020 Date of first issue: 12/01/2020
			led or repeated exposure if inhaled. e genetic defects.
Preca	utionary Statements	P202 Do not ha and understood P260 Do not br P264 Wash skii P270 Do not ea	eathe dust/ fume/ gas/ mist/ vapors/ spray. n thoroughly after handling. t, drink or smoke when using this product. tective gloves/ protective clothing/ eye protection/
		<b>Response:</b> P308 + P313 IF attention.	exposed or concerned: Get medical advice/
		<b>Storage:</b> P405 Store lock	ked up.
		Disposal:	
		P501 Dispose o posal plant.	of contents/ container to an approved waste dis-
Other	hazards		

None known.

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature

: No applicable information available.

### Components

Chemical name	CAS-No.	Concentration (% w/w)
crystalline silica, particle size >63µm	14808-60-7	>= 50 - < 70
Titanium dioxide	13463-67-7	>= 1 - < 5
Distillates (petroleum), solvent- dewaxed heavy paraffinic	64742-65-0	>= 0.1 - < 1
Silicon dioxide	7631-86-9	>= 0.1 - < 1
Actual concentration is withheld as a t	rade secret	•

Actual concentration is withined as a trade seci

### SECTION 4. FIRST AID MEASURES

General advice	:	Move out of dangerous area. Show this material safety data sheet to the doctor in attend- ance. Do not leave the victim unattended.
If inhaled	:	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	:	If on skin, rinse well with water.

### SAFETY DATA SHEET



## PEBBLETEX TERSUS R1.5 MED COL

Versio 2.0	n	Revision Date: 03/29/2021		DS Number: 0000858095	Date of last issue: 12/01/2020 Date of first issue: 12/01/2020	
In	n case	of eye contact	:	Remove contact I Protect unharmed Keep eye wide op	l eye.	
lf	If swallowed		:	Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital.		
ar	Most important symptoms and effects, both acute and delayed		:		ergic skin reaction. to organs through prolonged or repeated td.	
N	lotes t	o physician	:	Treat symptomati	cally.	
SECTI	ION 5	FIRE-FIGHTING ME	ASL	JRES		
S	Suitable	e extinguishing media	:	Foam Dry powder Water spray Carbon dioxide (C	CO2)	
	Insuita nedia	ble extinguishing	:	High volume wate	er jet	

Specific hazards during fire	:	Aqueous preparation
fighting		

Non-flammable (aqueous solution). In case of fire may form a hazard after evaporation of water and further heating of the product; see combustion gases/decomposition products.

See SDS section 10 - Stability and reactivity.

Hazardous combustion prod-	:	harmful vapours
ucts		

oxides

carbon compounds

Further information	:	Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.
Special protective equipment for fire-fighters	:	Wear self-contained breathing apparatus for firefighting if nec- essary.

#### SECTION 6. ACCIDENTAL RELEASE MEASURES



Versior 2.0	n Revision Date: 03/29/2021		0S Number: 0000858095	Date of last issue: 12/01/2020 Date of first issue: 12/01/2020
tiv	ersonal precautions, protec- e equipment and emer- ency procedures	:	Use personal pro	tective equipment.
Er	nvironmental precautions	:	Prevent further le	rom entering drains. akage or spillage if safe to do so. taminates rivers and lakes or drains inform ities.
	ethods and materials for ntainment and cleaning up	:	acid binder, unive	t absorbent material (e.g. sand, silica gel, ersal binder, sawdust). closed containers for disposal.

### SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Advice on safe handling	:	Do not breathe vapors/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. Dispose of rinse water in accordance with local and national regulations. Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
Conditions for safe storage	:	Keep container tightly closed in a dry and well-ventilated place. Electrical installations / working materials must comply with the technological safety standards.
Further information on stor- age conditions	:	Keep only in the original container in a cool, dry, well- ventilated place away from ignition sources, heat or flame. Protect from direct sunlight.
Materials to avoid	:	No applicable information available.
Further information on stor- age stability	:	No data available

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Titanium dioxide	13463-67-7	TWA value	10 mg/m3	ACGIHTLV



ersion Revision Date: .0 03/29/2021	SDS Number: 000000858095	Date of last issue: 12/01/2020 Date of first issue: 12/01/2020			
			PEL (Total dust)	15 mg/m3	29 CFR 1910.1000 (Table Z-1)
			TWA value (Total dust)	10 mg/m3	29 CFR 1910.1000 (Table Z-1-
			TWA (total dust)	15 mg/m3	OSHA Z-1
			TWA (Total dust)	10 mg/m3	OSHA P0
			TWA	10 mg/m3 (Titanium dioxide)	ACGIH
Quartz (SiO2)	14808-60-7	TWA value (Respirable fraction)	0.025 mg/m3	ACGIHTLV	
		TWA value	0.05 mg/m3 (Respirable dust)	29 CFR 1910.1001- 1050	
			OSHA Action level	0.025 mg/m3 (Respirable dust)	29 CFR 1910.1001- 1050
			REL value (Respirable dust)	0.05 mg/m3	NIOSH
			TWA (Res- pirable dust)	0.05 mg/m3	OSHA Z-1
			TWA (respir- able)	10 mg/m3 / %SiO2+2	OSHA Z-3
			TWA (respir- able)	250 mppcf / %SiO2+5	OSHA Z-3
			TWA (respir- able dust fraction)	0.1 mg/m3	OSHA P0
			TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3 (Silica)	ACGIH
			PEL (respir- able)	0.05 mg/m3	OSHA CAF
			TWA (Res- pirable dust)	0.05 mg/m3 (Silica)	NIOSH RE
crysta >63µr	alline silica, particle size m	14808-60-7	TWA (Res- pirable dust)	0.05 mg/m3	OSHA Z-1
		TWA (respir- able)	10 mg/m3 / %SiO2+2	OSHA Z-3	
		TWA (respir- able)	250 mppcf / %SiO2+5	OSHA Z-3	
			TWA (respir- able dust fraction)	0.1 mg/m3	OSHA P0
			TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3 (Silica)	ACGIH



				issue: 12/01/2020 issue: 12/01/2020		
				PEL (respir- able)	0.05 mg/m3	OSHA CARC
				TWA (Res- pirable dust)	0.05 mg/m3 (Silica)	NIOSH REL
Engir	neering measures	:	No applicable	information ava	ilable.	
Perso	onal protective equip	ment				
Respi	ratory protection	:	Wear appropr may be excee		pirator when exposu	e limits
Hand	protection					
Re	emarks	:		for a specific we cers of the prote	orkplace should be di ective gloves.	scussed
Eye p	rotection	:		tle with pure wat safety goggles	er	
Skin a	and body protection	:		protection accor	ding to the amount a ubstance at the work	
Protec	ctive measures	:	Avoid contact Avoid exposur Handle in acc and safety pra	re - obtain speci ordance with go actice.	aerosols. /es and clothing. al instructions before od building materials ng is recommended.	
Hygie	ne measures	:	Wash hands b	efore breaks ar	nd at the end of work	day.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	highly viscous
Color	:	white to off-white
Odor	:	mild
Odor Threshold	:	No data available
рН	:	9.5 (68.00 °F / 20.00 °C)
Melting point	:	No applicable information available.
Boiling point	:	No applicable information available.
Flash point	:	approx. 199.99 °F / 93.33 °C



Ver 2.0	sion	Revision Date: 03/29/2021		S Number: 0000858095	Date of last issue: 12/01/2020 Date of first issue: 12/01/2020	
				Method: estimate	9	
	Evapor	ation rate	:	No applicable info	ormation available.	
	Flamma	ability (solid, gas)	:	No applicable info	ormation available.	
		explosion limit / Upper bility limit	:	No applicable info	ormation available.	
		explosion limit / Lower bility limit	:	No applicable info	ormation available.	
	Vapor p	pressure	:	No applicable info	ormation available.	
	Relative	e vapor density	:	No applicable info	ormation available.	
	Relative	e density	:	No applicable info	ormation available.	
	Density	,	:	1.8000 g/cm3 (68	8.00 °F / 20.00 °C)	
	Solubili Wat	ty(ies) er solubility	:	No applicable info	ormation available.	
	Solu	bility in other solvents	:	No applicable info	ormation available.	
	Partition octanol	n coefficient: n- /water	:	No applicable info	ormation available.	
	Autoign	ition temperature	:	No applicable info	ormation available.	
	Decom	position temperature	:	No decomposition scribed/indicated	n if stored and handled as pre-	
	Viscosi <sup>.</sup> Visc	ty osity, dynamic	:	No applicable info	ormation available.	
	Visc	osity, kinematic	:	No applicable info	ormation available.	
	Oxidizir	ng properties	:	Not an oxidizer.		
	Sublima	ation point	:	No applicable info	ormation available.	
	Molecu	lar weight	:	No data available	9	
	Oxidizir Sublima	ng properties ation point	: : :	Not an oxidizer. No applicable info	ormation available.	

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reac- tions	:	No decomposition if stored and applied as directed.
Conditions to avoid	:	See SDS section 7 - Handling and storage.



Version 2.0	Revision Date: 03/29/2021	SDS Number: 000000858095	Date of last issue: 12/01/2020 Date of first issue: 12/01/2020
Inco	mpatible materials	: Strong acids Strong bases Strong oxidizin Strong reducing	
	ardous decomposition ucts	: No hazardous as prescribed/in	decomposition products if stored and handled ndicated.

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity	:	Remarks: No applicable information available.
Acute inhalation toxicity	:	Remarks: No applicable information available.
Acute dermal toxicity	:	Remarks: No applicable information available.

#### Skin corrosion/irritation

Not classified based on available information.

#### Serious eye damage/eye irritation

Not classified based on available information.

#### Respiratory or skin sensitization

#### Skin sensitization

Not classified based on available information.

#### Respiratory sensitization

Not classified based on available information.

#### Germ cell mutagenicity

May cause genetic defects.

#### Carcinogenicity

May cause cancer by inhalation.

#### Reproductive toxicity

Not classified based on available information.

#### STOT-single exposure

Not classified based on available information.

#### STOT-repeated exposure

Causes damage to organs (Lung) through prolonged or repeated exposure if inhaled. May cause damage to organs (Kidney, Immune system) through prolonged or repeated exposure if inhaled.

#### Aspiration toxicity

Not classified based on available information.



ersion 0	Revision Date: 03/29/2021	SDS Number: 000000858095	Date of last issue: 12/01/2020 Date of first issue: 12/01/2020
Furth	er information		
<u>Prod</u> u	uct:		
Rema	ırks	The product	es are not known or expected under normal use. has not been tested. The statements on toxicolo- n derived from the properties of the individual
ECTION	12. ECOLOGICAL IN	FORMATION	
Ecoto	oxicity		
No da	ita available		
	stence and degradal	bility	
<b>D</b> :		I	
	cumulative potentia	•	
No da <b>Mobi</b> l	•		
No da <b>Mobil</b> No da	ita available ity in soil		
No da <b>Mobil</b> No da	ita available ity in soil ita available adverse effects		

### SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods		
Waste from residues	:	Dispose of in accordance with national, state and local regula- tions. Do not contaminate ponds, waterways or ditches with chemi- cal or used container. Do not discharge into drains/surface waters/groundwater.
Contaminated packaging	:	Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the sub- stance/product.

### SECTION 14. TRANSPORT INFORMATION

### International Regulations

UNRTDG

Not regulated as a dangerous good

### IATA-DGR



Version 2.0	Revision Date: 03/29/2021	SDS Number: 000000858095	Date of last issue: 12/01/2020 Date of first issue: 12/01/2020				
Not re	egulated as a dangero	ous good					
	<b>-Code</b> egulated as a dangero	ous good					
	Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.						
Dome	estic regulation						
	<b>49 CFR</b> Not regulated as a dangerous good						
SECTION	SECTION 15. REGULATORY INFORMATION						
US S	US State Regulations						
Penn	sylvania Right To Kı	now					
	Titanium dioxide Quartz (SiO2) crystalline silica,	particle size >63µm	13463-67-7 14808-60-7 14808-60-7				
New	Jersey Right To Kno	w					
		particle size >63µm nticle size < 63 µm	13463-67-7 14808-60-7 14808-60-7 14808-60-7				

### California Prop. 65


WARNING: This product can expose you to chemicals including Titanium dioxide, Quartz (SiO2), Quartz (SiO2) particle size < 63  $\mu$ m, formaldehyde, benzophenone, cumene, which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

The ingredients of this proc	luct	are reported in the following inventories:
DSL	:	All components of this product are on the Canadian DSL
TSCA	:	All chemical substances in this product are either listed as active on the TSCA Inventory or are in compliance with a TSCA Inventory exemption.

#### **SECTION 16. OTHER INFORMATION**

**Further information** 





## PEBBLETEX TERSUS R1.5 MED COL



Version	Revision Date:		OS Number:	Date of last issue: 12/01/2020
2.0	03/29/2021		0000858095	Date of first issue: 12/01/2020
OSHA Z-1 / TWA OSHA Z-3 / TWA		:	<ul> <li>8-hour time weighted average</li> <li>8-hour time weighted average</li> </ul>	

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association: IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB -Very Persistent and Very Bioaccumulative

**Revision Date** :

03/29/2021

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN