according to the OSHA Hazard Communication Standard



TEXTURE TB MAXI WHITE

Version 2.0	Revision Date: 04/16/2024		DS Number: 00000260628	Date of last issue: 10/01/2020 Date of first issue: 10/01/2020	
SECTION 1. IDENTIFICATION					
Proc	luct name	:	TEXTURE TB M/	AXI WHITE	
Product code		:	00000000050002528		
Manufacturer or supplier's		deta	ails		
Corr	pany name of supplier	:	Sika MBCC US L	LC	
Add	ress	:	201 POLITO AVE Lyndhurst NJ 070	-	
Eme	ergency telephone	:	ChemTel: +1-813	-248-0585	
Rec	ommended use of the c	cher	nical and restriction	ons on use	
Rec	ommended use	:	Coating		
Rest	trictions on use	:	Reserved for indu	ustrial and professional use.	

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accord 1910.1200)	GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)						
Carcinogenicity (Inhalation)	:	Category 1A					
Specific target organ toxicity - repeated exposure (Inhala- tion)	:	Category 1 (Lungs)					
Specific target organ toxicity - repeated exposure (Inhala- tion)	:	Category 2 (Kidney, Immune system)					
GHS label elements Hazard pictograms	:						
Signal Word	:	Danger					
Hazard Statements	:	H350 May cause cancer by inhalation. H372 Causes damage to organs (Lungs) through prolonged or repeated exposure if inhaled. H373 May cause damage to organs (Kidney, Immune system) through prolonged or repeated exposure if inhaled.					
Precautionary Statements	:	Prevention:					

according to the OSHA Hazard Communication Standard



TEXTURE TB MAXI WHITE

Version 2.0	Revision Date: 04/16/2024	SDS Number: 000000260628	Date of last issue: 10/01/2020 Date of first issue: 10/01/2020
		P202 Do not h and understood P260 Do not bi P264 Wash ski P270 Do not ea	reathe mist or vapors. in thoroughly after handling. at, drink or smoke when using this product. otective gloves/ protective clothing/ eye protection/
		Response: P308 + P313 II attention.	F exposed or concerned: Get medical advice/
		Storage: P405 Store loc	ked up.
		Disposal:	
		P501 Dispose posal plant.	of contents/ container to an approved waste dis-

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)				
Limestone	1317-65-3	>= 50 - < 70				
Titanium dioxide	13463-67-7	>= 1 - < 5				
Quartz (SiO2)	14808-60-7	>= 1 - < 5				

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice If inhaled		First aid personnel should pay attention to their own safety. Immediately remove contaminated clothing. If difficulties occur after vapour/aerosol has been inhaled, remove to fresh air and seek medical attention.
In case of skin contact	:	After contact with skin, wash immediately with plenty of water and soap. Under no circumstances should organic solvent be used. If irritation develops, seek medical attention.
In case of eye contact	:	Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist. Remove contact lenses, if present.
If swallowed	:	Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

according to the OSHA Hazard Communication Standard



TEXTURE TB MAXI WHITE

Versi 2.0	ion	Revision Date: 04/16/2024		9S Number: 0000260628	Date of last issue: 10/01/2020 Date of first issue: 10/01/2020	
				Do NOT induce vo	omiting.	
	Most important symptoms and effects, both acute and delayed		:	May cause cancer by inhalation. Causes damage to organs through prolonged or repeated exposure if inhaled. Prolonged or repeated inhalation of respirable crystalline sil (quartz) may result in silicosis.		
	Notes to	o physician	:	Treat symptomation	cally.	
SEC	TION 5	. FIRE-FIGHTING ME	ASU	IRES		
	Suitable	e extinguishing media	:	Foam Water spray Dry powder Carbon dioxide (C	:02)	
	Unsuita media	ble extinguishing	:	water jet		
	Specific fighting	c hazards during fire	:	See SDS section	10 - Stability and reactivity.	
	Hazard ucts	ous combustion prod-	:	: harmful vapours nitrogen oxides fumes/smoke carbon black carbon oxides		
	Further	information	:	The degree of risk is governed by the burning substance a the fire conditions. If exposed to fire, keep containers cool by spraying with wa Collect contaminated extinguishing water separately, do no allow to reach sewage or effluent systems. Contaminated extinguishing water must be disposed of in accordance with official regulations.		
	Special for fire-	protective equipment fighters	:	Wear a self-conta	ined breathing apparatus.	

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Do not breathe vapour/aerosol/spray mists. Wear eye/face protection. If exposed to high vapour concentration, leave area immedi- ately. Use personal protective clothing. Handle in accordance with good building materials hygiene and safety practice.
Environmental precautions	:	Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.

according to the OSHA Hazard Communication Standard



TEXTURE TB MAXI WHITE

Version 2.0	Revision Date: 04/16/2024		DS Number: 00000260628	Date of last issue: 10/01/2020 Date of first issue: 10/01/2020
	nods and materials for ainment and cleaning up	:	pumping) for disp Pick up with inert Spilled product sh	d be collected mechanically (remove by osal. absorbent material (e.g. sand, earth etc.). hould be disposed in accordance with all ment regulations.
SECTION	7. HANDLING AND ST	OR	AGE	
	ce on protection against and explosion	:	Normal measures	for preventive fire protection.
Advi	ce on safe handling	:	Avoid aerosol forr Avoid inhalation c Avoid skin contac Avoid contact with	f mists/vapours. t.
Con	ditions for safe storage	:		original container in a cool, dry, well- way from ignition sources, heat or flame. ct sunlight.
	ner information on stor- stability	:	PROTECT FROM (BELOW 40°F / 5	1 FREEZING DURING THE COLD-SEASON °C).

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Limestone	1317-65-3	TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (respir- able fraction)	5 mg/m3	OSHA Z-1
		TWA (Total dust)	15 mg/m3	OSHA P0
		TWA (respir- able dust fraction)	5 mg/m3	OSHA P0
		TWA (Res- pirable)	5 mg/m3 (Calcium car- bonate)	NIOSH REL
		TWA (total)	10 mg/m3 (Calcium car- bonate)	NIOSH REL
Titanium dioxide	13463-67-7	TWA (total dust)	15 mg/m3	OSHA Z-1
		TWÁ (Total dust)	10 mg/m3	OSHA P0
		TWA (Res-	0.2 mg/m3	ACGIH

according to the OSHA Hazard Communication Standard



TEXTURE TB MAXI WHITE

		SDS Number: 000000260628	Date of last issue: 10/01/2020 Date of first issue: 10/01/2020		
			pirable par- ticulate mat- ter)	(Titanium dioxide)	
			TWA (Res- pirable par- ticulate mat- ter)	2.5 mg/m3 (Titanium dioxide)	ACGIH
Quart	z (SiO2)	14808-60-7	TWA (Res- pirable dust)	0.05 mg/m3	OSHA Z-1
			TWA (respir- able)	10 mg/m3 / %SiO2+2	OSHA Z-3
			TWA (respir- able)	250 mppcf / %SiO2+5	OSHA Z-3
			TWA (respir- able dust fraction)	0.1 mg/m3	OSHA P0
			TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3 (Silica)	ACGIH
			TWA (Res- pirable dust)	0.05 mg/m3 (Silica)	NIOSH REL
			PEL (respir- able)	0.05 mg/m3	OSHA CAR

Personal protective equipme Respiratory protection		Wear appropriate certified respirator when exposure limits may be exceeded. Wear a NIOSH-certified (or equivalent) organic va- pour/particulate respirator.
Hand protection		
Remarks	:	Wear chemical resistant protective gloves. Manufacturer's directions for use should be observed because of great diversity of types.
Eye protection	:	Wear safety glasses with side shields or goggles.
Skin and body protection	:	light protective clothing
Protective measures	:	Do not inhale gases/vapours/aerosols. Avoid contact with the skin, eyes and clothing. Avoid exposure - obtain special instructions before use. Handle in accordance with good building materials hygiene and safety practice. Wearing of closed work clothing is recommended.
Hygiene measures	:	When using, do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Evaporation rate

flammability limit

flammability limit

Vapor pressure

Relative density

Solubility(ies)

Water solubility

Density

Flammability (liquids)

according to the OSHA Hazard Communication Standard



TEXTURE TB MAXI WHITE

/ersion 2.0	Revision Date: 04/16/2024		S Number: 0000260628	Date of last issue: 10/01/2020 Date of first issue: 10/01/2020
			care agents appli Remove contami re-use or dispose Gloves must be i	nated clothing immediately and clean before
	9. PHYSICAL AND CH	IEMI		S
Appea	arance	:	viscous liquid	
Color		:	whitish	
Odor		:	acrylic-like	
Odor	Threshold	:	not determined	
pН		:	9 - 10	
Meltir	ng point/freezing point	:	No data availabl	e
Boilin	g point	:	No data availabl	e
Flash	point	:	A flash point det	ermination is unnecessary due to the high

water content.

: No data available

: No data available

: No data available

15.25 lb/USg

: soluble

: not flammable

Upper explosion limit / Upper : No data available

Lower explosion limit / Lower : No data available

: 1.83 g/cm3 (73 °F / 23 °C)

according to the OSHA Hazard Communication Standard



TEXTURE TB MAXI WHITE

Vers 2.0	sion	Revision Date: 04/16/2024		S Number: 0000260628	Date of last issue: 10/01/2020 Date of first issue: 10/01/2020
	Solu	bility in other solvents	:	No data available	9
	Partition coefficient: n- octanol/water		:	not applicable for	mixtures
	Autoigr	ition temperature	:	Based on the water content the product does not ignite.	
	Decomposition temperature		:	No decomposition if stored and handled as pre- scribed/indicated.	
	Viscosity			No data available	
	VISC	osity, dynamic	•	No data avaliable	3
	Visc	osity, kinematic	:	No data available	9
	Explosive properties		:	Not explosive	
	Oxidiziı	ng properties	:	not fire-propagati	ing
	Sublim	ation point	:	No data available	9
	Molecu	lar weight	:	Not applicable	
	Metal c	orrosion rate	:	Corrosive effects	to metal are not anticipated.

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No hazardous reactions if stored and handled as pre- scribed/indicated.
Chemical stability	:	The product is stable if stored and handled as pre- scribed/indicated.
Possibility of hazardous reac- tions	:	The product is stable if stored and handled as pre- scribed/indicated.
Conditions to avoid	:	See SDS section 7 - Handling and storage.
Incompatible materials	:	Strong acids Strong bases Strong oxidizing agents Strong reducing agents
Hazardous decomposition products	:	No hazardous decomposition products if stored and handled as prescribed/indicated.

according to the OSHA Hazard Communication Standard



TEXTURE TB MAXI WHITE

Version	Revision Date:	SDS Number:	Date of last issue: 10/01/2020
2.0	04/16/2024	000000260628	Date of first issue: 10/01/2020

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxi	city					
Not classifi	Not classified due to lack of data.					
Skin corro	sion/irritation					
Not classifi	ed due to lack of data.					
Serious ey	e damage/eye irritation					
Not classifi	ed due to lack of data.					
Respirator	y or skin sensitization					
Skin sensi	tization					
Not classifi	ed due to lack of data.					
Respirator	y sensitization					
Not classifi	ed due to lack of data.					
Germ cell	mutagenicity					
Not classified due to lack of data.						
Carcinoge	nicity					
	cancer by inhalation.					
IARC	Group 1: Carcinogenic to humans Quartz (SiO2)	14808-60-7				
	(Silica dust, crystalline)					
	Group 2B: Possibly carcinogenic to humans					
	Titanium dioxide	13463-67-7				
OSHA	OSHA specifically regulated carcinogen					
	14808-60-7					
	(crystalline silica)					
NTP	Known to be human carcinogen					
	Quartz (SiO2)	14808-60-7				
	(Silica, Crystalline (Respirable Size))					

Reproductive toxicity

Not classified due to lack of data.

STOT-single exposure

Not classified due to lack of data.

STOT-repeated exposure

Causes damage to organs (Lungs) through prolonged or repeated exposure if inhaled. May cause damage to organs (Kidney, Immune system) through prolonged or repeated exposure if inhaled.

Aspiration toxicity

Not classified due to lack of data.

according to the OSHA Hazard Communication Standard



TEXTURE TB MAXI WHITE

ersion .0	Revision Date: 04/16/2024	-	0S Number: 0000260628	Date of last issue: 10/01/2020 Date of first issue: 10/01/2020
Furthe	r information			
Produ c Remar		:	The product has	e not known or expected under normal use. not been tested. The statements on toxicolo- rived from the properties of the individual
ECTION 1	2. ECOLOGICAL INFO	DRN	ATION	
Ecoto	cicity			
Produc	<u>ct:</u>			
	kicology Assessment aquatic toxicity	:	Not classified bas	sed on available information.
Chroni	c aquatic toxicity	:	Not classified bas	sed on available information.
	tence and degradabil i a available	ity		
	cumulative potential a available			
	t y in soil a available			
Other	adverse effects			
Produce Additio mation	nal ecological infor-	:	The product has	product into the environment without control not been tested. The statements on ecotoxi- n derived from the properties of the individual

Dispose of in accordance with national, state and local regula- tions. Do not contaminate ponds, waterways or ditches with chemi-
cal or used container.
Do not discharge into drains/surface waters/groundwater.
Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the sub- stance/product.

according to the OSHA Hazard Communication Standard



TEXTURE TB MAXI WHITE

Version	Revision Date:
2.0	04/16/2024

SDS Number: 000000260628 Date of last issue: 10/01/2020 Date of first issue: 10/01/2020

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

US State Regulations

Pennsylvania Right To Know

Limestone Titanium dioxide Quartz (SiO2) ethylene glycol 1,2,4-trimethylbenzene	1317-65-3 13463-67-7 14808-60-7 107-21-1 95-63-6
ammonia	7664-41-7
ammonia, aqueous solution	1336-21-6
New Jersey Right To Know	
Limestone	1317-65-3
Titanium dioxide	13463-67-7
Quartz (SiO2)	14808-60-7

California Prop. 65

WARNING: This product can expose you to chemicals including Titanium dioxide, which is/are known to the State of California to cause cancer, and

ethylene glycol, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

The ingredients of this product are reported in the following inventories:

TSCA	:	All substances listed as active on the TSCA inventory
DSL	:	All components of this product are on the Canadian DSL


SECTION 16. OTHER INFORMATION

Further information

according to the OSHA Hazard Communication Standard

TEXTURE TB MAXI WHITE





OSHA CARC / PEL:Permissible exposure limit (PEL)OSHA P0 / TWA:8-hour time weighted averageOSHA Z-1 / TWA:8-hour time weighted averageOSHA Z-3 / TWA:8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -

according to the OSHA Hazard Communication Standard



TEXTURE TB MAXI WHITE

Version	Revision Date:	SDS Number:	Date of last issue: 10/01/2020
2.0	04/16/2024	00000260628	Date of first issue: 10/01/2020

Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 04/16/2024

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN