

Version 2.0	Revision Date: 03/29/2021		DS Number: 00000858095	Date of last issue: 12/01/2020 Date of first issue: 12/01/2020
SECTIO	N 1. IDENTIFICATION			
Proc	duct name	:	SENERFLEX TE	RSUS TB R1.5 MED
Proc	duct code	:	0000000000505	67583
Mar	ufacturer or supplier's	s deta	ails	
Con	npany name of supplier	:	Sika MBCC US I	_LC
Add	ress	:	201 POLITO AV Lyndhurst NJ 07	—
Eme	ergency telephone	:	ChemTel: +1-81	3-248-0585
Rec	ommended use of the	cher	nical and restrict	ions on use
Rec	ommended use	:	Product for cons	truction chemicals
Res	trictions on use	:	Reserved for ind	ustrial and professional use.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (2 1910.1200)						
Skin sensitization	:	Category 1				

Carcinogenicity (Inhalation)	:	Category 1A
Specific target organ toxicity - repeated exposure (Inhala- tion)	:	Category 1 (Lungs)
Specific target organ toxicity - repeated exposure (Inhala- tion)	:	Category 2 (Kidney, Immune system)
Germ cell mutagenicity	:	Category 1B
GHS label elements		
Hazard pictograms	:	
Signal Word	:	Danger
Hazard Statements	:	H350 May cause cancer by inhalation. H372 Causes damage to organs (Lungs) through prolonged or repeated exposure if inhaled. H373 May cause damage to organs (Kidney, Immune system)



Version 2.0	Revision Date: 03/29/2021	SDS Number: 000000858095	Date of last issue: 12/01/2020 Date of first issue: 12/01/2020
		• •	ged or repeated exposure if inhaled. se genetic defects.
Preca	autionary Statements	Prevention:	
		P202 Do not h and understood P260 Do not bi P264 Wash ski P270 Do not ea	eathe dust/ fume/ gas/ mist/ vapors/ spray. n thoroughly after handling. at, drink or smoke when using this product. tective gloves/ protective clothing/ eye protection/
		Response: P308 + P313 II attention.	exposed or concerned: Get medical advice/
		Storage:	
		P405 Store loc	ked up.
		Disposal:	
		P501 Dispose posal plant.	of contents/ container to an approved waste dis-
Othe	r hazards		

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature

: No applicable information available.

Components

Chemical name	CAS-No.	Concentration (% w/w)			
crystalline silica, particle size >63µm	14808-60-7	>= 50 - < 70			
Titanium dioxide	13463-67-7	>= 1 - < 5			
Distillates (petroleum), solvent-	64742-65-0	>= 0.1 - < 1			
dewaxed heavy paraffinic					
Silicon dioxide	7631-86-9	>= 0.1 - < 1			
Actual concentration is withheld as a trade secret					

SECTION 4. FIRST AID MEASURES

General advice	:	Move out of dangerous area. Show this material safety data sheet to the doctor in attend- ance. Do not leave the victim unattended.
If inhaled	:	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	:	If on skin, rinse well with water.

SAFETY DATA SHEET



SENERFLEX TERSUS TB R1.5 MED

Ver 2.0	sion	Revision Date: 03/29/2021		9S Number: 0000858095	Date of last issue: 12/01/2020 Date of first issue: 12/01/2020	
In case of eye contact		:	Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.			
	If swallowed		:	Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital.		
	Most important symptoms and effects, both acute and delayed		:	May cause an allergic skin reaction. Causes damage to organs through prolonged or repeated exposure if inhaled.		
	Notes to physician		:	Treat symptomatically.		
SEC	CTION 5	. FIRE-FIGHTING ME	ASL	IRES		
	Suitable	e extinguishing media	:	Foam Dry powder Water spray Carbon dioxide (C	CO2)	
	Unsuita media	able extinguishing	:	High volume wate	er jet	
	Specific fighting	c hazards during fire	:	Aqueous prepara	tion	

Non-flammable (aqueous solution). In case of fire may form a hazard after evaporation of water and further heating of the product; see combustion gases/decomposition products.

See SDS section 10 - Stability and reactivity.

Hazardous combustion prod-	:	harmful vapours
ucts		

oxides

		carbon compounds
Further information	:	Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.

SECTION 6. ACCIDENTAL RELEASE MEASURES





Ver 2.0	sion	Revision Date: 03/29/2021		S Number: 0000858095	Date of last issue: 12/01/2020 Date of first issue: 12/01/2020
	tive equ	al precautions, protec- uipment and emer- procedures	:	Use personal prot	ective equipment.
	Enviror	nmental precautions	:	Prevent further lea	rom entering drains. akage or spillage if safe to do so. taminates rivers and lakes or drains inform ties.
		ls and materials for ment and cleaning up	:	acid binder, unive	t absorbent material (e.g. sand, silica gel, rsal binder, sawdust). closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Advice on safe handling	:	Do not breathe vapors/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. Dispose of rinse water in accordance with local and national regulations. Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
Conditions for safe storage	:	Keep container tightly closed in a dry and well-ventilated place. Electrical installations / working materials must comply with the technological safety standards.
Further information on stor- age conditions	:	Keep only in the original container in a cool, dry, well- ventilated place away from ignition sources, heat or flame. Protect from direct sunlight.
Materials to avoid	:	No applicable information available.
Further information on stor- age stability	:	No data available

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Titanium dioxide	13463-67-7	TWA value	10 mg/m3	ACGIHTLV



/ersion 2.0	Revision Date: 03/29/2021	SDS Number:Date of last issue: 12/01/2020000000858095Date of first issue: 12/01/2020				
			PEL (Total dust)	15 mg/m3	29 CFR 1910.1000 (Table Z-1)	
			TWA value (Total dust)	10 mg/m3	29 CFR 1910.1000 (Table Z-1-	
			TWA (total dust)	15 mg/m3	OSHA Z-1	
			TWA (Total dust)	10 mg/m3	OSHA P0	
			TWA	10 mg/m3 (Titanium dioxide)	ACGIH	
Quart	z (SiO2)	14808-60-7	TWA value (Respirable fraction)	0.025 mg/m3	ACGIHTLV	
			TWA value	0.05 mg/m3 (Respirable dust)	29 CFR 1910.1001- 1050	
			OSHA Action level	0.025 mg/m3 (Respirable dust)	29 CFR 1910.1001 1050	
			REL value (Respirable dust)	0.05 mg/m3	NIOSH	
			TWA (Res- pirable dust)	0.05 mg/m3	OSHA Z-1	
			TWA (respir- able)	10 mg/m3 / %SiO2+2	OSHA Z-3	
			TWA (respir- able)	250 mppcf / %SiO2+5	OSHA Z-3	
			TWA (respir- able dust fraction)	0.1 mg/m3	OSHA P0	
			TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3 (Silica)	ACGIH	
			PEL (respir- able)	0.05 mg/m3	OSHA CAF	
			TWA (Res- pirable dust)	0.05 mg/m3 (Silica)	NIOSH RE	
crysta >63µr	Illine silica, particle size n	14808-60-7	TWA (Res- pirable dust)	0.05 mg/m3	OSHA Z-1	
			TWA (respir- able)	10 mg/m3 / %SiO2+2	OSHA Z-3	
			TWA (respir- able)	250 mppcf / %SiO2+5	OSHA Z-3	
			TWA (respir- able dust fraction)	0.1 mg/m3	OSHA P0	
			TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3 (Silica)	ACGIH	



Ver 2.0	Version Revision Date: 2.0 03/29/2021			SDS Number:Date of last issue: 12/01/2020000000858095Date of first issue: 12/01/2020				
					PEL (respir- able)	0.05 mg/m3	OSHA CARC	
					TWA (Res- pirable dust)	0.05 mg/m3 (Silica)	NIOSH REL	
	Engir	neering measures	:	No applicable	information ava	ilable.		
	Perso	onal protective equip	ment					
	Respiratory protection		:	Wear appropriate certified respirator when exposure limits may be exceeded.				
	Hand	protection						
	Re	emarks	:		for a specific we	orkplace should be d ective gloves.	iscussed	
				ye wash bottle with pure water ightly fitting safety goggles				
	Skin and body protection :		:	Impervious clothing Choose body protection according to the amount and con- centration of the dangerous substance at the work place.				
	Protective measures :		Do not inhale gases/vapours/aerosols. Avoid contact with the skin, eyes and clothing. Avoid exposure - obtain special instructions before use. Handle in accordance with good building materials hygiene and safety practice. Wearing of closed work clothing is recommended.					
	Hygiene measures : Was		Wash hands b	oefore breaks ar	nd at the end of work	day.		

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	highly viscous
Color	:	white to off-white
Odor	:	mild
Odor Threshold	:	No data available
рН	:	9.5 (68.00 °F / 20.00 °C)
Melting point	:	No applicable information available.
Boiling point	:	No applicable information available.
Flash point	:	approx. 199.99 °F / 93.33 °C

SAFETY DATA SHEET





Vers 2.0	sion	Revision Date: 03/29/2021		S Number:)000858095	Date of last issue: 12/01/2020 Date of first issue: 12/01/2020
				Method: estima	te
	Evapo	oration rate	:	No applicable ir	nformation available.
	Flamr	mability (solid, gas)	:	No applicable in	nformation available.
	Upper explosion limit / Upper flammability limit		:	No applicable ir	nformation available.
	Lower explosion limit / Lower flammability limit		:	No applicable ir	nformation available.
	Vapo	r pressure	:	No applicable in	nformation available.
	Relati	ive vapor density	:	No applicable in	nformation available.
	Relati	ive density	:	No applicable in	nformation available.
	Densi	ity	:	1.8000 g/cm3 (68.00 °F / 20.00 °C)
		ility(ies) ater solubility	:	No applicable ir	nformation available.
	Sc	olubility in other solvents	:	No applicable in	nformation available.
		ion coefficient: n- ol/water	:	No applicable ir	nformation available.
	Autoi	gnition temperature	:	No applicable ir	nformation available.
	Deco	mposition temperature	:	No decompositi scribed/indicate	ion if stored and handled as pre- ed.
	Visco Vis	sity scosity, dynamic	:	No applicable ir	nformation available.
	Vi	scosity, kinematic	:	No applicable ir	nformation available.
	Oxidiz	zing properties	:	Not an oxidizer.	
	Sublir	mation point	:	No applicable ir	nformation available.
	Moleo	cular weight	:	No data availab	le

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reac- tions	:	No decomposition if stored and applied as directed.
Conditions to avoid	:	See SDS section 7 - Handling and storage.



Version	Revision Date:	SDS Number:	Date of last issue: 12/01/2020
2.0	03/29/2021	000000858095	Date of first issue: 12/01/2020
Inco	mpatible materials	: Strong acids Strong bases Strong oxidizin Strong reducing	
Haza	ardous decomposition	: No hazardous	decomposition products if stored and handled ndicated.
prod	ucts	as prescribed/ii	

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	:	Remarks: No applicable information available.
Acute inhalation toxicity	:	Remarks: No applicable information available.
Acute dermal toxicity	:	Remarks: No applicable information available.

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

May cause genetic defects.

Carcinogenicity

May cause cancer by inhalation.

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Causes damage to organs (Lung) through prolonged or repeated exposure if inhaled. May cause damage to organs (Kidney, Immune system) through prolonged or repeated exposure if inhaled.

Aspiration toxicity

Not classified based on available information.



ersion 0	Revision Date: 03/29/2021	SDS Number: 000000858095	Date of last issue: 12/01/2020 Date of first issue: 12/01/2020			
Furth	er information					
<u>Produ</u>	uct:					
Remarks :		The product h	Health injuries are not known or expected under normal use. The product has not been tested. The statements on toxicolo- gy have been derived from the properties of the individual components.			
ECTION	12. ECOLOGICAL IN	FORMATION				
Ecoto	oxicity					
No da	ta available					
	stence and degradab Ita available	ility				
	cumulative potential Ita available					
	l ity in soil Ita available					
Other	adverse effects					
Produ	uct:					
	onal ecological infor-	harmful to aqu The product h	h probability that the product is not acutely latic organisms. as not been tested. The statements on ecotoxi- een derived from the properties of the individua			

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods		
Waste from residues	:	Dispose of in accordance with national, state and local regula- tions. Do not contaminate ponds, waterways or ditches with chemi- cal or used container. Do not discharge into drains/surface waters/groundwater.
Contaminated packaging	:	Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the sub- stance/product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR





Version 2.0	Revision Date: 03/29/2021	SDS Number: 000000858095	Date of last issue: 12/01/2020 Date of first issue: 12/01/2020						
Not re	egulated as a dangerou	is good							
	IMDG-Code Not regulated as a dangerous good								
	Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.								
Dome	estic regulation								
	49 CFR Not regulated as a dangerous good								
SECTION	SECTION 15. REGULATORY INFORMATION								
US S	US State Regulations								
Penn	sylvania Right To Kn	w							
	Titanium dioxide 13463-67-7 Quartz (SiO2) 14808-60-7 crystalline silica, particle size >63µm 14808-60-7								
New	Jersey Right To Know	V							
	13463-67-7 14808-60-7 14808-60-7 14808-60-7								

California Prop. 65


WARNING: This product can expose you to chemicals including Titanium dioxide, Quartz (SiO2), Quartz (SiO2) particle size < 63 μ m, formaldehyde, benzophenone, cumene, which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

The ingredients of this proc	luct	are reported in the following inventories:
DSL	:	All components of this product are on the Canadian DSL
TSCA	:	All chemical substances in this product are either listed as active on the TSCA Inventory or are in compliance with a TSCA Inventory exemption.

SECTION 16. OTHER INFORMATION

Further information





Full text of other abbreviations

	/113	
	:	OSHA - Table Z-1-A (29 CFR 1910.1000)
1-A)		
29 CFR 1910.1000 (Table Z- 1)	:	OSHA - Table Z-1 (Limits for Air Contaminants) 29 CFR 1910.1000
29 CFR 1910.1001-1050		OSHA - Specifically Regulated Substances (29 CFR 1910.1001-1050)
ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
ACGIHTLV	:	American Conference of Governmental Industrial Hygienists - threshold limit values (US)
NIOSH		NIOSH Pocket Guide to Chemical Hazards (US)
	:	
NIOSH REL	•	USA. NIOSH Recommended Exposure Limits
OSHA CARC	:	OSHA Specifically Regulated Chemicals/Carcinogens
OSHA P0	:	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
OSHA Z-1		USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-
00111121	•	its for Air Contaminants
OSHA Z-3	•	USA. Occupational Exposure Limits (OSHA) - Table Z-3 Min-
		eral Dusts
29 CFR 1910.1000 (Table Z-	:	Time Weighted Average (TWA):
1-A) / TWA value		
29 CFR 1910.1000 (Table Z-		Permissible exposure limit
1) / PEL	-	· · · · · · · · · · · · · · · · · · ·
29 CFR 1910.1001-1050 /		OSHA Action level:
	•	OSHA ACIION IEVEI.
OSHA Action level		
29 CFR 1910.1001-1050 /	:	Time Weighted Average (TWA):
TWA value		
ACGIH / TWA	:	8-hour, time-weighted average
ACGIHTLV / TWA value		Time Weighted Average (TWA):
NIOSH / REL value	:	Recommended exposure limit (REL):
	:	
NIOSH REL / TWA	•	Time-weighted average concentration for up to a 10-hour
		workday during a 40-hour workweek
OSHA CARC / PEL	:	Permissible exposure limit (PEL)
OSHA P0 / TWA	:	8-hour time weighted average





Version	Revision Date:	SDS Number:	Date of last issue: 12/01/2020
2.0	03/29/2021	000000858095	Date of first issue: 12/01/2020
OSHA 7-1 / TW/A		· 8-bour time we	inhted average

OSHA Z-1 / TWA	:	8-hour time weighted average
OSHA Z-3 / TWA	:	8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association: IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB -Very Persistent and Very Bioaccumulative

Revision Date

: 03/29/2021

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN