

## Safety Data Sheet

acc. to OSHA HCS

Printing date 09/19/2019

Reviewed on 09/19/2019

### 1 Identification

- **Product identifier**
- **Trade name:** *PI7 Gray*
- **Article number:** *I011041-1*
- **Application of the substance / the mixture** *Polyester resin*
- **Details of the supplier of the safety data sheet**  
*Sika Advanced Resins, US*  
*EHS Department*
- **Manufacturer/Supplier:**  
*Supplier's Name: Sika Advanced Resins, US*  
*Headquarters:*  
*30800 Stephenson Hwy*  
*Madison Heights, MI 48071*  
*USA*
- 
- ehs-us@axson.com*
- **Information department:** *Product safety department*
- **Emergency telephone number:**  
*During normal opening times: +1 (248) 588-2270*  
*CHEMTREC 24-hour Emergency: +1 (800) 424-9300*

### 2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS02 Flame

*Flam. Liq. 3                      H226 Flammable liquid and vapor.*



GHS07

*Skin Irrit. 2                      H315 Causes skin irritation.*  
*Eye Irrit. 2A                    H319 Causes serious eye irritation.*

*Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.*

- **Label elements**
- **GHS label elements** *The product is classified and labeled according to the Globally Harmonized System (GHS).*

(Contd. on page 2)

US

## Safety Data Sheet

acc. to OSHA HCS

Printing date 09/19/2019

Reviewed on 09/19/2019

Trade name: P17 Gray

(Contd. of page 1)

## · Hazard pictograms



GHS02 GHS07

· Signal word *Warning*

## · Hazard statements

*Flammable liquid and vapor.**Causes skin irritation.**Causes serious eye irritation.**Harmful to aquatic life with long lasting effects.*

## · Precautionary statements

*Avoid breathing dust/fume/gas/mist/vapors/spray**Keep away from heat/sparks/open flames/hot surfaces. - No smoking.**Keep container tightly closed.**Ground/bond container and receiving equipment.**Use explosion-proof electrical/ventilating/lighting/equipment.**Use only non-sparking tools.**Wear protective gloves/protective clothing/eye protection/face protection.**If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.**If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.**Continue rinsing.**Store in a well-ventilated place. Keep cool.**Dispose of contents/container in accordance with local/regional/national/international regulations.*

## · Classification system:

## · NFPA ratings (scale 0 - 4)



Health = 2

Fire = 2

Reactivity = 0

## · HMIS-ratings (scale 0 - 4)



HEALTH 2 Health = 2

FIRE 2 Fire = 2

REACTIVITY 0 Reactivity = 0

## · Other hazards

## · Results of PBT and vPvB assessment

· PBT: Not applicable.

· vPvB: Not applicable.

US

(Contd. on page 3)

## Safety Data Sheet

acc. to OSHA HCS

Printing date 09/19/2019

Reviewed on 09/19/2019

Trade name: P17 Gray

(Contd. of page 2)

### 3 Composition/information on ingredients

- **Chemical characterization:** Mixtures
- **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**

CAS: 25013-15-4 EINECS: 246-562-2	Vinyl toluene	10-20%
CAS: 91-99-6	N,N-Bishydroxyethyl-m-toluidine	0.1-1%

### 4 First-aid measures

- **Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:**  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
Sand. Do not use water.  
CO<sub>2</sub>, sand, extinguishing powder. Do not use water.
- **For safety reasons unsuitable extinguishing agents:** Water
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.
- **Additional information**  
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:**  
Do not allow product to reach sewage system or any water course.

(Contd. on page 4)



**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 09/19/2019

Reviewed on 09/19/2019

**Trade name: P17 Gray**

(Contd. of page 3)

*Inform respective authorities in case of seepage into water course or sewage system.*  
*Do not allow to enter sewers/ surface or ground water.*  
 · **Methods and material for containment and cleaning up:**  
*Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).*  
*Dispose contaminated material as waste according to item 13.*  
*Ensure adequate ventilation.*  
*Do not flush with water or aqueous cleansing agents*  
 · **Reference to other sections**  
*See Section 7 for information on safe handling.*  
*See Section 8 for information on personal protection equipment.*  
*See Section 13 for disposal information.*

**7 Handling and storage**

- **Handling:**
- **Precautions for safe handling** *No special precautions are necessary if used correctly.*
- **Information about protection against explosions and fires:**  
*Keep ignition sources away - Do not smoke.*  
*Protect against electrostatic charges.*
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** *No special requirements.*
- **Information about storage in one common storage facility:** *Not required.*
- **Further information about storage conditions:** *Keep receptacle tightly sealed.*
- **Specific end use(s)** *No further relevant information available.*

**8 Exposure controls/personal protection**

- **Additional information about design of technical systems:** *No further data; see item 7.*
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**  
*The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.*  
*At this time, the remaining constituent has no known exposure limits.*

**25013-15-4 Vinyl toluene**

PEL	Long-term value: 480 mg/m <sup>3</sup> , 100 ppm
REL	Long-term value: 480 mg/m <sup>3</sup> , 100 ppm
TLV	Short-term value: 483 mg/m <sup>3</sup> , 100 ppm Long-term value: 242 mg/m <sup>3</sup> , 50 ppm

- **Additional information:** *The lists that were valid during the creation were used as basis.*

(Contd. on page 5)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 09/19/2019

Reviewed on 09/19/2019

**Trade name: P17 Gray**

(Contd. of page 4)

- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing.  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes and skin.
- **Breathing equipment:** Not required.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:**



Tightly sealed goggles

**9 Physical and chemical properties**

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

Form:	Highly viscous
Color:	Grey
Odor:	Pungent
Odor threshold:	Not determined.
- **pH-value:** Not determined.
- **Change in condition**

Melting point/Melting range:	Undetermined.
------------------------------	---------------

(Contd. on page 6)

## Safety Data Sheet

acc. to OSHA HCS

Printing date 09/19/2019

Reviewed on 09/19/2019

Trade name: P17 Gray

(Contd. of page 5)

<b>Boiling point/Boiling range:</b>	170 °C (338 °F)
· <b>Flash point:</b>	53 °C (127.4 °F)
· <b>Flammability (solid, gaseous):</b>	Not applicable.
· <b>Decomposition temperature:</b>	Not determined.
· <b>Auto igniting:</b>	Product is not selfigniting.
· <b>Danger of explosion:</b>	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
· <b>Explosion limits:</b>	
<b>Lower:</b>	Not determined.
<b>Upper:</b>	Not determined.
· <b>Vapor pressure:</b>	Not determined.
· <b>Density at 20 °C (68 °F):</b>	2.13 g/cm <sup>3</sup> (17.77 lbs/gal)
· <b>Relative density</b>	Not determined.
· <b>Vapor density</b>	Not determined.
· <b>Evaporation rate</b>	Not determined.
· <b>Solubility in / Miscibility with Water:</b>	Not miscible or difficult to mix.
· <b>Partition coefficient (n-octanol/water):</b>	Not determined.
· <b>Viscosity:</b>	
<b>Dynamic:</b>	Not determined.
<b>Kinematic:</b>	Not determined.
· <b>Solvent content:</b>	
<b>Organic solvents:</b>	15.7 %
<b>Water:</b>	0.0 %
<b>VOC content:</b>	15.72 %
	334.8 g/l / 2.79 lb/gal
<b>Solids content:</b>	57.8 %
· <b>Other information</b>	No further relevant information available.

### 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.

(Contd. on page 7)

US

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 09/19/2019

Reviewed on 09/19/2019

**Trade name: P17 Gray**

(Contd. of page 6)

· **Hazardous decomposition products:** Carbon monoxide and carbon dioxide

**11 Toxicological information**

- **Information on toxicological effects**
- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

Oral	LD50	4,000 mg/kg (rat)
Dermal	LD50	4,500 mg/kg (rabbit)
Inhalative	LC50/4 h	3,000 mg/l (mouse)

- **Primary irritant effect:**
- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Irritating effect.
- **Sensitization:** No sensitizing effects known.

· **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:  
Irritant

· **Carcinogenic categories**

· <b>IARC (International Agency for Research on Cancer)</b>		
14807-96-6	Talc (Mg3H2(SiO3)4)	3
25013-15-4	Vinyl toluene	3
13463-67-7	titanium dioxide	2B
64-17-5	ethanol	1

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

**12 Ecological information**

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Ecotoxic effects:**
- **Remark:** Harmful to fish

(Contd. on page 8)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 09/19/2019

Reviewed on 09/19/2019

**Trade name: P17 Gray**



(Contd. of page 7)

- **Additional ecological information:**
- **General notes:**  
*Water hazard class 1 (Self-assessment): slightly hazardous for water*  
*Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.*  
*Harmful to aquatic organisms*
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

**13 Disposal considerations**

- **Waste treatment methods**
- **Recommendation:**  
*Must not be disposed of together with household garbage. Do not allow product to reach sewage system.*
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

**14 Transport information**

- |  |   |
|--|---|
| · <b>UN-Number</b>                         |   |
| · <b>DOT, IMDG, IATA</b>                   | UN1866  |
| · <b>UN proper shipping name</b>           |   |
| · <b>DOT</b>                               | Resin solution  |
| · <b>IMDG, IATA</b>                        | RESIN SOLUTION  |
| · <b>Transport hazard class(es)</b>        |   |
| · <b>DOT</b>                               |   |
|  |  |
| · <b>Class</b>                             | 3 Flammable liquids   |
| · <b>Label</b>                             | 3   |
| <hr style="border-top: 1px dashed #ccc;"/> |   |
| · <b>IMDG, IATA</b>                        |   |
|  |  |
| · <b>Class</b>                             | 3 Flammable liquids   |

(Contd. on page 9)





**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 09/19/2019

Reviewed on 09/19/2019

Trade name: P17 Gray

(Contd. of page 8)

· <b>Label</b>	3
· <b>Packing group</b> · <b>DOT, IMDG, IATA</b>	III
· <b>Environmental hazards:</b> · <b>Marine pollutant:</b>	No
· <b>Special precautions for user</b> · <b>Danger code (Kemler):</b> · <b>EMS Number:</b> · <b>Stowage Category</b>	Warning: Flammable liquids 39 F-E, <u>S-E</u> A
· <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not applicable.
· <b>Transport/Additional information:</b> · <b>DOT</b> · <b>Quantity limitations</b>	On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L
· <b>IMDG</b> · <b>Limited quantities (LQ)</b> · <b>Excepted quantities (EQ)</b>	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· <b>UN "Model Regulation":</b>	UN 1866 RESIN SOLUTION, 3, III

**15 Regulatory information**

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**  
· **Sara**

· <b>Section 355 (extremely hazardous substances):</b>	None of the ingredients is listed.
· <b>Section 313 (Specific toxic chemical listings):</b>	None of the ingredients is listed.
· <b>TSCA (Toxic Substances Control Act):</b>	All components have the value ACTIVE.
· <b>Chemicals regulated by TSCA Section 12(b)</b>	None of the ingredients is listed.
· <b>Chemical regulated by TSCA 5(a)(2)rule:</b>	None of the ingredients is listed.

(Contd. on page 10)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 09/19/2019

Reviewed on 09/19/2019

**Trade name: P17 Gray**

(Contd. of page 9)

**· Hazardous Air Pollutants**

108-10-1 4-methylpentan-2-one

**· Proposition 65**

**· Chemicals known to cause cancer:**

13463-67-7 titanium dioxide

108-10-1 4-methylpentan-2-one

14808-60-7 Quartz (SiO<sub>2</sub>)

**· Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

**· Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

**· Chemicals known to cause developmental toxicity:**

64-17-5 ethanol

108-10-1 4-methylpentan-2-one

**· Carcinogenic categories**

**· TLV (Threshold Limit Value established by ACGIH)**

25013-15-4 Vinyl toluene

A4

**· NIOSH-Ca (National Institute for Occupational Safety and Health)**

13463-67-7 titanium dioxide

**· Listed in CWC Regulations**

None of the ingredients is listed.

**· GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

**· Hazard pictograms**



GHS02 GHS07

**· Signal word** Warning

**· Hazard statements**

Flammable liquid and vapor.

Causes skin irritation.

Causes serious eye irritation.

Harmful to aquatic life with long lasting effects.

**· Precautionary statements**

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

(Contd. on page 11)

## Safety Data Sheet

acc. to OSHA HCS

Printing date 09/19/2019

Reviewed on 09/19/2019

**Trade name: P17 Gray**

(Contd. of page 10)

*Use only non-sparking tools.**Wear protective gloves/protective clothing/eye protection/face protection.**If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.**If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.**Continue rinsing.**Store in a well-ventilated place. Keep cool.**Dispose of contents/container in accordance with local/regional/national/international regulations.**· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.*

### 16 Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

*· **Date of preparation / last revision** 09/19/2019 / 11**· **Abbreviations and acronyms:****IMDG: International Maritime Code for Dangerous Goods**DOT: US Department of Transportation**IATA: International Air Transport Association**ACGIH: American Conference of Governmental Industrial Hygienists**EINECS: European Inventory of Existing Commercial Chemical Substances**ELINCS: European List of Notified Chemical Substances**CAS: Chemical Abstracts Service (division of the American Chemical Society)**NFPA: National Fire Protection Association (USA)**HMIS: Hazardous Materials Identification System (USA)**VOC: Volatile Organic Compounds (USA, EU)**LC50: Lethal concentration, 50 percent**LD50: Lethal dose, 50 percent**PBT: Persistent, Bioaccumulative and Toxic**vPvB: very Persistent and very Bioaccumulative**NIOSH: National Institute for Occupational Safety**OSHA: Occupational Safety & Health**TLV: Threshold Limit Value**PEL: Permissible Exposure Limit**REL: Recommended Exposure Limit**Flam. Liq. 3: Flammable liquids – Category 3**Skin Irrit. 2: Skin corrosion/irritation – Category 2**Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A**Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3**· **\* Data compared to the previous version altered.***