Page 1/12

## Safety Data Sheet acc. to OSHA HCS

Printing date 11/16/2019 Reviewed on 11/16/2019

### 1 Identification

· Product identifier

· Trade name: ES221 White Resin

· Article number: 1221088

· Application of the substance / the mixture Epoxy resin

· Details of the supplier of the safety data sheet

Sika Advanced Resins, US

EHS Department

· Manufacturer/Supplier:

Supplier's Name: Sika Advanced Resins, US

*Headquarters:* 

30800 Stephenson Hwy Madison Heights, MI 48071

USA

ehs-us@axson.com

· Information department: Product safety department

· Emergency telephone number:

During normal opening times: +1 (248) 588-2270 CHEMTREC 24-hour Emergency: +1 (800) 424-9300

### 2 Hazard(s) identification

· Classification of the substance or mixture



GHS09 Environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Acute 2 H401 Toxic to aquatic life.

· Label elements

· GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 2)



Page 2/12

## Safety Data Sheet acc. to OSHA HCS

Reviewed on 11/16/2019 Printing date 11/16/2019

Trade name: ES221 White Resin

(Contd. of page 1)

#### · Hazard pictograms





GHS07

GHS09

- · Signal word Warning
- · Hazard-determining components of labeling:

1,3-bis(2,3-epoxypropoxy)-2,2-dimethylpropane

Reaction Product of Bisphenol A and Epichlorohydrin

· Hazard statements

Causes skin irritation.

May cause an allergic skin reaction.

Toxic to aquatic life.

Toxic to aquatic life with long lasting effects.

· Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Avoid release to the environment.

Wear protective gloves.

If on skin: Wash with plenty of water.

*Take off contaminated clothing and wash it before reuse.* 

If skin irritation or rash occurs: Get medical advice/attention.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 1Fire = 1Reactivity = 0

### · HMIS-ratings (scale 0 - 4)



```
Health = 1
Fire = 1
```

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.

(Contd. on page 3)



Page 3/12

## Safety Data Sheet acc. to OSHA HCS

Printing date 11/16/2019 Reviewed on 11/16/2019

Trade name: ES221 White Resin

· vPvB: Not applicable.

(Contd. of page 2)

### 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:			
CAS: 28064-14-4	Epoxy phenol novolac resin Reaction product of Phenol-Formaldehyde Novolac with Epichlorohydrin	10-20%	
CAS: 17557-23-2 EINECS: 241-536-7	1,3-bis(2,3-epoxypropoxy)-2,2-dimethylpropane	≥5-<10%	
CAS: 25068-38-6 NLP: 500-033-5	Reaction Product of Bisphenol A and Epichlorohydrin	≥2.5-<5%	
CAS: 67762-90-7	Silicones and siloxanes, dimethyl-, reaction products with silica	0.1-1%	
CAS: 872-50-4 EINECS: 212-828-1	N-methyl-2-pyrrolidone	0.1-1%	

### 4 First-aid measures

- Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation:

Supply fresh air and to be sure call for a doctor.

*In case of unconsciousness place patient stably in side position for transportation.* 

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

(Contd. on page 4)





Page 4/12

## Safety Data Sheet acc. to OSHA HCS

Printing date 11/16/2019 Reviewed on 11/16/2019

Trade name: ES221 White Resin

(Contd. of page 3)

#### · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

#### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

### · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

28064-14-4	Epoxy phenol novolac resin	30 mg/m³	
	Reaction product of Phenol-Formaldehyde Novolac with Epichlorohydrin		
25068-38-6	Reaction Product of Bisphenol A and Epichlorohydrin		
67762-90-7	Silicones and siloxanes, dimethyl-, reaction products with silica		
872-50-4	4 N-methyl-2-pyrrolidone		
<i>PAC-2:</i>		·	
28064-14-4	Epoxy phenol novolac resin	330 mg/m³	
	Reaction product of Phenol-Formaldehyde Novolac with Epichlorohydrin		
25068-38-6	Reaction Product of Bisphenol A and Epichlorohydrin	990 mg/m³	
67762-90-7	Silicones and siloxanes, dimethyl-, reaction products with silica	$1,300 \text{ mg/m}^3$	
872-50-4	N-methyl-2-pyrrolidone	32 ppm	
<i>PAC-3:</i>		·	
28064-14-4	Epoxy phenol novolac resin	$2,000 \text{ mg/m}^3$	
	Reaction product of Phenol-Formaldehyde Novolac with Epichlorohydrin		
25068-38-6	Reaction Product of Bisphenol A and Epichlorohydrin	5,900 mg/m³	
67762-90-7	Silicones and siloxanes, dimethyl-, reaction products with silica	7,900 mg/m³	
872-50-4	N-methyl-2-pyrrolidone	190 ppm	

- US





Page 5/12

## Safety Data Sheet acc. to OSHA HCS

Printing date 11/16/2019 Reviewed on 11/16/2019

Trade name: ES221 White Resin

(Contd. of page 4)

#### 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

#### 872-50-4 N-methyl-2-pyrrolidone

TLV BEI WEEL Long-term value: 10 ppm Skin

### · Ingredients with biological limit values:

#### 872-50-4 N-methyl-2-pyrrolidone

BEI 100 mg/L

Medium: urine Time: end of shift

Parameter: 5-Hydroxy-N-methyl-2-pyrrolidone

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

(Contd. on page 6)



Page 6/12

## Safety Data Sheet acc. to OSHA HCS

Printing date 11/16/2019 Reviewed on 11/16/2019

Trade name: ES221 White Resin

(Contd. of page 5)

#### Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eve protection: Goggles recommended during refilling.

### 9 Physical and chemical properties

- · Information on basic physical and chemical properties · General Information · Appearance:

Form: Fluid

Color: According to product specification

· Odor: Characteristic · Odor threshold: Not determined.

Not determined. · pH-value:

· Change in condition

*Melting point/Melting range:* Undetermined. Boiling point/Boiling range: 201 °C (393.8 °F)

251 °C (483.8 °F) · Flash point:

· Flammability (solid, gaseous): Not applicable. Not determined. · Decomposition temperature:

· Auto igniting: Product is not selfigniting.

· Danger of explosion: Product does not present an explosion hazard.

(Contd. on page 7)



Page 7/12

## Safety Data Sheet acc. to OSHA HCS

Printing date 11/16/2019 Reviewed on 11/16/2019

Trade name: ES221 White Resin

		(Contd. of pag
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	Not determined.	
Density at 20 °C (68 °F):	1.83 g/cm³ (15.27 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/	water): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	0.2 %	
VOC content:	0.21 %	
	3.9 g/l / 0.03 lb/gal	
Solids content:	45.8 %	
Other information	No further relevant information available.	

## 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: Carbon monoxide and carbon dioxide

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: No irritating effect.
- · Sensitization: Sensitization possible through skin contact.

(Contd. on page 8)

Page 8/12

## Safety Data Sheet acc. to OSHA HCS

Printing date 11/16/2019 Reviewed on 11/16/2019

Trade name: ES221 White Resin

(Contd. of page 7)

#### Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)		
13463-67-7	titanium dioxide	2B
7631-86-9	silicon dioxide, chemically prepared	3
· NTP (Nation	nal Toxicology Program)	
None of the	ingredients is listed.	
· OSHA-Ca (Occupational Safety & Health Administration)		
None of the	ingredients is listed.	

## 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Toxic for fish
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

## 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 9)





Page 9/12

# Safety Data Sheet acc. to OSHA HCS

Printing date 11/16/2019 Reviewed on 11/16/2019

Trade name: ES221 White Resin

(Contd. of page 8)

- · Uncleaned packagings: · Recommendation: Disposal must be made according to official regulations.

UN-Number	
DOT	not regulated
IMDG, IATA	UN3082
UN proper shipping name	
DOT	not regulated
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUII N.O.S. (Epoxy phenol novolac resin, Epoxy Resin), MARIN POLLUTANT
IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUIL
	N.O.S. (Epoxy phenol novolac resin, Epoxy Resin)
Transport hazard class(es)	
DOT	
Class	not regulated
**************************************	
Class Label	9 Miscellaneous dangerous substances and articles 9
Packing group	
DOT	not regulated
IMDG, IATA	III
Environmental hazards:	Product contains environmentally hazardous substances: Epos phenol novolac resin
Marine pollutant:	Yes Symbol (fish and tree)
Special marking (IATA):	Symbol (fish and tree)
	Warning: Miscellaneous dangerous substances and articles
Special precautions for user	
Danger code (Kemler):	90
	90 F-A,S-F A

(Contd. on page 10)



Page 10/12

## Safety Data Sheet acc. to OSHA HCS

Printing date 11/16/2019 Reviewed on 11/16/2019

Trade name: ES221 White Resin

Contd. of page 9)

Transport/Additional information:

IMDG
Limited quantities (LQ)
Excepted quantities (EQ)

Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 1000 ml

UN "Model Regulation":

UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE,
LIQUID, N.O.S. (EPOXY PHENOL NOVOLAC RESIN, EPOXY

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

RESIN), 9, III

- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

872-50-4 N-methyl-2-pyrrolidone

· TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Chemicals regulated by TSCA Section 12(b)

None of the ingredients is listed.

· Chemical regulated by TSCA 5(a)(2)rule:

None of the ingredients is listed.

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

1317-65-3 Calcium Carbonate

13463-67-7 titanium dioxide

14808-60-7 Quartz (SiO2)

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

(Contd. on page 11)



Page 11/12

## Safety Data Sheet acc. to OSHA HCS

Printing date 11/16/2019 Reviewed on 11/16/2019

Trade name: ES221 White Resin

(Contd. of page 10)

· Chemicals known to cause developmental toxicity:

872-50-4 N-methyl-2-pyrrolidone

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

13463-67-7 titanium dioxide

· Listed in CWC Regulations

None of the ingredients is listed.

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS07

GHS09

- · Signal word Warning
- · Hazard-determining components of labeling:

1,3-bis(2,3-epoxypropoxy)-2,2-dimethylpropane

Reaction Product of Bisphenol A and Epichlorohydrin

· Hazard statements

Causes skin irritation.

May cause an allergic skin reaction.

Toxic to aquatic life.

Toxic to aquatic life with long lasting effects.

· Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Avoid release to the environment.

Wear protective gloves.

If on skin: Wash with plenty of water.

Take off contaminated clothing and wash it before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

US

Page 12/12

## Safety Data Sheet acc. to OSHA HCS

Printing date 11/16/2019 Reviewed on 11/16/2019

Trade name: ES221 White Resin

(Contd. of page 11)

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Date of preparation / last revision 11/16/2019 / 3
- · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Aquatic Acute 2: Hazardous to the aquatic environment - acute aquatic hazard - Category 2

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

\* Data compared to the previous version altered.

US.