

Version 1.1	Revision Date: 01/05/2021		DS Number: 00000260372	Date of last issue: 05/15/2020 Date of first issue: 05/15/2020
SECTION	1. IDENTIFICATION			
Produ	ict name	:	ABC ONE STEP	
Produ	ict code	:	0000000005165	7074
Manu	facturer or supplier's	deta	ails	
Company name of supplier		:	Sika MBCC US L	LC
Address		:	201 POLITO AVE Lyndhurst NJ 070	
Emer	gency telephone	:	ChemTel: +1-813	-248-0585
Reco	mmended use of the	chen	nical and restriction	ons on use
Reco	mmended use	:	Base coating Product for const	ruction chemicals
Restr	ictions on use	:	Reserved for indu	strial and professional use.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with 29 CFR 1910.1200

Serious eye damage/eye irritation	:	Category 1
Skin corrosion/irritation	:	Category 2
Carcinogenicity (Inhalation)	:	Category 1A (Lung)
Specific target organ toxicity - single exposure	:	Category 3 (respiratory tract irritation)
Specific target organ toxicity - repeated exposure (Inhala- tion)	:	Category 1 (Lung)
Specific target organ toxicity - repeated exposure (Inhala- tion)	:	Category 2 (Kidney, Immune system)
GHS label elements		
Hazard pictograms	:	
Signal Word	:	Danger
Hazard Statements	:	H318 Causes serious eye damage.



Version 1.1	Revision Date: 01/05/2021	SDS Number: 000000260372	Date of last issue: 05/15/2020 Date of first issue: 05/15/2020
		H350i May caus H372 Causes d repeated expos H373 May caus	e respiratory irritation. se cancer by inhalation. amage to organs (Lungs) through prolonged or
Preca	autionary Statements	face protection. P201 Obtain sp P271 Use only P260 Do not br P202 Do not ha and understood P270 Do not ea	ecial instructions before use. outdoors or in a well-ventilated area. eathe dust or mist. Indle until all safety precautions have been read
		for several minu to do. Continue P310 Immediat P304 + P340 IF keep comfortab P302 + P352 IF	P338 IF IN EYES: Rinse cautiously with water utes. Remove contact lenses, if present and easy rinsing. ely call a POISON CENTER or doctor/ physician. INHALED: Remove person to fresh air and le for breathing. ON SKIN: Wash with plenty of water. ake off contaminated clothing and wash it before
		Storage: P403 + P233 S tightly closed. P405 Store lock	tore in a well-ventilated place. Keep container
		Disposal: P501 Dispose of waste collection	of contents/container to appropriate hazardous

Other hazards

In combination with water, repeated or prolonged dermal exposure can cause moderate to severe alkali burns.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature

: modified cement mortar

Components

Chemical name	CAS-No.	Concentration (% w/w)
Quartz (SiO2)	14808-60-7	>= 25 - < 50
Cement, portland, chemicals	65997-15-1	>= 25 - < 50
Limestone	1317-65-3	>= 0 - < 25
Kaolin	1332-58-7	>= 0.3 - < 5



Versio 1.1	on Revision Date: 01/05/2021		Date of last issue: 05/15/2020 Date of first issue: 05/15/2020
1	ron oxide	1309-37-1	>= 0 - < 10
C	Gypsum (Ca(SO4).2H2O)	13397-24-5	>= 0 - < 5
C	Calcium sulphate	7778-18-9	>= 0 - < 5
n	nagnesium oxide	1309-48-4	>= 0 - < 5
c	alcium oxide	1305-78-8	>= 0 - < 3

General advice	:	Move out of dangerous area. Consult a physician. Show this material safety data sheet to the doctor in attend- ance. Do not leave the victim unattended.
If inhaled	:	After inhalation of dust. Keep patient calm, remove to fresh air. If difficulties occur: Seek medical attention.
In case of skin contact	:	After contact with skin, wash immediately with plenty of water and soap. Under no circumstances should organic solvent be used. Remove contaminated clothing and shoes. Wash contaminated clothing before re-use. If irritation develops, seek medical attention.
In case of eye contact	:	Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing. If eye irritation persists, consult a specialist.
If swallowed	:	Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention. Do not induce vomiting unless told to by a poison control cen- ter or doctor.
Most important symptoms and effects, both acute and delayed	:	Risk of serious damage to eyes. Causes skin irritation. May cause respiratory irritation.
Notes to physician	:	Treat symptomatically.

SECTION 4. FIRST AID MEASURES

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Foam Water spray Dry powder Carbon dioxide (CO2) Product itself is non-combustible. Only the packaging materi- als can catch fire. The extinguishing agents normally used are sufficient.
Unsuitable extinguishing	:	water jet



Ver 1.1	sion	Revision Date: 01/05/2021		S Number: 0000260372	Date of last issue: 05/15/2020 Date of first issue: 05/15/2020
	media				
Specific hazards during fire fighting		:	Product is not combustible or explosive. Exposure to decomposition products may be a hazard to health.		
	Hazard ucts	ous combustion prod-	:	harmful vapours	
	Further information		:	surrounding areas The degree of risk the fire conditions	bris and contaminated extinguishing water in
	Special for fire-	protective equipment	:	Wear self-containe essary.	ed breathing apparatus for firefighting if nec-

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec-	:	Avoid dust formation. Avoid contact with skin and eyes. Use personal protective clothing. Handle in accordance with good building materials hygiene and safety practice.
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	:	Sweep up and shovel into suitable containers for disposal. Avoid dust formation. Rinse with plenty of water. Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
Advice on safe handling	:	Avoid dust formation. Avoid inhalation of dusts. Avoid contact with skin and eyes. The Cement contained in this product reacts alkaline when in contact with water or humidity. This may cause severe irrita- tion of skin or mucous membranes. The humidity of the skin or mucous membranes is enough for this reaction. Prolonged direct contact to the dry product should be avoided therefore. Pour downwind and allow as little free fall as possible while emptying bags into equipment.



Version 1.1	Revision Date: 01/05/2021	SDS Nui 0000002		Date of last issue: 05/15/2020 Date of first issue: 05/15/2020	
				e protected when large quantities are de- cal exhaust ventilation.	
Conc	litions for safe storage	place Obse Elect	e. erve label pro rical installa	ghtly closed in a dry and well-ventilated ecautions. tions / working materials must comply with safety standards.	
Further information on stor- age conditions		: Cont	Containers should be stored tightly sealed in a dry place.		
Materials to avoid		Segr Segr	Segregate from metals. Segregate from acids and bases. Segregate from oxidants. Segregate from foods and animal feeds.		
	ner information on stor- stability	: No d	ecompositio	n if stored and applied as directed.	

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of	Control parame- ters / Permissible	Basis
		exposure)	concentration	
calcium oxide	1305-78-8	TWA value	2 mg/m3	ACGIHTLV
		REL value	2 mg/m3	NIOSH
		PEL	5 mg/m3	29 CFR
				1910.1000
				(Table Z-1)
		TWA value	5 mg/m3	29 CFR
				1910.1000
				(Table Z-1-A)
		TWA	2 mg/m3	ACGIH
		TWA	2 mg/m3	NIOSH REL
		TWA	5 mg/m3	OSHA Z-1
		TWA	5 mg/m3	OSHA P0
Iron oxide	1309-37-1	TWA value	5 mg/m3	ACGIHTLV
		(Respirable		
		fraction)		
		REL value	5 mg/m3	NIOSH
		(Dust and	(iron (Fe))	
		fume)		
		PEL	10 mg/m3	29 CFR
		(fumes/smok		1910.1000
		e)		(Table Z-1)
		TWA value	10 mg/m3	29 CFR
		(fumes/smok		1910.1000
		e)		(Table Z-1-A)
		TWA (Res-	5 mg/m3	ACGIH
		pirable par-		
		ticulate mat-		



sion	Revision Date: 01/05/2021	SDS Number: 000000260372		t issue: 05/15/2020 t issue: 05/15/2020	
1		I	4.5.1	1	1
			ter)	E 100 m/m 2	
			TWA (dust	5 mg/m3	NIOSH RE
			and fume)	(Iron)	00114 7 4
			TWA	10 mg/m3	OSHA Z-1
			(Fumes)		
			TWA (total	15 mg/m3	OSHA Z-1
			dust)		
			TWA (respir-	5 mg/m3	OSHA Z-1
			able fraction)		
			TWA	10 mg/m3	OSHA P0
			(Fumes)		
magn	esium oxide	1309-48-4	TWA value	10 mg/m3	ACGIHTLV
			(Inhalable		
			fraction)		
			PEL (Total	15 mg/m3	29 CFR
			particulate)		1910.1000
					(Table Z-1)
			TWA value	10 mg/m3	29 CFR
			(Total partic-		1910.1000
			ulate)		(Table Z-1-
			TWA (Inhal-	10 mg/m3	ACGIH
			able particu-	_	
			late matter)		
			TWA (fume,	15 mg/m3	OSHA Z-1
			total particu-	Ū Ū	
			late)		
			TWA (Fume -	10 mg/m3	OSHA P0
			total particu-		
			late)		
Limes	stone	1317-65-3	REL value	5 mg/m3	NIOSH
			(Respirable)	- 5	
			REL value	10 mg/m3	NIOSH
			(Total)	10 1119/1110	
			PEL (Respir-	5 mg/m3	29 CFR
			able fraction)	o mg/mo	1910.1000
					(Table Z-1)
			PEL (Total	15 mg/m3	29 CFR
			dust)	10 119/110	1910.1000
					(Table Z-1)
			TWA value	5 mg/m3	29 CFR
			(Respirable	5 mg/m5	1910.1000
			fraction)		(Table Z-1-
			TWA value	15 mg/m3	29 CFR
				io ing/ino	1910.1000
			(Total dust)		
				15 mg/m2	(Table Z-1-
			TWA (total	15 mg/m3	OSHA Z-1
			dust)	5	
			TWA (respir-	5 mg/m3	OSHA Z-1
			able fraction)		
			TWA (Total	15 mg/m3	OSHA P0
			dust)		
			TWA (respir-	5 mg/m3	OSHA P0
1			able dust		



sion	Revision Date: 01/05/2021	SDS Number: 000000260372		t issue: 05/15/2020 t issue: 05/15/2020	
			TWA (Res- pirable)	5 mg/m3 (Calcium car- bonate)	NIOSH RE
			TWA (total)	10 mg/m3 (Calcium car- bonate)	NIOSH RE
Kaolir	1	1332-58-7	TWA value (Respirable fraction)	2 mg/m3	ACGIHTL\
			REL value (Respirable)	5 mg/m3	NIOSH
			REL value (Total)	10 mg/m3	NIOSH
			PEL (Respir- able fraction)	5 mg/m3	29 CFR 1910.1000 (Table Z-1)
			PEL (Total dust)	15 mg/m3	29 CFR 1910.1000 (Table Z-1)
			TWA value (Respirable fraction)	5 mg/m3	29 CFR 1910.1000 (Table Z-1
			TWA value (Total dust)	10 mg/m3	29 CFR 1910.1000 (Table Z-1
			TWA (Res- pirable par- ticulate mat- ter)	2 mg/m3	ACGIH
			TWA (Res- pirable)	5 mg/m3	NIOSH RE
			TWA (total)	10 mg/m3	NIOSH RE
			TWA (total dust)	15 mg/m3	OSHA Z-1
			TWA (respir- able fraction)	5 mg/m3	OSHA Z-1
			TWA (Total dust)	10 mg/m3	OSHA P0
			TWA (respir- able dust fraction)	5 mg/m3	OSHA P0
Calciu	um sulphate	7778-18-9	TWA value (Inhalable fraction)	10 mg/m3	ACGIHTL\
			REL value (Respirable)	5 mg/m3	NIOSH
			REL value (Total)	10 mg/m3	NIOSH
			PEL (Respir- able fraction)	5 mg/m3	29 CFR 1910.1000 (Table Z-1)
			PEL (Total dust)	15 mg/m3	29 CFR 1910.1000 (Table Z-1)



ersion 1	Revision Date: 01/05/2021	SDS Number: 000000260372		t issue: 05/15/2020 t issue: 05/15/2020	
			TWA value (Respirable fraction)	5 mg/m3	29 CFR 1910.1000 (Table Z-1-/
			TWA value (Total dust)	15 mg/m3	29 CFR 1910.1000 (Table Z-1-/
			TWA (Res- pirable)	5 mg/m3	NIOSH REI
			TWA (total)	10 mg/m3	NIOSH REL
			TWA (total dust)	15 mg/m3	OSHA Z-1
			TWÁ (respir- able fraction)	5 mg/m3	OSHA Z-1
			TWA (Total dust)	15 mg/m3	OSHA P0
			TWÁ (respir- able dust fraction)	5 mg/m3	OSHA P0
			TWA (Inhal- able particu- late matter)	10 mg/m3 (Calcium)	ACGIH
Gyps	Gypsum (Ca(SO4).2H2O)	13397-24-5	TWA value (Inhalable fraction)	10 mg/m3	ACGIHTLV
			REL value (Respirable)	5 mg/m3	NIOSH
			REL value (Total)	10 mg/m3	NIOSH
			PEL (Total dust)	15 mg/m3	29 CFR 1910.1000 (Table Z-1)
			PEL (Respir- able fraction)	5 mg/m3	29 CFR 1910.1000 (Table Z-1)
			TWA value (Total dust)	15 mg/m3	29 CFR 1910.1000 (Table Z-1-/
			TWA value (Respirable fraction)	5 mg/m3	29 CFR 1910.1000 (Table Z-1-
			TWA (Res- pirable)	5 mg/m3	NIOSH REI
			TWA (total) TWA (total	10 mg/m3 15 mg/m3	NIOSH REL OSHA Z-1
			dust) TWA (respir- able fraction)	5 mg/m3	OSHA Z-1
			TWA (Total dust)	15 mg/m3	OSHA P0
			TWA (respir- able dust fraction)	5 mg/m3	OSHA P0
			TWA (Inhal- able particu-	10 mg/m3 (Calcium)	ACGIH



rsion	Revision Date: 01/05/2021	SDS Number: 000000260372		t issue: 05/15/2020 t issue: 05/15/2020	
1		I	late matter)	I	I
Quart	z (SiO2)	14808-60-7	TWA value (Respirable fraction)	0.025 mg/m3	ACGIHTL
			TWA value	0.05 mg/m3 (Respirable dust)	29 CFR 1910.1001 1050
			OSHA Action level	0.025 mg/m3 (Respirable dust)	29 CFR 1910.1001 1050
			REL value (Respirable dust)	0.05 mg/m3	NIOSH
			TWÁ (Res- pirable dust)	0.05 mg/m3	OSHA Z-1
			TWA (respir- able)	10 mg/m3 / %SiO2+2	OSHA Z-3
			TWA (respir- able)	250 mppcf / %SiO2+5	OSHA Z-3
			TWA (respir- able dust fraction)	0.1 mg/m3	OSHA P0
			TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3 (Silica)	ACGIH
			PEL (respir- able)	0.05 mg/m3	OSHA CA
			TWA (Res- pirable dust)	0.05 mg/m3 (Silica)	NIOSH RE
Ceme	ent, portland, chemicals	65997-15-1	TWA value (Respirable fraction)	1 mg/m3	ACGIHTL
			REL value (Total)	10 mg/m3	NIOSH
			REL value (Respirable)	5 mg/m3	NIOSH
			PEL (Total dust)	15 mg/m3	29 CFR 1910.1000 (Table Z-1
			PEL (Respir- able fraction)	5 mg/m3	29 CFR 1910.1000 (Table Z-1
		TWA value (Total dust)	10 mg/m3	29 CFR 1910.1000 (Table Z-1	
			TWA value (Respirable fraction)	5 mg/m3	29 CFR 1910.1000 (Table Z-1
			TWA value	50 millions of particles per cubic foot of air	29 CFR 1910.1000 (Table Z-3
			TWA (Res- pirable par-	1 mg/m3	ACGIH



rsion	Revision Date: 01/05/2021		OS Number: 0000260372	Date of last issue: 05/15/2020 Date of first issue: 05/15/2020				
				ticulate mat- ter)				
				TWA (Res- pirable)	5 mg/m3	NIOSH RE		
				TWA (total)	10 mg/m3	NIOSH RE		
				TWA (total dust)	15 mg/m3	OSHA Z-1		
				TWA (respir- able fraction)	5 mg/m3	OSHA Z-1		
				TWA (Total dust)	10 mg/m3	OSHA P0		
				TWA (respir- able dust fraction)	5 mg/m3	OSHA P0		
				TWA (Dust)	50 Million parti- cles per cubic foot	OSHA Z-3		
-	neering measures	: ment	Provide local P.E.L.	exhaust ventilat	ion to maintain recom	Imended		
	iratory protection	:	Breathing protection if dusts are formed. Wear a NIOSH-certified (or equivalent) particulate respirator.					
Hand	protection							
Re	emarks	:	Chemical resistant protective gloves Manufacturer's direc- tions for use should be observed because of great diversity of types.					
Eye p	protection	:	Tightly fitting	safety goggles (chemical goggles).			
Skin a	and body protection	:			rding to the amount a ubstance at the work			
Prote	ctive measures	:	Avoid inhalati In order to pre working cloth	on of dusts. event contamina es and working (cordance with go	yes and clothing. tion while handling, c gloves should be used od building materials	d.		
Hygie	ene measures	:	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.					

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	powder
Color	:	gray



Versio	on	Revision Date: 01/05/2021		S Number: 0000260372	Date of last issue: 05/15/2020 Date of first issue: 05/15/2020
C	Odor		:	earthy	
(Odor Tl	hreshold	:	not determined	
ĥ	рH		:	approx. 12 - 13 (as aqueous sus	pension)
ľ	Melting	point	:	No data available	9
E	Boiling	point	:	No applicable inf	ormation available.
F	Flash p	oint	:	does not flash	
E	Evapora	ation rate	:	Not applicable	
F	Flamma	ability (solid, gas)	:	not flammable	
S	Self-ign	ition	:	not self-igniting	
١	Vapor p	pressure	:	No applicable inf	ormation available.
F	Relative	e vapor density	:	No applicable inf	ormation available.
F	Relative	e density	:	2.6	
[Density	,	:	2.6 g/cm3 (68 °F	/ 20 °C)
E	Bulk de	nsity	:	12 lb/USg	
ŝ	Solubili Wat	ty(ies) er solubility	:	partly miscible(59 °F / 15 °C)
	Solu	bility in other solvents	:	No applicable inf	ormation available.
	Partition octanol	n coefficient: n- /water	:	not applicable for	r mixtures
١	Viscosi Visc	ty osity, dynamic	:	Not applicable	
	Visc	osity, kinematic	:	Not applicable	
E	Explosi	ve properties	:	Not explosive	
C	Oxidizir	ng properties	:	Based on its stru as oxidizing.	ctural properties the product is not classified
S	Self-hea	ating substances	:	No data available	9
S	Sublima	ation temperature	:	No applicable inf	ormation available.
Ν	Molecu	lar weight	:	No data available	9



Vers 1.1	ion	Revision Date: 01/05/2021		S Number: 0000260372	Date of last issue: 05/15/2020 Date of first issue: 05/15/2020			
SEC	TION 1	0. STABILITY AND RE	EAC	ΤΙVΙΤΥ				
	Reactivity		:	No hazardous reactions if stored and handled as pre- scribed/indicated.				
	Chemical stability		:	The product is stable if stored and handled as pre- scribed/indicated.				
	Possibility of hazardous reac- tions			No decomposition if stored and applied as directed.				
	Conditions to avoid			See SDS section 7 - Handling and storage.				
Incompatible materials : Strong bases Strong acids								
	Hazardous decomposition products			No hazardous de as prescribed/inc	composition products if stored and handled licated.			

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Product:

Remarks

: Chromate in this product has been reduced. Sensitization due to chromate within stated shelf-live is unlikely.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

May cause cancer by inhalation.

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

May cause respiratory irritation.



Version	Revision Date:	SDS Number:	Date of last issue: 05/15/2020
1.1	01/05/2021	00000260372	Date of first issue: 05/15/2020

STOT-repeated exposure

Causes damage to organs (Lung) through prolonged or repeated exposure if inhaled. May cause damage to organs (Kidney, Immune system) through prolonged or repeated exposure if inhaled.

Aspiration toxicity

Not classified based on available information.

2

Further information

Product:

Remarks

Health injuries are not known or expected under normal use. The product has not been tested. The statements on toxicology have been derived from the properties of the individual components.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Ecotoxicology Assessme	ent	
Acute aquatic toxicity	:	This product has no known ecotoxicological effects.
Chronic aquatic toxicity	:	This product has no known ecotoxicological effects.
Persistence and degrada	bility	
Product:		
Biodegradability	_	Remarks: Not applicable for inorganic substances.

Bioaccumulative potential

Product:

Bioaccumulation	:	Remarks: The product will not be readily bioavailable due to its consistency and insolubility in water.
Mobility in soil		

Product:

Distribution among environ- mental compartments	:	Remarks: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected. The substance will not evaporate into the atmosphere from the water surface.

Other adverse effects

Product:

Additional ecological infor-	:	Do not discharge product into the environment without control.
mation		The product has not been tested. The statements on ecotoxi-



Version 1.1	Revision Date: 01/05/2021	•-	OS Number: 0000260372	Date of last issue: 05/15/2020 Date of first issue: 05/15/2020		
		cology have been derived from the properties of the individual components.				
SECTION 13. DISPOSAL CONSIDERATIONS						
Disp	osal methods					
Wast	e from residues	:	Dispose of in accordance with local authority regulations. Do not discharge into drains/surface waters/groundwater.			
Conta	aminated packaging	:	Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.			

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

US State Regulations


Pennsylvania Right To Know

1305-78-8
1309-37-1
1309-48-4
1317-65-3
1332-58-7
7778-18-9
13397-24-5
14808-60-7
65997-15-1
1305-78-8
1309-48-4
1317-65-3
1332-58-7



Version 1.1	Revision Date: 01/05/2021	SDS Number: 000000260372	Date of last issue: 05/15/2020 Date of first issue: 05/15/2020			
	Calcium sulphate Cement, portland, crystalline silica	chemicals	7778-18-9 65997-15-1 14808-60-7			
California Prop. 65 WARNING: This product can expose you to chemicals including Chromium (VI) ion, which is/are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.						
The ingredients of this product are reported in the following inventories:						
DS	L	: All component	ts of this product are on the Canadian DSL			
ΤS	CA		ubstances in this product are either listed as TSCA Inventory or are in compliance with a ry exemption.			

SECTION 16. OTHER INFORMATION



Full text of other abbreviations

29 CFR 1910.1000 (Table Z- 1-A)	:	OSHA - Table Z-1-A (29 CFR 1910.1000)
,	:	OSHA - Table Z-1 (Limits for Air Contaminants) 29 CFR 1910.1000
29 CFR 1910.1000 (Table Z- 3)	:	OSHA Table Z-3 (Mineral Dusts) 29 CFR 1910.1000
29 CFR 1910.1001-1050	:	OSHA - Specifically Regulated Substances (29 CFR 1910.1001-1050)
ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
ACGIHTLV		American Conference of Governmental Industrial Hygienists - threshold limit values (US)
NIOSH	:	NIOSH Pocket Guide to Chemical Hazards (US)



Version	Revision Date:	SE	S Number:	Date of last issue: 05/15/2020		
1.1	01/05/2021	00	0000260372	Date of first issue: 05/15/2020		
NIOS	SH REL	:	 : USA. NIOSH Recommended Exposure Limits : OSHA Specifically Regulated Chemicals/Carcinogens : USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 			
OSH	A CARC	:				
OSH	A P0	:				
			1910.1000			
OSH.	A Z-1	:	USA. Occupation	onal Exposure Limits (OSHA) - Table Z-1 Lim-		
			its for Air Conta			
OSH	A Z-3	:	USA. Occupational Exposure Limits (OSHA) - Table Z-3 Min-			
			eral Dusts			
	FR 1910.1000 (Table Z-	:	Time Weighted	Average (TWA):		
1-A) / TWA value						
29 CFR 1910.1000 (Table Z-		:	Permissible exp	oosure limit		
1) / PEL 29 CFR 1910.1000 (Table Z-						
		:	I ime Weighted	Average (TWA):		
	WA value					
	FR 1910.1001-1050 /		OSHA Action le	vei:		
	A Action level			$\Delta_{1} = \sum_{i=1}^{n} (T) \Delta_{i} $		
	FR 1910.1001-1050 / value	·	nime weighted	Average (TWA):		
	IH / TWA		8-hour, time-we	ighted everage		
	IHTLV / TWA value	:		Average (TWA):		
	SH / REL value	:		exposure limit (REL):		
NIOSH REL / TWA		:		average concentration for up to a 10-hour		
NICC		•		a 40-hour workweek		
OSH	A CARC / PEL			osure limit (PEL)		
	A P0 / TWA	:	8-hour time wei			
	A Z-1 / TWA	÷	8-hour time wei			
	A Z-3 / TWA	÷	8-hour time wei			
		-		J		

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -



ABC ONE STEP

Version	Revision Date:	SDS Number:	Date of last issue: 05/15/2020
1.1	01/05/2021	00000260372	Date of first issue: 05/15/2020

Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods: vPvB -Very Persistent and Very Bioaccumulative

Revision Date

01/05/2021 •

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE , IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION. DESIGNS. DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.

US/EN