Sikafloor Pronto Dec Quartz BG Itgry 446 Formerly MTop DE 41CQ blend 446



Versio 2.0	on	Revision Date: 09/16/2021		DS Number: 0000298943	Date of last issue: 01/15/2021 Date of first issue: 01/15/2021	
SECT		. IDENTIFICATION				
F	Product name		:	Sikafloor Pronto I 41CQ blend 446	Dec Quartz BG Itgry 446 Formerly MTop DE	
F	Product code		:	00000000005641	7534	
Ν	Manufacturer or supplier's details					
C	Company name of supplier		:	Sika MBCC US L	LC	
A	Address		:	201 POLITO AVE Lyndhurst NJ 070	-	
E	Emerge	ency telephone	:	ChemTel: +1-813	-248-0585	
F	Recom	mended use of the c	hen	nical and restriction	ons on use	
F	Recommended use		:	Product for const	ruction chemicals	
F	Restrictions on use		:	Reserved for indu	strial and professional use.	

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)					
Carcinogenicity (Inhalation)	:	Category 1A			
Specific target organ toxicity - repeated exposure (Inhala- tion)	:	Category 1 (Lungs)			
Specific target organ toxicity - repeated exposure (Inhala- tion)	:	Category 2 (Kidney, Immune system)			
GHS label elements					
Hazard pictograms	:				
Signal Word	:	Danger			
Hazard Statements	:	H350 May cause cancer by inhalation. H372 Causes damage to organs (Lungs) through prolonged or repeated exposure if inhaled. H373 May cause damage to organs (Kidney, Immune system) through prolonged or repeated exposure if inhaled.			

Sikafloor Pronto Dec Quartz BG Itgry 446 Formerly MTop DE 41CQ blend 446



Version 2.0	Revision Date: 09/16/2021	SDS Number: 000000298943	Date of last issue: 01/15/2021 Date of first issue: 01/15/2021
Preca	autionary Statements	P202 Do not ha and understood P260 Do not bi P264 Wash ski P270 Do not ea	reathe dust/ fume/ gas/ mist/ vapors/ spray. in thoroughly after handling. at, drink or smoke when using this product. tective gloves/ protective clothing/ eye protection/
		Response: P308 + P313 II attention.	F exposed or concerned: Get medical advice/
		Storage: P405 Store loc	ked up.
		Disposal: P501 Dispose posal plant.	of contents/ container to an approved waste dis-
Othe	r hazards		

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature

: inorganic compounds

Components

Chemical name	CAS-No.	Concentration (% w/w)			
Quartz (SiO2)	14808-60-7	>= 90 - <= 100			
Titanium dioxide	13463-67-7	>= 0.1 - < 1			
Actual concentration is withheld as a trade secret					

SECTION 4. FIRST AID MEASURES

General advice	:	First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.
If inhaled	:	Keep patient calm, remove to fresh air, seek medical atten- tion.
In case of skin contact	:	Immediately wash thoroughly with soap and water, seek med- ical attention.
In case of eye contact	:	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Keep eye wide open while rinsing.



Sikafloor Pronto Dec Quartz BG Itgry 446 Formerly MTop DE 41CQ blend 446

Version 2.0	Revision Date: 09/16/2021	SDS Number: 000000298943	Date of last issue: 01/15/2021 Date of first issue: 01/15/2021		
		Remove con Seek medica	tact lenses, if present. I advice.		
lf swa	llowed	 Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention. Do NOT induce vomiting. 			
Most important symptoms and effects, both acute and delayed		Causes dam exposure if ir Prolonged or	ancer by inhalation. age to organs through prolonged or repeated haled. repeated inhalation of respirable crystalline silica result in silicosis.		
Notes	to physician	: Treat sympto	matically.		

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Foam Water spray Dry powder Carbon dioxide (CO2)
Unsuitable extinguishing media	:	water jet
Hazardous combustion prod- ucts	:	irritant gases/vapours fumes/smoke
Further information	:	The degree of risk is governed by the burning substance and the fire conditions. If exposed to fire, keep containers cool by spraying with water. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Contaminated extinguishing water must be disposed of in accordance with official regulations.
Special protective equipment for fire-fighters	:	Wear a self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Do not breathe dust. Wear eye/face protection. Use personal protective clothing. Handle in accordance with good building materials hygiene and safety practice.
Environmental precautions	:	Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.
Methods and materials for containment and cleaning up	:	Sweep up and shovel into suitable containers for disposal. Avoid raising dust.

Sikafloor Pronto Dec Quartz BG Itgry 446 Formerly MTop DE 41CQ blend 446



Version R 2.0 09

Revision Date: 09/16/2021 SDS Number: 000000298943

Date of last issue: 01/15/2021 Date of first issue: 01/15/2021

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Avoid dust formation. Dust can form an explosive mixture with air. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy. Keep away from sources of ignition - No smoking.
Advice on safe handling	:	Avoid formation of respirable particles. Do not breathe vapors/dust. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. Dispose of rinse water in accordance with local and national regulations.
Conditions for safe storage	:	Keep container tightly closed in a dry and well-ventilated place. Electrical installations / working materials must comply with the technological safety standards.
Further information on stor- age conditions	:	Keep only in the original container in a cool, dry, well- ventilated place away from ignition sources, heat or flame. Protect from direct sunlight.
Further information on stor- age stability	:	No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Quartz (SiO2)	14808-60-7	TWA (Res- pirable dust)	0.05 mg/m3	OSHA Z-1
		TWA (respir- able)	10 mg/m3 / %SiO2+2	OSHA Z-3
		TWA (respir- able)	250 mppcf / %SiO2+5	OSHA Z-3
		TWA (respir- able dust fraction)	0.1 mg/m3	OSHA P0
		TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3 (Silica)	ACGIH
		PEL (respir- able)	0.05 mg/m3	OSHA CARC
		TWA (Res-	0.05 mg/m3	NIOSH REL



ACGIH

10 mg/m3

(Titanium dioxide)

Sikafloor Pronto Dec Quartz BG Itgry 446 Formerly MTop DE 41CQ blend 446

ersion .0	Revision Date: 09/16/2021	SDS Number: 000000298943		t issue: 01/15/2021 tt issue: 01/15/2021	
1		I	pirable dust)	(Silica)	
Quar	tz (SiO2)	14808-60-7	TWA (Res-	0.05 mg/m3	OSHA Z-1
			TWA (respir- able)	10 mg/m3 / %SiO2+2	OSHA Z-3
			TWA (respir- able)	250 mppcf / %SiO2+5	OSHA Z-3
			TWA (respir- able dust fraction)	0.1 mg/m3	OSHA P0
			TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3 (Silica)	ACGIH
			PEL (respir- able)	0.05 mg/m3	OSHA CARC
			TWÁ (Res- pirable dust)	0.05 mg/m3 (Silica)	NIOSH REL
Titani	ium dioxide	13463-67-7	TWA (total dust)	15 mg/m3	OSHA Z-1
			TWA (Total dust)	10 mg/m3	OSHA P0
1					

ure adequate ventilation.

Personal protective equipment				
Respiratory protection	:	Wear appropriate certified respirator when exposure limits may be exceeded. Use NIOSH approved respiratory protection.		
Hand protection				
Remarks	:	Chemical resistant protective gloves. Manufacturer's direc- tions for use should be observed because of great diversity of types.		
Eye protection	:	Wear safety glasses with side shields or goggles.		
Skin and body protection	:	Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.		
Protective measures	:	Avoid inhalation of dusts. Wearing of closed work clothing is required additionally to the stated personal protection equipment. Avoid exposure - obtain special instructions before use. Handle in accordance with good building materials hygiene and safety practice.		
Hygiene measures	:	When using, do not eat, drink or smoke. Hands and/or face should be washed before breaks and at		

TWA

Sikafloor Pronto Dec Quartz BG Itgry 446 Formerly MTop DE 41CQ blend 446



ersion .0	Revision Date: 09/16/2021		S Number:)000298943	Date of last issue: 01/15/2021 Date of first issue: 01/15/2021
ECTION). PHYSICAL AND CH		care agents applie Gloves must be ir Replace if necess	shift the skin should be cleaned and skin- ed. Inspected regularly and prior to each use. Pary (e.g. pinhole leaks).
Appear		:	granular	5
Color		:	various colours	
Odor		:	odorless	
Odor T	hreshold	:	Not relevant	
рН		:	Not applicable	
Melting	g point	:	Not applicable	
Boiling	point	:	Not applicable	
Flash p	point	:	Not applicable	
Evapoi	ration rate	:	Not applicable	
Flamm	ability (solid, gas)	:	not flammable	
Self-ig	nition	:	not self-igniting	
	explosion limit / Upper ability limit	:	No data available	9
	explosion limit / Lower ability limit	:	No data available	9
Vapor	pressure	:	Not applicable	
Relativ	e vapor density	:	Not applicable	
Relativ	e density	:	2.65	
Density	y	:	No data available	9
Bulk de	ensity	:	1,800 - 2,400 kg/	/m3
Solubil Wa ^r	ity(ies) ter solubility	:	insoluble	

Sikafloor Pronto Dec Quartz BG Itgry 446 Formerly MTop DE 41CQ blend 446



Vers 2.0	sion	Revision Date: 09/16/2021		S Number:)000298943	Date of last issue: 01/15/2021 Date of first issue: 01/15/2021
	Solu	ubility in other solvents	:	No data available	9
	Partitio octanol	n coefficient: n- /water	:	Not applicable	
	Autoigr	nition temperature	:	Not applicable	
	Decom	position temperature	:	No decompositio scribed/indicated	n if stored and handled as pre-
	Viscosi Visc	ty cosity, dynamic	:	Not applicable	
	Viso	osity, kinematic	:	Not applicable	
	Explosi	ve properties	:	Not explosive	
	Oxidizi	ng properties	:	Based on its stru as oxidizing.	ctural properties the product is not classified
	Self-he	ating substances	:	No data available	9
	Sublim	ation temperature	:	No data available	9
	Molecu	lar weight	:	No data available	9

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No hazardous reactions if stored and handled as pre- scribed/indicated.
Chemical stability	:	The product is stable if stored and handled as pre- scribed/indicated.
Possibility of hazardous reac- tions	:	The product is stable if stored and handled as pre- scribed/indicated.
Conditions to avoid	:	See SDS section 7 - Handling and storage.
Incompatible materials	:	Strong acids Strong bases Strong oxidizing agents Strong reducing agents
Hazardous decomposition products	:	No hazardous decomposition products if stored and handled as prescribed/indicated.

Sikafloor Pronto Dec Quartz BG Itgry 446 Formerly MTop DE 41CQ blend 446



Version	Revision Date:	SDS Number:	Date of last issue: 01/15/2021
2.0	09/16/2021	000000298943	Date of first issue: 01/15/2021

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxic	-						
Not classified based on available information.							
	ion/irritation						
Not classifie	d based on available information.						
Serious eye	e damage/eye irritation						
Not classifie	d based on available information.						
Respiratory	or skin sensitization						
Skin sensit	ization						
Not classifie	d based on available information.						
Respiratory	v sensitization						
Not classifie	d based on available information.						
Germ cell n	nutagenicity						
Not classifie	d based on available information.						
Carcinogen	icity						
	cancer by inhalation.						
IARC	Group 1: Carcinogenic to humans Quartz (SiO2)	14808-60-7					
	(Silica dust, crystalline)	14000 00 7					
	Group 2B: Possibly carcinogenic to humans						
	Titanium dioxide	13463-67-7					
OSHA	OSHA specifically regulated carcinogen						
	Quartz (SiO2)	14808-60-7					
	(crystalline silica)						
NTP	Known to be human carcinogen						
	Quartz (SiO2)	14808-60-7					
	(Silica, Crystalline (Respirable Size))						

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Causes damage to organs (Lungs) through prolonged or repeated exposure if inhaled. May cause damage to organs (Kidney, Immune system) through prolonged or repeated exposure if inhaled.

Aspiration toxicity

Not classified based on available information.

Sikafloor Pronto Dec Quartz BG Itgry 446 Formerly MTop DE 41CQ blend 446



ersion .0	Revision Date: 09/16/2021	-	0S Number: 0000298943	Date of last issue: 01/15/2021 Date of first issue: 01/15/2021
Furth	ner information			
Prod	uct:			
Rem	arks	:		not been tested. The statements on toxicolo ived from the properties of the individual
ECTION	12. ECOLOGICAL INFO	DRN	ΙΑΤΙΟΝ	
Ecot	oxicity			
Prod	uct:			
Ecot	oxicology Assessment			
Acute	e aquatic toxicity	:	This product has	no known ecotoxicological effects.
Chro	nic aquatic toxicity	:	This product has	no known ecotoxicological effects.
	istence and degradabili ata available	ity		
	ccumulative potential ata available			
	i lity in soil ata available			
Othe	r adverse effects			
<u>Prod</u>	uct:			
Addit matic	ional ecological infor- n	:	The product has r	product into the environment without contron not been tested. The statements on ecotoxi derived from the properties of the individua

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods		
Waste from residues	:	Dispose of in accordance with national, state and local regula- tions. Do not discharge into drains/surface waters/groundwater. Do not contaminate ponds, waterways or ditches with chemi- cal or used container.
Contaminated packaging	:	Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the sub- stance/product.

Sikafloor Pronto Dec Quartz BG Itgry 446 Formerly MTop DE 41CQ blend 446



Version Revis 2.0 09/16

Revision Date: 09/16/2021 SDS Number: 000000298943 Date of last issue: 01/15/2021 Date of first issue: 01/15/2021

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good


Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied. Domestic regulation 49 CFR Not regulated as a dangerous good Special precautions for user Not applicable

SECTION 15. REGULATORY INFORMATION

US State Regulations			
Pennsylvania Right To Know Quartz (SiO2)			14808-60-7
New Jersey Right To Know			
Quartz (SiO2)			14808-60-7
		ose you to chemicals including Quartz (S cause cancer. For more information go	
The ingredients of this produ	ct	are reported in the following inventor	ies:
DSL	:	All components of this product are on the	ne Canadian DSL
TSCA	:	All chemical substances in this product active on the TSCA Inventory or are in TSCA Inventory exemption.	

SECTION 16. OTHER INFORMATION

Further information





Version Revision Date: SDS Number: Date of last issue: 01/15/2021 2.0 09/16/2021 00000298943 Date of first issue: 01/15/2021 NFPA 704: HMIS® IV: Flammability HEALTH FLAMMABILITY Health Instability 2 0 PHYSICAL HAZARD HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents Special hazard a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH NIOSH REL OSHA CARC OSHA P0		USA. ACGIH Threshold Limit Values (TLV) USA. NIOSH Recommended Exposure Limits OSHA Specifically Regulated Chemicals/Carcinogens USA. OSHA - TABLE Z-1 Limits for Air Contaminants -
OSHA Z-1	:	1910.1000 USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants
OSHA Z-3	:	USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts
ACGIH / TWA	:	8-hour, time-weighted average
NIOSH REL / TWA		Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
OSHA CARC / PEL	:	Permissible exposure limit (PEL)
OSHA P0 / TWA	:	8-hour time weighted average
OSHA Z-1 / TWA	:	8-hour time weighted average
OSHA Z-3 / TWA	:	8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -



Sikafloor Pronto Dec Quartz BG Itgry 446 Formerly MTop DE 41CQ blend 446

Version	Revision Date:	SDS Number:	Date of last issue: 01/15/2021
2.0	09/16/2021	00000298943	Date of first issue: 01/15/2021

Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development: OPPTS - Office of Chemical Safety and Pollution Prevention: PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date

: 09/16/2021

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN