

BRANDS



Sika® Pro Select offers the highest quality specialty construction products in the areas of adhesives, sealants, concrete repair, stucco repair, asphalt repair, subfloor covering, insulation, and specialty applications like post setting.



LaHabra® offers stucco solutions from scratch to finish.



DRYLOK®'s range of concrete & masonry paints, sealers, waterproofers, and more provide worry-free solutions from start to finish.



ZAR® provides premium, stress-free stains and finishes for any type of surface in any color. With unbeatable protection and versatility, ZAR's line of wood care products elevates interior or exterior spaces.

NOTABLE ACQUISITIONS



Merkrete offers trusted solutions and expertise across a full line of innovative tile and stone installation systems.



DriTac® produces a wide array of products tailored to perform across a broad spectrum of flooring products. which includes primary adhesive technologies including pressure sensitive, moisture cure urethane, MS polymer, and acrylics.



In 2022, Sika acquired Master Builders Solutions, the global brand of advanced chemical solutions for construction.

TABLE OF CONTENTS

Sika® Pro Select Subfloor Prep	4	Sika® Pro Select Stucco	18-19
Sika® Pro Select Adhesives	5	Sika® Pro Select Insulation	20
Sika® Pro Select Self-Leveling Sealants	6	Sika® Pro Select Post Setting	21
Sika® Pro Select Non-Sag Sealants	7	Sika® Pro Select Blacktop Repair	21
Sika® Pro Select Concrete & Mortar Repair	8-9	ZAR® Interior Stain	22
Sika® Pro Select Concrete Repair & Protection	10-11	ZAR® Polyurethanes	23-25
DRYLOK® Concrete Repair	12	ZAR® Accessory Products	26
DRYLOK® Accessory Products	13	ZAR® Platinum Pro	27
DRYLOK® Waterproofing	14-15	ZAR® Deck & Siding Coatings	28-29
DRYLOK® Clear Water Sealers	16	Point of Purchase Materials	30-32
DRYLOK® Floor Paints	17	Resources & Contact Information	33

EXPERTISE & BUILDING TRUST

Who is SIKA?

Sika partners with leading retailers to bring the power of trusted commercial-grade construction solutions to both professional contractors and DIYers. The same high-performance technologies used on some of the world's most demanding projects are now available in retail—designed for everyday use without compromising performance.

Our retail portfolio includes well-known, trusted brands such as Sika® Pro Select, LaHabra®, DRYLOK®, and ZAR®. These strong retail brands, combined with Sika's commercial expertise and expanded through strategic acquisitions, offer proven solutions across a wide range of applications. From sealants and adhesives to patchers, coatings, and underlayments, Sika delivers everything needed to complete projects with confidence.

Sika products are available nationwide in home centers, hardware stores, lumberyards, masonry supply, and specialty retail locations. From the job site to the store shelf, Sika ensures customers have the right product to "Fix It Once!"

Innovation at the Core

Innovation is at the heart of Sika. By leveraging global research, advanced testing, and deep application knowledge, we continually evolve our products to meet the needs of both professionals and homeowners.

Through the integration of acquired brands and ongoing product development, Sika brings proven technologies, enhanced ease of use, and long-term durability to the retail environment. This commitment to innovation ensures that every Sika solution delivers reliable performance—today and for years to come.

*Actual colors may vary from colors represented in this catalog.
Use cured samples for proper color matching.

SIKA® PRO SELECT SUBFLOOR PREP

SikaLevel® Primer



Concrete primer for use with SikaLevel Self Leveling Underlayment

Where to Use: As a primer/sealer for absorbent substrates including concrete and cement screeds


- Ready to use, no dilution required
- Water-based and solvent-free
- Penetrates substrate to reduce outgassing and formation of bubbles in the underlayment

Coverage: Approximately 325–500 ft.²/gal. per coat



White

1 GAL. 517003



LEARN MORE

SikaLevel® Self-Leveling Underlayment



Durable, cementitious, self-leveling underlayment

Where to Use: Interior floor leveling and smoothing applications where floor coverings are to follow


- Easy and quick to install
- Zero VOC content and low odor
- Self-leveling

Coverage: 42 ft.² per bag, at 1/8 in. thickness



Gray

50 LB. Bag 517004



LEARN MORE

SIKA® PRO SELECT ADHESIVES

SikaBond® Ultimate Grab



LEARN MORE



One part advanced polyurethane, instant grab adhesive

Where to Use: Ideal for securing vertical items in place instantly

- Excellent adhesion on all cement-based materials, brick, ceramics, glass, metals, wood, and more.
- Flexible to allow movement between substrates
- Eliminates the need for nails and screws when bonding

Coverage: 12.2 lin. ft. applying a bead of 1/2 in. w x 1/4 in. d



Gray
476098

10.1 FL. OZ.



SikaBond® Construction Adhesive



LEARN MORE



One part, advanced polyurethane, elastomeric adhesive

Where to Use: Interior finishing works, exterior applications, sealed and bolted lap joints, submerged applications (ex. pond)

- Excellent adhesion on all cement-based materials, brick, ceramics, glass, metals, and wood
- Fast cure rate
- Waterproof and water immersible after cure

Coverage: 12.2 lin. ft. applying a bead of 1/2 in. w x 1/4 in. d



Gray
106403

10.1 FL. OZ.



Sika AnchorFix®-1



LEARN MORE



High strength, two component adhesive anchoring system

Where to Use: Common anchoring projects (threaded rods, railing installations, setting rebar, bolts, dowels, pins, and more)

- Fast curing
- Standard guns can be used
- Can be used at low temperatures

Coverage: Refer to Product Data Sheet



Dark Gray
112729

10.1 FL. OZ.



Sika AnchorFix®-2



LEARN MORE



Super strength, two component adhesive anchoring system

Where to Use: Heavy duty anchoring projects that exhibit high load capacities (base plates, deck supports, railings, and columns)


- Fast curing
- Standard guns can be used
- High load capacity

Coverage: Refer to Product Data Sheet



Dark Gray
112718

10.1 FL. OZ.



SIKA® PRO SELECT SELF-LEVELING SEALANTS

Sika® Backer Rod



LEARN MORE



3/4" closed cell compressible backup material

Where to Use: Expansion joints, glazing installations, window and door perimeters, copings, and pavement joints

- Prevents 3-sided adhesion
- Highly flexible and compressible
- Will not absorb water

3/4 IN.
DIAMETER
X 20 FT.



Gray
108130



Sikaflex®+ Self-Leveling Sealant



LEARN MORE



High performance, self-leveling, 1-part polyurethane sealant

Where to Use: Horizontal expansion joints in concrete and cementitious substrates such as; driveways, garages, sidewalks, balconies, pavements & terraces

- Waterproof
- Bridges gaps 1.5 in. wide
- Permanently elastic

Coverage: 12.1 lin. ft. applying a bead of 1/2 in. w x 1/4 in. d/10.1 fl. oz.

10.1 FL. OZ.
29 FL. OZ.



Gray
515304
515302



Sandstone
N/A
515282



Sikaflex® Hybrid Self-Leveling Sealant



LEARN MORE



One component, self-leveling, hybrid sealant and crack filler

Where to Use: Horizontal applications: roadways/driveways, walkways, garage floors, patios, & floor slabs

- Bonds to asphalt, concrete, block, brick, stone, & masonry
- Excellent bond to glass, aluminum, wood, steel, & galvanized steel
- Remains permanently elastic to allow for natural movement between substrates

Coverage: 12.1 lin. ft. applying a bead of 1/2 in. w x 1/4 in. d

10.1 FL. OZ.



Black
813730



Sikaflex®+ Crack Flex Sealant



LEARN MORE



High performance, textured, self-leveling, 1-part polyurethane sealant for sealing cracks

Where to Use: Non-sloped areas (driveway, garage floor, sidewalk, concrete slab, & concrete steps)

- 1-component, no mixing, ready-to-use
- Self-leveling
- Textured to blend with concrete surface

Coverage: 12.1 lin. ft. applying a bead of 1/2 in. w x 1/4 in. d

10.1 FL. OZ.



Gray
515306



SIKA® PRO SELECT NON-SAG SEALANTS

Sikaflex® Hybrid NS 50

NEW!



Multipurpose, non-sag, hybrid sealant

Where to Use: Horizontal, vertical, & overhead sealing/filling of joints and gaps on a wide range of surfaces.

- Fast curing: paintable & waterproof in 90 minutes
- Bonds to damp surfaces without bubbling
- Exceptional durability & flexibility (+/- 50% joint movement)

Coverage: 12.1 lin. ft. applying a bead of 1/2 in. w x 1/4 in. d

10.1 FL. OZ.



Black
898405



LEARN MORE

Sikaflex®+ Construction Sealant



All purpose, non-sag polyurethane sealant

Where to Use: Vertical & horizontal applications on concrete, or masonry, wood, and metal for weatherproofing of joints, sealing window & door perimeters, or sealing joints & gaps in walls, floors, trim, flashing, & more

- Durable, weather-resistant & permanently elastic after cure (+/-35% joint movement)
- Excellent resistance to aging & weathering
- Paintable, stainable, & sandable

Coverage: 12.1 lin. ft. applying a bead of 1/2 in. w x 1/4 in. d

10.1 FL. OZ.



Aluminum
Gray

654546



Limestone

515308



White

515309



Dark
Bronze

515310



Capitol
Tan

515311



Black

812412



LEARN MORE

SIKA® PRO SELECT CONCRETE & MORTAR REPAIR

Sikacryl® Powerset Instant Concrete Repair



LEARN MORE



Two component, polyester based gap filler

Where to Use: Filling cracks and spalls in stucco and concrete, repointing/tuckpointing

- Fast curing
- Easy to install
- Excellent for minor repairs to horizontal or vertical surfaces

Coverage: 9.5 lin. ft. when filling a typical 3/8 in. w x 3/8 in. d gap

10.1 FL. OZ.



Dark Gray
509227



Sikacryl® Pourable Crack Repair Sealant



LEARN MORE

NEW!



Fiber reinforced, easy squeeze concrete crack repair sealant

Where to Use: Ideal for concrete sidewalks, walkways, steps, patios, garage floors, and concrete slabs

- Packaged in an “Easy Squeeze” bottle
- No special tools or mixing required
- Forms strong, durable bond after cure

Coverage: 38 lin. ft. per 1/4 in. x 1/2 in. crack

1 QT.



Gray
900049



Sikadur® Crack Fix



LEARN MORE



Low-viscosity, high-strength epoxy sealing system

Where to Use: Low pressure injection of cracks in structural concrete, masonry, wood, etc. as well as gravity feeding and sealing of fine non-moving cracks in horizontal concrete, masonry, wood, etc.


- Formulation identical to popular, high strength adhesive Sikadur® 35, Hi-Mod LV
- Five times stronger than concrete
- Convenient easy to use, single tube cartridge - fits standard caulk guns

Coverage: approximately 10.7-11.0 in.³ of usable epoxy resin

10.1 FL. OZ.



Amber/Clear
107655



Sikaflex® + Concrete Fix



LEARN MORE



One component, non-sag, polyurethane concrete crack repair sealant

Where to Use: Weatherproofing of joints, cracks, or gaps in concrete and masonry structures (driveways, walkways, patios, slabs, foundation walls)

- ±35% joint movement
- Remains permanently elastic
- Paintable once cured

Coverage: 12.1 lin. ft. applying a bead of 1/2 in. w x 1/4 in. d



Limestone
515318

10.1 FL. OZ.



Sikacryl® Ready-Mix Concrete Patch



LEARN MORE



Acrylic-based, textured concrete patch for spalls/large cracks

Where to Use: Concrete & masonry surfaces (sidewalks, steps, balconies, foundations, patios, & more)

- For vertical and horizontal surfaces
- Textured to blend with concrete
- Easy water clean up

Coverage: 80 ft.² at 1/32 in./gal.



Gray

1 QT. 472189
1 GAL. 514899



Sikaflex® + Mortar Fix



LEARN MORE



One component, textured, polyurethane sealant for mortar cracks and joints

Where to Use: Weatherproofing of joints in walls, balconies, around window or door frames, repairing damaged mortar, expansion joints

- Excellent adhesion – bonds to most construction materials without a primer
- Textured appearance blends well to rough or stucco type surfaces
- Hides imperfections from tooling that a smooth sealant does not

Coverage: 12.1 lin. ft. applying a bead of 1/2 in. w x 1/4 in. d



Limestone
515313

10.1 FL. OZ.



Sikacryl® Ready-Mix Stucco Patch



LEARN MORE



Acrylic-based, textured, ready to use stucco patch

Where to Use: Masonry surfaces, exterior finish & foundation, any location a stucco finish has been used

- Easy to tool
- Textured to blend with stucco finish
- Easy water clean up

Coverage: 80 ft.² at 1/32 in./gal.



Off-White

1 QT. 503333
1 GAL. 878484



SIKA® PRO SELECT CONCRETE REPAIR & PROTECTION

Sika Thoroseal® Plus Concrete & Masonry Waterproofer



LEARN MORE



Cement-based waterproof coating for concrete, brick, and masonry

Where to Use: Waterproofing of concrete, masonry, brick, block, stone, foundations, basements, & retaining walls

- Cement-based
- Fast and easy application
- One component: just add to water

Coverage: 1st Coat: 160 ft² per pail, 2nd Coat: 320 ft² per pail



Gray
825231

35 LB. PAIL

SikaQuick® Pro 1000 Rapid Repair Mortar



LEARN MORE

NEW!



Easy mix & apply, one component, repair mortar for concrete.

Where to Use: General & structural concrete repair on steps, patios, driveways, sidewalks, and walkways

- Open to foot traffic in 4 hrs
- Open to vehicle traffic in 6 hrs
- High strength: 5,000 psi

Coverage: Neat: 0.43 ft³ per bag



Gray
884012

50 LB. BAG



SikaQuick® Pro VOH Vertical & Overhead Repair Mortar



LEARN MORE

NEW!



Fast setting, one component, easy to use repair mortar for vertical and overhead applications on concrete and mortar surfaces

Where to Use: Quick repairs or as a fast setting material for new construction defects

- Fiber reinforced & polymer modified
- Contains corrosion inhibitors
- Apply up to 3" on vertical surfaces in one layer

Coverage: 0.44 ft³ per bag



Gray
884540

44 LB. BAG



SikaLatex® R Concrete Bonding Adhesive



LEARN MORE



Acrylic latex bonding agent/admixture for portland-cement mortar/concrete

Where to Use: May be used as an admixture with concrete or mortar or as a brushed-on (cement/sand) bonding agent. Ideal as an additive to mortar and stucco to improve performance

- Concrete/Mortar/Grout/etc. containing SikaLatex® R exhibits improved adhesion to prepared substrates
- Increased adhesive strength of mortar/concrete when used as a bonding grout
- Increased resistance to freeze/thaw durability

Coverage: As mixing solution: for concrete/mortar/grout/etc. use neat, replacing the amount of water typically recommended | As bonding grout: based on amount of material (sand/cement) mixed



White

1 QT. 471643

1 GAL. 187782

SikaGrout® High Performance Cementitious Grout



LEARN MORE

NEW!




High performance, non-shrink, cementitious grout

Where to Use: General purpose grouting, filling voids, structural grouting of base plates, anchor rods, bearing plates, etc.

- Easy to use, just add water
- Flowable & high strength
- Multiple fluidity with one material

Coverage: Approximately 0.44 ft³ per bag at high flow (fluid consistency)



Gray

50 LB. BAG 516483

DRYLOK® CONCRETE REPAIR

DRYLOK® Masonry Crack Filler



LEARN MORE



Superior, fast setting, paintable, ready-to-use acrylic fortified with silicone caulk

Where to Use: Ideal for cracks in concrete walls, foundations, driveways, patios, sidewalks, steps, floors, and replaces cracked mortar joints

- Superior concrete adhesion
- Holds up to foot and vehicle traffic
- Reduces radon gas penetration

Coverage: 48 lin. ft. with a 1/4 in. bead



Gray
773239

10.5 FL. OZ.



DRYLOK® Pourable Masonry Crack Filler



LEARN MORE



Formulated to fill and seal small cracks in concrete surfaces

Where to Use: Ideal for concrete sidewalks, walkways, steps, patios, garage floors, and concrete slabs

- Masonry crack filler in a convenient easy-pour container
- Dries to the color of concrete
- Reduces radon gas penetration

Coverage: 38 lin. ft. per 1/4 in. x 1/2 in. crack



Gray
832428

1 QT.



DRYLOK® Fast Plug®



LEARN MORE



Quick setting hydraulic cement that creates a watertight seal in 3 to 5 minutes

Where to Use: Use in waterproofing projects to seal cracks, floor-wall joints, and utility entrance holes

- Sets in 3-5 minutes
- Stops water, even under pressure
- No top-coat required

Coverage: 16 in.³ per lb.




Gray

4 LB. 773267

10 LB. 830579

50 LB. 830820



DRYLOK® ACCESSORY PRODUCTS

DRYLOK® Brush



4" synthetic bristle brush specially designed to hold heavy-bodied products such as DRYLOK® waterproofers and floor paints

Where to Use: Any time a full-body coating is being applied (interior & exterior use)

- Tested and proven to ensure easy application
- Chiseled tip helps achieve professional-looking results
- Extra-firm bristles ensure maximum coverage

4 IN. BRUSH 773410



LEARN MORE

DRYLOK® Etch



Prepares interior/exterior masonry and concrete for waterproofing and painting

Where to Use: Ideal for removing efflorescence and excess mortar build-up on tile, galvanized metal, stone, concrete, and brick


- Removes efflorescence (salt deposits)
- Prepares smooth concrete for painting
- No harmful fumes, safer and easier to use and store than muriatic acid

Coverage:

300 ft.² as a cleaner

150 ft.² as an etch

12 OZ. 773390



LEARN MORE

DRYLOK® WATERPROOFING

DRYLOK® Wet Wall Bonding Primer



LEARN MORE



A high-quality acrylic interior/exterior primer designed to offer the best start to masonry projects

Where to Use: Dry, wet, bare, or precast masonry, concrete, or stone structures

- Superior bonding to wet walls to prepare surface for waterproofing
- Excellent efflorescence and mold & mildew resistance
- Stain blocking formula

Coverage: 100 – 200 ft² per gal.



White

1 GAL. 832398

DRYLOK® Floor & Wall



LEARN MORE

A clear, versatile, latex base masonry waterproofer guaranteed to stop water up to 4 psi and resists 98 mph hurricane winds



Where to Use: Interior, exterior, above or below grade concrete or masonry walls and floors

- Clear, high gloss
- 7 Year Warranty
- Provides moisture/vapor barrier to floors prior to applying adhesive and flooring

Coverage: 90 – 100 ft² per gal.

Clear	
1 GAL.	831981
5 GAL.	831982



DRYLOK® Powdered



LEARN MORE

A versatile masonry waterproofer that fills and permanently seals porous masonry against water migration



Where to Use: Interior, exterior, above or below grade concrete or masonry walls, tanks, and cisterns

- Sandy texture
- Can be applied to wet surfaces
- NSF Certified to NSF/ANSI 61

Coverage: 210 ft² per gal.

White	
35 LB.	816974



DRYLOK® Original



LEARN MORE




A versatile latex base masonry waterproofer, guaranteed to stop water up to 10 psi and resists 98 mph hurricane winds

Where to Use: Interior, exterior, above or below grade concrete or masonry walls

- Sandy texture
- 10 Year Warranty
- Tintable

Coverage: 75 - 100 ft² per gal.

8 tints available in addition to ready-mixed colors



White/
Tint Base

Gray

1 GAL. 773383
5 GAL. 832399

773377
832422

DRYLOK® Extreme



LEARN MORE



A versatile latex base masonry waterproofer guaranteed to stop water up to 15 psi and resists cat 4 (140+) mph hurricane winds

Where to Use: Interior, exterior, above or below grade concrete or masonry walls

- Smooth texture
- 15 Year Warranty
- Tintable

Coverage: 75 - 100 ft² per gal.

8+ tints available in addition to ready-mixed colors



Bright White/
Tint Base

Gray

1 GAL. 831985
5 GAL. 831987

831983
831984

DRYLOK® CLEAR WATER SEALERS

DRYLOK® Siloxane 7



LEARN MORE

An invisible water repellent which creates a long lasting barrier against moisture as it penetrates the substrate without creating a film or changing the look or texture of the surface.



Where to Use: Ideal for chimneys, brick and stone facades, and walls

- Breathable film does not trap moisture
- Long lasting water repellent
- Resists 98 MPH wind-driven rain

Coverage: 210 ft² per gal.

Invisible
Finish

1 GAL. 832347
5 GAL. 832348



DRYLOK® Natural Look



LEARN MORE

Curing compound that seals and primes in one



Where to Use:

Ideal for walk and driveways (brick, concrete, stone, and more)

- Strengthens freshly poured concrete by slowing set time
- Repels water and resists stains
- Protects against cracking, delamination, and spalling

Coverage: 400 ft² per gal.

Clear
Matte Finish

1 GAL. 832343
5 GAL. 832345



DRYLOK® Protector



LEARN MORE

Formulated with our exclusive SALTLOK® Technology, this sealer penetrates into the surface and protects against stains, freeze/thaw, and sun damage



Where to Use: Ideal for walk and driveways (brick, stone, pavers, and more)

- Prevents unsightly stains from natural salts & minerals
- Extreme temperature application
- Weather extreme protection

Coverage: 400 ft² per gal.

Clear
Satin Finish

1 GAL. 832426
5 GAL. 832427



DRYLOK® WetLook



LEARN MORE

Formulated with our exclusive SALTLOK® Technology, this sealer penetrates into the surface, enhancing and protecting the substrate



Where to Use: Ideal for walk and driveways (stone, concrete, slate, and more)

- Prevents unsightly stains from natural salts & minerals
- Durable, non-yellowing finish
- Resists weather, salt, and chemicals

Coverage: 200 - 400 ft² per gal.

Clear
High Gloss
Finish

1 GAL. 832423
5 GAL. 832425



DRYLOK® FLOOR PAINTS

DRYLOK® Latex Concrete Floor Paint



LEARN MORE



All-in-one paint and primer solution specifically formulated to beautify and protect concrete surfaces

Where to Use: Ideal for garage floors, patios, walkways, breezeways, laundry rooms, and basement floors

- Non-slip, non-glare finish
- Resists hot tire pickup
- Ceramic fortified X-linking formula

Coverage: 300 - 400 ft.² per gal.

9 tints available in addition to ready-mixed colors



White/Light
Tint Base

1 GAL.

832776



Gull

832778



Dover Gray

832779



Bamboo
Beige

832880



Cream

832881



Coffee
Beige

832882



Dark
Tint Base

832883

DRYLOK® E1 Latex 1-Part Epoxy Concrete Floor Paint



LEARN MORE



Protect and enhance the appearance of concrete floors with this dirt resistance showroom-quality interior/exterior finish

Where to Use: Ideal for garage floors, basement floors, walkways, poured concrete, and block patios

- Epoxy ester / acrylic blend
- Resists hot tire pickup
- Interior/exterior high traffic coating

Coverage: 300 - 400 ft.²/gal.

10 tints available in addition to ready-mixed colors



Gray

1 GAL.

832392



Platinum

832393



Tint Base

832394

SIKA® PRO SELECT STUCCO

LaHabra® Fastwall® 1-Coat Sanded Stucco Base Coat



LEARN MORE



Fiber-reinforced stucco base coat

Where to Use: As a stucco base over concrete, masonry, & metal lathe

- Fiber reinforced
- Can be installed 3/8"–1/2" thick in one pass
- Speeds up application time

Coverage: At 3/8 in: 20–25 ft.² per bag



80 LB. BAG



Gray

843424

LaHabra® Paint Grade Stucco Texture Finish



LEARN MORE




16/20 aggregate, textured, durable, paint grade stucco finish

Where to Use: Over Portland cement brown coats, as an exterior gray, textured stucco finish coat for portland cement plaster

- Paint grade: paintable with cement coatings once finish dries
- Durable, lasting

Coverage: Float Finish: 135–180 ft.² per bag
Light Spanish Dash: 90–135 ft.² per bag



90 LB. BAG



Natural Gray

842197

LaHabra® Exterior Stucco Color Coat 16/20 Tint Base



LEARN MORE



Durable, fade-resistant, tintable, exterior stucco color coat

Where to Use: Over top of Portland cement brown coats, as a color coat over LaHabra® Fastwall 1-Coat Stucco Base

- Tint Base 100 & Tint Base 200 base can be applied as is or colored with LaHabra Color Coat Tint Packs
- Fade-resistant
- Applications by hand (trowel) or sprayer

Coverage:

Float Finish: 135-180 ft.² per bag
 Light Spanish Texture: 90-135 ft.² per bag
 Machine Dash: 72-108 ft.² per bag



White/ Tint Base 100

842348



Gray/ Tint Base 200

842333

90 LB. BAG

LaHabra® LaHabra® Color Coat Tint Pack



LEARN MORE



Powdered pigments for use with LaHabra® Exterior Stucco Color Coat

Where to Use: Tinting LaHabra Exterior Stucco Color Tint Base 100 or Tint Base 200

- Specifically formulated pigments to color Exterior Stucco Color Tint Bases
- 1 Tint Pack creates standard color
- Up to 4 Tint Packs can be added per Exterior Stucco Tint Base 90 lb. bag for increased color depth



Eggshell

842470



Crystal White

842461



Blue Gray

842347



French Vanilla

842435



Adobe

842408



Sandstone

842358

1 LB. BAG

SIKA® PRO SELECT INSULATION

Sika® RMax® Pro Select Polyiso Insulation Board



LEARN MORE



Sika® Pro Select Rmax® high performance polyiso foam board insulation

Where to Use: Limited roofing, basement walls, vaulted ceilings, garage walls, exterior walls, cavity walls, stud walls, crawl spaces, and attics

- Best-in-class fire resistance
- Eliminates the need for house wrap
- Closed-cell polyisocyanurate (polyiso) foam core

4 ft. x 8 ft.

1/2 IN.	637902
3/4 IN.	637901
1 IN.	637900
1.5 IN.	637899
2 IN.	637898



Sikaflex® Insulation Sealant/Adhesive



LEARN MORE

Universal flashing sealant/adhesive



Where to Use: Interior air sealing of sheet and liquid applied weather/air barriers, termination & transition seals, edge lap seals, around penetrations in air barriers & flashing materials, around exterior window & door frames, foam boards

- Excellent resistance against weathering and moisture
- UV stable for exterior applications
- Noncorrosive

Coverage: 10.8 lin. ft. applying a bead of 1/2 in. w x 1/4 in. d



White

9 FL. OZ.

828283



Dark Bronze

828310



SikaSeal® Insulation Seam Tape



LEARN MORE

Transparent, hand tearable, multipurpose insulating tape

Where to Use: Seam joints and overlaps of house wraps, vapor barrier seams, sheathing joints, window & door flanges or frames, patching minor rips/tears in wall sheathing

- Clear in appearance to visually see the seam or overlap
- Tough and durable
- UV resistant for outdoor installations



1.88 IN. x 164 FT. (3.2 MILS THICKNESS) ROLL	Transparent 580904
--	--------------------



Sika Boom® -180



LEARN MORE

Polyurethane spray foam for gaps and cracks up to 1"



Where to Use: Sealing gaps, cracks & joints around windows/door frames, insulating against noise, cold & drafts, filling around pipes or conduit penetrations, adhesion to materials including wood, metal, masonry, glass, & most plastics

- Easy application with nozzle
- Effective sound dampening
- Good thermal insulation

Coverage: 28.8 lin. ft. of foam (1/4 in. x 1/4 in. bead)



Light Yellow

12 OZ. CAN

789264



SIKA® PRO SELECT POST SETTING

Sika® PostFix®



Easy-to-prepare, mix-in-the-bag, fast-setting, expanding polyurethane foam for post installation

Where to Use: Fence and gate posts, signage posts, mailbox posts, lamp posts, clotheslines

- Light weight and easy to handle
- Simple application: just roll, mix, and pour
- Pre-portioned for quality control and consistent performance

Coverage: One (1) pouch fills a 36 in. deep x 8 in. diameter hole when installing a 4 in. x 4 in. square post



Light Green

33 FL. OZ. POUCH

483503



LEARN MORE

SIKA® PRO SELECT BLACKTOP

Sikaflex® Asphalt Sealant



One component, self-leveling, hybrid sealant

Where to Use: Filling cracks in asphalt (driveways, roadways, pavements, aprons, and joint sealing)


- Single component, no mixing
- Self-leveling consistency
- Fast skin time (< 60 minutes)

Coverage: 10.8 lin. ft. applying a bead of 1/2 in. w x 1/4 in. d



Black

9 FL. OZ. 827839



LEARN MORE

ZAR® INTERIOR STAIN

ZAR® Interior Stain



LEARN MORE



A versatile, full-bodied, translucent wiping stain that can be applied to multiple surfaces

Where to Use: Wood furniture, floors, cabinets, and trim, plastic or rubber moldings, simulating wood grain finish over painted or previously varnished surfaces using **ZAR® Wood Graining Tool**

- Stains evenly with controlled penetration to produce a rich, uniform color
- Wipes on like furniture polish
- Superior coverage

Coverage: 800 ft.² per qt.

Color Matcher tint base can be used to create custom tints



EASY LIVING COLLECTION

White, Gray, & Black Tones

							
	Baby Grand	Black Caviar	Oiled Leather	Gray Cashmere	Malibu Gray	Silk Gray	Beach House
1/2 PT.	831436	831368	831458	831460	831456	831450	831452
1 QT.	831437	831369	831459	831461	831457	831451	831453

CLASSIC COLLECTION

Brown Tones

				
	Premium Teak	Aged Bourbon	Mocha	Dark Chocolate Truffle
1/2 PT.	831434	831093	831432	831438
1 QT.	831435	831094	831433	831439

GLOBAL CANVAS COLLECTION

Red, Orange, & Blonde Tones

				
	Vintage Modern	Golden Sunset	Moroccan Red	Exotic Redwood
1/2 PT.	831366	831440	831466	831468
1 QT.	831367	831441	831467	831469

TRENDING COLLECTION

A mix of what's **Hot** right now

			
	Champagne	Blue Moon	Mink
1/2 PT.	831462	831464	831430
1 QT.	831463	831465	831431

COLOR MATCHER

29 OZ.
116 FL. OZ.

Dark Tint Base

831454
831455

ZAR® POLYURETHANES

ZAR® Interior Oil Base Poly



Fast-drying, oil base polyurethane that dries to a smooth, tough, abrasion-resistant finish

Where to Use: Hardwood floors, cabinets, furniture, bartops, doors, and woodwork

- Tough abrasion-resistant finish
- Smooth, self-leveling
- Great for floors, recoat in 2 hours

Coverage: 500 – 600 ft.² per gal.

	Gloss	Semi-Gloss	Satin	Matte
1 QT.	832707	832711	832709	832713
1 GAL.	832708	832712	832710	832714



LEARN MORE

ZAR® Interior Oil Modified Urethane Poly OMU



Features Dual Drying Technology for a harder “through-cure”

Where to Use: Floors, doors, furniture, cabinets, wooden countertops, and woodwork

- Natural ambering enhances wood tones
- Superior abrasion resistance
- Low odor, fast drying

Coverage: 400 – 500 ft.² per gal.

	Gloss	Semi-Gloss	Satin	Matte
1 QT.	832730	832733	832734	832735
1 GAL.	832731	832736	832737	832738



LEARN MORE

ZAR® POLYURETHANES

ZAR® Interior Water Base Poly Crystal Clear



LEARN MORE



A clear polyurethane protective coat for light bare wood or light stain colors

Where to Use: Wood cabinets, furniture, shiplap, woodwork, interior doors, wood floors, and over light-colored or pastel stains

- A durable floor finish
- Non-yellowing, dries crystal clear, perfect for light-colored stains
- Exotic hardwood approved

Coverage: 400 – 500 ft.² per gal.



	Gloss	Semi-Gloss	Satin	Matte
1 QT.	832671	832676	832673	832675
1 GAL.	832672	832678	832674	832677

ZAR® Oil Base Poly Exterior UV



LEARN MORE




An incredibly fast-drying, clear polyurethane finish designed with ultraviolet radiation absorbers for superior protection on surfaces subjected to direct sunlight

Where to Use: Ideal for woodwork and wood marine surfaces (above water-line), patio furniture, and exterior doors made of wood, metal, or fiberglass

- Superior protection from weather and ultraviolet rays
- Out-performs other exterior clear finishes 2-1
- Specifically formulated for exposure to sunlight

Coverage: 500 – 600 ft.² per gal.



	Gloss	Satin
1 QT.	832715	832718
1 GAL.	832716	832719

ZAR® Water Base Poly Exterior HP



LEARN MORE




An exterior polyurethane finish ideal for wood surfaces exposed to direct sunlight and the harsh extremes of weather

Where to Use: Wood surfaces, siding, gables, patio furniture, woodwork, and other wood marine surfaces (above water-line)

- Recommended by leading door manufacturers
- Superior UV protection for the ultimate exterior protection for wood exposed to direct sunlight and harsh extremes of weather
- Excellent marine-grade finish

Coverage: 500 - 600 ft.² per gal.



	Gloss	Semi-Gloss	Satin	Matte
1 QT.	832679	832703	832701	832704
1 GAL.	832700	832705	832702	832706

ZAR® ACCESSORY PRODUCTS

ZAR® Patch Wood Filler



LEARN MORE



A latex compound that fills nail holes and repair cracks & gouges in wood surfaces

Where to Use: nail holes, cracks, gouges, broken corners, and chipped edges on wood

- Accepts stain uniformly
- Greatly diminishes the lighter area or “halo” effect surrounding the patch when patch requires a wood stain
- Can be sanded, sawed, or drilled

Coverage: 56 in³ per qt.



Neutral



Red Oak



Golden Oak

3 OZ.
1/2 PT.
1 PT.
1 QT.

832513
832548
832549
832560

832514
N/A
N/A
N/A

832515
N/A
N/A
N/A

ZAR® Paint & Varnish Remover



LEARN MORE



A nonflammable stripper

Where to Use: Layers of latex and oil based paint, polyurethane, lacquer, shellac, varnish, two component epoxy coating, and light industrial and marine grade finishes

- Rapid penetration (works on multiple surfaces without damaging the surface)
- Heavy duty strength
- Easy-to-apply semi-paste

1 QT. 832739
1 GAL. 832740



ZAR® Wood Graining Tool



LEARN MORE



Creates a decorative wood grain appearance on wood, metal, painted, and plastic surfaces

Where to Use: Furniture, cabinets, woodwork, steel doors, and painted surfaces

- Perfect for applying wood grain patterns to steel doors
- Reusable
- Perfect to use with ZAR® Stain or gel formula stains.

831767



ZAR® PLATINUM PRO

ZAR® Platinum Pro Translucent Urethane Finish



LEARN MORE



Delivers high-performance protection and outstanding color retention in exterior applications

Where to Use: Faux wood, fiber cement, vinyl, fiberglass, metal, veneer, plastic/PVC

- One coat system for non-porous vertical surfaces
- Dries quickly with no transfer to speed production and reduce labor costs
- Non-fading, extremely durable, hard finish with excellent adhesion

Coverage: 500 ft.² per gal.



Golden Wheat

1 GAL. 831915
5 GAL. 831971



Charcoal

831916
831972



Mahogany

831917
831973



Sage

831918
831974



Butternut

831919
831975



Barnwood Gray

831960
831976



Natural Cedar

831837
831977



Natural Redwood

1 GAL. 831838
5 GAL. 831978



Natural Teak

831839
831979



Chestnut Brown

831970
831980

ZAR® DECK & SIDING COATINGS

ZAR® Deck & Siding Clear Waterproof Wood Sealer



LEARN MORE



Clear protection against water penetration, preventing splitting and cracking

Where to Use: New, bare, or premium unstained or unpainted wood surfaces such as decking, siding, fencing, and outdoor furniture

- Protects against UV rays and extreme weather conditions
- Restores and maintains natural beauty of new and old wood
- Can be applied in temperature extremes 40 to 90 degrees

Coverage: 100 – 400 ft.² per gal.



1 GAL. 832901

ZAR® Deck & Siding Semi-Transparent Stain



LEARN MORE




Offers subtle color that highlights the beauty of the wood texture and grain

Where to Use: Decks, railings, posts, sheds, siding, T-111, and more

- A blend of oils and finely ground pigments create depth and clarity of color with a smooth, even application
- Fortified with UV inhibitor and mold/mildew resistance
- One coat application

Coverage: 100 – 400 ft.² per gal.



Sedona Red

1 GAL. 832885
5 GAL. 832886



Oak Brown

832887
832888



Rustic Brown

832889
832890



Barnboard

832891
832892



Cedar

832893
832894



Black Walnut

832895
832896



Cordovan Brown

832897
832898



Emerald Gray

832899
832900

ZAR® Deck & Siding Solid Color Coating



LEARN MORE



Offers full color and coverage that shows wood texture without grain

Where to Use: Previously stained wood, decks, siding, fences, railings, wooden lawn furniture, T-111, textured hardboard, fibercement and composite surfaces, bare wood, and masonry

- Apply to new or previously stained or painted surfaces
- Provides excellent UV resistance, breathability, and superior adhesion to wood surfaces
- Self-priming formula

Coverage: 100 – 400 ft.² per gal.

15+ tints available in addition to ready-mixed colors



821
High Tea

1 GAL. 832904
5 GAL. 832905



822
Oxford Brown

832906
832907



823
Sable Canyon

832908
832909



824
Crypt Gray

832910
832911



820
Purely White/
Light Base

832902
832903



825
Medium Base

832912
832913



826
Dark Base

832914
832915

ZAR® NuDECK® Wood and Concrete Restorative Coating



LEARN MORE




Renews old and damaged wood and concrete surfaces with no special applicators, primers, or topcoat

Where to Use: Wood decks, docks, pool decks, concrete porches, and walkways

- Provides excellent UV resistance, breathability, and superior adhesion
- Formulated with an elastomeric resin for superior expansion and contraction
- Slip-resistant surface


Coverage: 100 ft.² per gal.

20+ tints available



	175 Medium Base	176 Dark Base
116 Fl. Oz.	831811	831814
3.17 GAL.	831812	831815

SIKA® PRO SELECT POINT OF PURCHASE MATERIALS



CHANNEL CARDS
Variants Available
12" w x 3.25" h



SIKA POSTFIX AR EXPERIENCE EASEL
04.2799.11
8.5" w x 5.5" h Tabletop Display



SIKA POSTFIX QR CODE STICKER
04.2803.11
2" w x 3" h



TEAR PADS
Variants Available
4.25" w x 9" h

SIKA® TRUSTED BY THE PROs
EVERYTHING YOU NEED FOR YOUR EVERYDAY PROJECTS!

- ADHESIVES
- SEALANTS
- POST SETTING
- SUBFLOOR PREP
- STUCCO
- INSULATION
- BLACKTOP REPAIR
- CONCRETE REPAIR & PROTECTION

USA.SIKA.COM/RETAIL

PRO RESIDENTIAL BANNER
04.1700.11
36" w x 24" h Grommited Banner

Sika PostFix®
EXPANDING POLYURETHANE FOAM | SETS AS FAST AS 3 MIN!

NON-STRUCTURAL POST INSULATION

- FENCES
- GATES
- MAILBOXES
- SEDS
- CLOTHESLINES

FEATURES

- Bonds to wood, metal & PVC posts!
- High strength and water resistant
- Mix-in-the-bag, no water needed
- Can be applied in cold freezing temperatures
- Seals and protects base of post
- VOC compliant

Post Shape	Post Diameter	Post Depth	# of Pouches
Round Post	2"	48"	1
Square Post	4" x 4"	36"	1
Square Post	4" x 4"	36"	2
Square Post	4" x 4"	48"	2

SIKA POSTFIX OUTSIDE HEADER

04.2068.11
18" w x 18" h PVC Sign

SIKA POSTFIX OUTSIDE HEADER
04.2068.11
18" w x 18" h PVC Sign

Sika PostFix®
EXPANDING POLYURETHANE FOAM | SETS AS FAST AS 3 MIN!

NON-STRUCTURAL POST INSULATION

- FENCES
- GATES
- MAILBOXES
- SEDS
- CLOTHESLINES

FEATURES

- Bonds to wood, metal & PVC posts!
- High strength and water resistant
- Mix-in-the-bag, no water needed
- Can be applied in cold freezing temperatures
- Seals and protects base of post
- VOC compliant

SIKA POSTFIX OUTSIDE HEADER

04.3339.11
12" w x 12" h PVC Sign

SIKA POSTFIX OUTSIDE HEADER
04.3339.11
12" w x 12" h PVC Sign

Merchandising Displays



QP GENERIC WINGSTACK DISPLAY
04.2070.21



POWER WING HANGING BEAM RACKS
04.2458.21



COUNTERTOP CARTRIDGE DISPLAY
04.3322.21



4-SHELF ROLLING RACK DISPLAY
04.2137.21

DRYLOK® POINT OF PURCHASE MATERIALS



DRYLOK® HOW TO BROCHURE
04.3178.11
3.75" w x 8.5" h



DRYLOK® COMPARISON BEAM SIGN
04.3281.11
2.25" w x 9" h



DRYLOK® WETLOOK HANG DOWN
04.3280.11
4.5" w x 10" h




FRONT



BACK

DRYLOK® LATEX BASE CONCRETE FLOOR PAINT COLOR CARD
04.3177.11
7" w x 11" h



DRYLOK® FLOOR & WALL DISPLAY
04.3282.11
7.25" w x 14.5" h

ZAR® POINT OF PURCHASE MATERIALS



ZAR® PLATINUM PRO FAN DECK

04.3169.11
1.5" w x 3.375" h



FRONT



BACK

ZAR® PLATINUM PRO COLOR CARD

04.3171.11
3.75" w x 8.5" h



ZAR® SOLID COLOR DECK AND SIDING COATING FAN DECK

04.3174.11
2" w x 7.75" h




ZAR® DECK AND SIDING SHELF DISPLAY

04.3167.11
24" w x 3" h



ZAR® DECK AND SIDING SEMI-TRANSPARENT STAIN FAN DECK

04.3173.11
3" w x 7.5" h



ZAR® DECK AND SIDING STAIN COLOR CARD

04.3172.11
7" w x 11" h



ZAR® INTERIOR STAIN COLOR CARD

04.3175.11
7" w x 10" h



ZAR® INTERIOR OIL BASE STAIN FAN DECK

04.3176.11
1.5" w x 3.375" h

RESOURCES & CONTACT INFORMATION

Sika® Pro Select / LaHabra®

Corporate Office

201 Polito Ave, Lyndhurst, New Jersey, USA 07071

Phone: 1-201-933-8800

Technical Services

Product questions? Get in touch with our experts!

Email: TSLYN@us.sika.com

Phone: 1-800-933-7452, Option 2

Dealer Support

David Paine

National Sales Manager

Phone: 1-404-844-8399

Email: paine.david@us.sika.com

<https://usa.sika.com/retail>

DRYLOK® / ZAR®

Corporate Office

1396 Jefferson Ave, Dunmore, Pennsylvania, USA 18509

Business Hours: 8 AM to 4:30 PM Eastern Time

Toll Free: 800-845-5227 | Phone: 570-344-1202

Fax: 570-969-7634

Technical Support

Product questions? Get in touch with our experts!

Email: ugllabs@us.sika.com

Phone: 1-800-845-5227, Option 2

Resources for Pros

Backed by over 90 years of industry experience, we partner with pros every day, providing product recommendations, tips on proper prep, application expertise, technical assistance, training, job site support, field demos, and more.

Contractor's Resources are available at:

<https://www.zar.com/technical-resources>

<https://www.drylok.com/technical-resources>

For more information, please contact a representative at:

1-800-845-5227.

How to Order

You can order our award-winning products through the following methods:

- Fill out the DRYLOK® & ZAR® Order Form and send via:
 - Fax: 570-969-7634
 - Email: retailorders@us.sika.com
- Distributor of your choice
- Your EDI (Electronic Data Interchange) program
- Contacting your local sales representative
- Questions? Call: 1-800-845-5227, Option 1

Tinting

Universal tinting formulas available at:

<https://www.drylok.com/technical-resources/tint-formulas>

<https://www.zar.com/technical-resources/tint-formulas>

For product offerings, training, and dealer support:

Robert Gilmore

Email: gilmore.robert@us.sika.com

<https://www.drylok.com/>

<https://www.zar.com/>

NOTES

SIKA CORPORATION
201 Polito Avenue
Lyndhurst, NJ 07071
Phone: 201-933-8800
Fax: 201-933-6225

BUILDING TRUST

