

| Version 1.0 | Revision Date: 10/05/2020 | SDS Nur 0000002 | | Date of last issue: - Date of first issue: 10/05/2020 |
|----------------|---------------------------|--------------------|----------------------------|--|
| SECTION | I 1. IDENTIFICATION | | | |
| Prod | uct name | : PIGN | IENT RAW | UMBER 8882009L |
| Prod | uct code | : 0000 | 0000005643 | 34706 |
| Man | ufacturer or supplier's | details | | |
| Com | pany name of supplier | : Sika | MBCC US L | LC |
| Addr | ess | | POLITO AVE hurst NJ 070 | - |
| Eme | rgency telephone | : Cher | nTel: +1-813 | 3-248-0585 |
| Reco | ommended use of the o | hemical a | nd restricti | ons on use |
| Reco | ommended use | : Prod | uct for const | ruction chemicals |
| Rest | rictions on use | : Rese | erved for indu | ustrial and professional use. |

SECTION 2. HAZARDS IDENTIFICATION

| ECTION 2. HAZARDS IDENTIFI | CA | ΤΙΟΝ |
|---|-----|---|
| GHS classification in accord | dan | ce with 29 CFR 1910.1200 |
| Specific target organ toxicity - single exposure | : | Category 3 |
| Specific target organ toxicity - repeated exposure (Oral) | : | Category 2 (Kidney) |
| Specific target organ toxicity - repeated exposure (Inhala- tion) | : | Category 1 (Lung) |
| GHS label elements | | |
| Hazard pictograms | : | |
| Signal Word | : | Danger |
| Hazard Statements | : | H335 May cause respiratory irritation. H372 Causes damage to organs (Lung) through prolonged or repeated exposure if inhaled. H373 May cause damage to organs through prolonged or re- peated exposure. |
| Precautionary Statements | : | Prevention: P271 Use only outdoors or in a well-ventilated area. P260 Do not breathe dust or mist. |
| | | 1 / 16 |



| Version 1.0 | Revision Date: 10/05/2020 | SDS Number: 000000268977 | Date of last issue: - Date of first issue: 10/05/2020 |
|----------------|------------------------------|--|--|
| | | | at, drink or smoke when using this product. ce, hands and any exposed skin thoroughly after |
| | | CENTER/ doc P304 + P340 I | F exposed or concerned: Call a POISON for. F INHALED: Remove person to fresh air and ble for breathing. |
| | | Storage: | |
| | | P403 + P233 S tightly closed. P405 Store loc | Store in a well-ventilated place. Keep container ked up. |
| | | Disposal: | |
| | | P501 Dispose waste collectio | of contents/container to appropriate hazardous n point. |
| Otho | r hazards | | |
| | ata available. | | |
| | | | |
| SECTION | 3. COMPOSITION/IN | FORMATION ON INC | GREDIENTS |
| Chen | nical nature | : No data availa | ble. |
| Com | ponents | | |

| Chemical name | CAS-No. | Concentration (% w/w) |
|--|------------|-----------------------|
| ethyleneglycol | 107-21-1 | >= 20 - < 25 |
| talc | 14807-96-6 | >= 20 - < 25 |
| Iron oxide | 1309-37-1 | >= 15 - < 20 |
| Diethylene glycol | 111-46-6 | >= 5 - < 7 |
| Dimanganese trioxide | 1317-34-6 | >= 3 - < 5 |
| Benzenesulfonic acid, dodecyl-, branched, compd. with 2- propanamine | 90218-35-2 | >= 1 - < 3 |
| Quartz (SiO2) | 14808-60-7 | >= 1 - < 3 |
| Limestone | 1317-65-3 | >= 1 - < 3 |
| Kaolin | 1332-58-7 | >= 1 - < 3 |

SECTION 4. FIRST AID MEASURES

| General advice | Move out of dangerous area. Show this material safety data sheet to the doctor in attend- ance. Do not leave the victim unattended. |
|----------------|--|
| If inhaled | Keep patient calm, remove to fresh air, seek medical atten- tion. |
| | If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician. |





| Version 1.0 | Revision Date: 10/05/2020 | SDS Numbe 0000002689 | |
|----------------|--|---|---|
| In o | case of skin contact | Under no | proughly with soap and water circumstances should organic solvent be used. n develops, seek medical attention. |
| In o | case of eye contact | Remove Protect u Keep eye | es with water as a precaution. contact lenses. nharmed eye. e wide open while rinsing. tation persists, consult a specialist. |
| If s | wallowed | Keep res Do not gi Never giv If sympto | omiting immediately and call a physician. piratory tract clear. ve milk or alcoholic beverages. /e anything by mouth to an unconscious person. ms persist, call a physician. im immediately to hospital. |
| and | st important symptoms d effects, both acute and ayed | Causes of exposure | se respiratory irritation. damage to organs through prolonged or repeated e if inhaled. se damage to organs through prolonged or repeated e. |
| No | tes to physician | : Treat syr | nptomatically. |

SECTION 5. FIRE-FIGHTING MEASURES

| Suitable extinguishing media | : | Water spray Foam Dry powder Carbon dioxide (CO2) |
|--|---|--|
| Unsuitable extinguishing media | : | High volume water jet |
| Hazardous combustion prod- ucts | : | harmful vapours nitrogen oxides fumes/smoke carbon black |
| Further information | : | Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. |
| Special protective equipment for fire-fighters | : | Wear self-contained breathing apparatus for firefighting if nec- essary. |

SECTION 6. ACCIDENTAL RELEASE MEASURES

| Personal precautions, protec- : | Use personal protective equipment. |
|---------------------------------|------------------------------------|
| tive equipment and emer- | Avoid dust formation. |
| gency procedures | Avoid breathing dust. |

PIGMENT RAW UMBER 8882009L



| Vers 1.0 | ion Revision Date: 10/05/2020 | | OS Number: 0000268977 | Date of last issue: - Date of first issue: 10/05/2020 | | | | |
|-------------|---|----|---|--|--|--|--|--|
| | Environmental precautions | : | Prevent further least lf the product cont | Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. | | | | |
| | Methods and materials for containment and cleaning up | : | Keep in suitable, o | closed containers for disposal. | | | | |
| SEC | TION 7. HANDLING AND ST | OR | AGE | | | | | |
| | Advice on protection against fire and explosion | : | Avoid dust format Provide appropria is formed. | ion. te exhaust ventilation at places where dust | | | | |
| | Advice on safe handling | : | Do not breathe va Avoid exposure - Avoid contact with For personal prote Smoking, eating a plication area. Provide sufficient | obtain special instructions before use. | | | | |
| | Conditions for safe storage | : | place. Observe label pre | ons / working materials must comply with | | | | |
| | Further information on stor- age conditions | : | Keep only in the c place. Protect from direc Store protected ag | | | | | |
| | Materials to avoid | : | No applicable info | rmation available. | | | | |
| | Further information on stor- age stability | : | No data available | | | | | |

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

| Components | CAS-No. | Value type (Form of exposure) | Control parame- ters / Permissible concentration | Basis |
|----------------|----------|-------------------------------------|--|----------|
| ethyleneglycol | 107-21-1 | TWA value (Vapor frac- tion) | 25 ppm | ACGIHTLV |
| | | STEL value | 50 ppm | ACGIHTLV |



| sion | Revision Date: 10/05/2020 | SDS Number: 000000268977 | Date of last issue: - Date of first issue: 10/05/2020 | | | |
|--------|------------------------------|--------------------------------|--|-----------------------------------|------------------------------------|--|
| | | | (Vapor frac- tion) | | | |
| | | | STÉL value (Aerosol, inhalable.) | 10 mg/m3 | ACGIHTLV | |
| | | | TWA (Vapor) | 25 ppm | ACGIH | |
| | | | STEL (Va- por) | 50 ppm | ACGIH | |
| | | | STEL (Inhal- able fraction, Aerosol only) | 10 mg/m3 | ACGIH | |
| | | | С | 50 ppm 125 mg/m3 | OSHA P0 | |
| Iron o | xide | 1309-37-1 | TWA value (Respirable fraction) | 5 mg/m3 | ACGIHTLV | |
| | | | REL value (Dust and fume) | 5 mg/m3 (iron (Fe)) | NIOSH | |
| | | | PEL (fumes/smok e) | 10 mg/m3 | 29 CFR 1910.1000 (Table Z-1) | |
| | | | TWA value (fumes/smok e) | 10 mg/m3 | 29 CFR 1910.1000 (Table Z-1- | |
| | | | TWA (Res- pirable par- ticulate mat- ter) | 5 mg/m3 | ACGIH | |
| | | | TWA (dust and fume) | 5 mg/m3 (Iron) | NIOSH REI | |
| | | | TWA (Fumes) | 10 mg/m3 | OSHA Z-1 | |
| | | | TWA (total dust) | 15 mg/m3 | OSHA Z-1 | |
| | | | TWA (respir- able fraction) | 5 mg/m3 | OSHA Z-1 | |
| | | | TWA (Fumes) | 10 mg/m3 | OSHA P0 | |
| Dimar | nganese trioxide | 1317-34-6 | TWA value (Inhalable fraction) | 0.1 mg/m3 (manganese (Mn)) | ACGIHTLV | |
| | | | TWA value (Respirable fraction) | 0.02 mg/m3 (manganese (Mn)) | ACGIHTLV | |
| | | REL value (fumes/smok e) | 1 mg/m3 (manganese (Mn)) | NIOSH | | |
| | | | STEL value (fumes/smok e) | 3 mg/m3 (manganese (Mn)) | NIOSH | |
| | | | CLV | 5 mg/m3 (manganese (Mn)) | 29 CFR 1910.1000 | |



| sion | Revision Date: 10/05/2020 | SDS Number: 000000268977 | SDS Number:Date of last issue: -000000268977Date of first issue: 10/05/2020 | | | | |
|--------|------------------------------|-----------------------------|---|--------------------------------------|------------------------------------|--|--|
| | | | CLV | 5 mg/m3 (manganese (Mn)) | 29 CFR 1910.1000 (Table Z-1- | | |
| | | | С | 5 mg/m3 (Manganese) | OSHA Z-1 | | |
| | | | TWA (Inhal- able particu- late matter) | 0.1 mg/m3 (Manganese) | ACGIH | | |
| | | | TWA (Res- pirable par- ticulate mat- ter) | 0.02 mg/m3 (Manganese) | ACGIH | | |
| | | | С | 5 mg/m3 (Manganese) | OSHA P0 | | |
| | | | TWA | 1 mg/m3 (Manganese) | NIOSH RE | | |
| | | | ST | 3 mg/m3 (Manganese) | NIOSH RE | | |
| | stone | 1317-65-3 | REL value (Respirable) | 5 mg/m3 | NIOSH | | |
| | | | REL value (Total) | 10 mg/m3 | NIOSH | | |
| | | | PEL (Respir- able fraction) | 5 mg/m3 | 29 CFR 1910.1000 (Table Z-1) | | |
| | | | PEL (Total dust) | 15 mg/m3 | 29 CFR 1910.1000 (Table Z-1) | | |
| | | | TWA value (Respirable fraction) | 5 mg/m3 | 29 CFR 1910.1000 (Table Z-1- | | |
| | | | TWA value (Total dust) | 15 mg/m3 | 29 CFR 1910.1000 (Table Z-1- | | |
| | | | TWA (total dust) | 15 mg/m3 | OSHA Z-1 | | |
| | | | TWA (respir- able fraction) | 5 mg/m3 | OSHA Z-1 | | |
| | | | TWA (Total dust) | 15 mg/m3 | OSHA P0 | | |
| | | | TWA (respir- able dust fraction) | 5 mg/m3 | OSHA P0 | | |
| | | | TWA (Res- pirable) | 5 mg/m3 (Calcium car- bonate) | NIOSH RE | | |
| | | | TWA (total) | 10 mg/m3 (Calcium car- bonate) | NIOSH RE | | |
| Kaolir | 1 | 1332-58-7 | TWA value (Respirable fraction) | 2 mg/m3 | ACGIHTLV | | |
| | | | REL value (Respirable) | 5 mg/m3 | NIOSH | | |



| ersion 0 | Revision Date: 10/05/2020 | SDS Number: 000000268977 | Date of last issue: - Date of first issue: 10/05/2020 | | | |
|-------------|---------------------------|-----------------------------|--|--|------------------------------------|--|
| | | | REL value (Total) | 10 mg/m3 | NIOSH | |
| | | | PEL (Respir- able fraction) | 5 mg/m3 | 29 CFR 1910.1000 (Table Z-1) | |
| | | | PEL (Total dust) | 15 mg/m3 | 29 CFR 1910.1000 (Table Z-1) | |
| | | | TWA value (Respirable fraction) | 5 mg/m3 | 29 CFR 1910.1000 (Table Z-1- | |
| | | | TWA value (Total dust) | 10 mg/m3 | 29 CFR 1910.1000 (Table Z-1- | |
| | | | TWA (Res- pirable par- ticulate mat- ter) | 2 mg/m3 | ACGIH | |
| | | | TWA (Res- pirable) | 5 mg/m3 | NIOSH RE | |
| | | | TWA (total) TWA (total dust) | 10 mg/m3 15 mg/m3 | NIOSH RE OSHA Z-1 | |
| | | | TWA (respir- able fraction) | 5 mg/m3 | OSHA Z-1 | |
| | | | TWA (Total dust) | 10 mg/m3 | OSHA P0 | |
| | | | TWA (respir- able dust fraction) | 5 mg/m3 | OSHA P0 | |
| talc | | 14807-96-6 | TWA value (Respirable fraction) | 2 mg/m3 | ACGIHTLV | |
| | | | TWA (Dust) | 20 Million parti- cles per cubic foot | OSHA Z-3 | |
| | | | TWA (respir- able dust fraction) | 2 mg/m3 | OSHA P0 | |
| | | | TWA (Res- pirable) | 2 mg/m3 | NIOSH RE | |
| | | | TWA | 0.1 fibres per cubic centimeter | ACGIH | |
| | | | TWA (Res- pirable par- ticulate mat- ter) | 2 mg/m3 | ACGIH | |
| Quart | z (SiO2) | 14808-60-7 | TWA value (Respirable fraction) | 0.025 mg/m3 | ACGIHTLV | |
| | | | TWA value | 0.05 mg/m3 (Respirable dust) | 29 CFR 1910.1001- 1050 | |
| | | | OSHA Action level | 0.025 mg/m3 (Respirable dust) | 29 CFR 1910.1001- | |



| rsion) | Revision Date: 10/05/2020 | | OS Number: 0000268977 | Date of las Date of firs | t issue: - st issue: 10/05/2020 | | |
|------------|------------------------------|------|--|--|--|-----------|--|
| I | | I | | 1 | I | 1050 | |
| | | | | REL value (Respirable dust) | 0.05 mg/m3 | NIOSH | |
| | | | | TWÁ (Res- pirable dust) | 0.05 mg/m3 | OSHA Z-1 | |
| | | | | TWA (respir- able) | 10 mg/m3 / %SiO2+2 | OSHA Z-3 | |
| | | | | TWA (respir- able) | 250 mppcf / %SiO2+5 | OSHA Z-3 | |
| | | | | TWA (respir- able dust fraction) | 0.1 mg/m3 | OSHA P0 | |
| | | | | TWA (Res- pirable par- ticulate mat- ter) | 0.025 mg/m3 (Silica) | ACGIH | |
| | | | | PEL (respir- able) | 0.05 mg/m3 | OSHA CARC | |
| | | | | TWA (Res- pirable dust) | 0.05 mg/m3 (Silica) | NIOSH REL | |
| Engir | neering measures | : | No applicable | information ava | ilable. | | |
| | onal protective equipr | nent | | | | | |
| Respi | ratory protection | : | No applicable | information ava | ilable. | | |
| Hand | protection | | | | | | |
| Re | emarks | : | | for a specific w ucers of the prot | orkplace should be e ective gloves. | discussed | |
| Еуе р | rotection | : | | tle with pure wa safety goggles | ter | | |
| Skin a | and body protection | : | Choose body protection according to the amount and con- centration of the dangerous substance at the work place. | | | | |
| Protec | ctive measures | : | Avoid contact with the skin, eyes and clothing. No special measures necessary if stored and handled cor- rectly. Handle in accordance with good building materials hygiene and safety practice. Wearing of closed work clothing is recommended. | | | | |
| Hygie | ne measures | : | When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday. | | | | |

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES


Appearance

: paste



| Version 1.0 | Revision Date: 10/05/2020 | | S Number: 0000268977 | Date of last issue: - Date of first issue: 10/05/2020 |
|----------------|---|---|-----------------------------------|--|
| Color | | : | brown | |
| Odor | | : | of glycol | |
| Odor | Threshold | : | No data availal | ble |
| рН | | : | approx. 8.5 | |
| Meltin | ig point | : | No applicable i | nformation available. |
| Boiling | g point | : | No applicable i | nformation available. |
| Flash | point | : | No data availat | ble |
| Evapo | pration rate | : | No applicable i | nformation available. |
| Flamr | nability (solid, gas) | : | not determined | |
| | r explosion limit / Upper nability limit | : | No applicable i | nformation available. |
| | r explosion limit / Lower nability limit | : | No applicable i | nformation available. |
| Vapor | pressure | : | No applicable i | nformation available. |
| Relati | ve vapor density | : | No applicable i | nformation available. |
| Relati | ve density | : | No applicable i | nformation available. |
| Densi | ty | : | 1.5 g/cm3 (68 ° | °F / 20 °C) |
| | ility(ies) ater solubility | : | dispersible | |
| So | lubility in other solvents | : | No applicable i | nformation available. |
| | on coefficient: n- ol/water | : | No applicable i | nformation available. |
| Autoig | gnition temperature | : | No applicable i | nformation available. |
| Decor | mposition temperature | : | No decomposit scribed/indicate | ion if stored and handled as pre- ed. |
| Visco: Vis | sity scosity, dynamic | : | No applicable i | nformation available. |
| Vis | scosity, kinematic | : | No applicable i | nformation available. |
| Explo | sive properties | : | Not explosive Not explosive | |

PIGMENT RAW UMBER 8882009L



BUILDING TRUST

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Product:

| Acute oral toxicity | : | Remarks: No data available. |
|---------------------------|---|-----------------------------|
| Acute inhalation toxicity | : | Remarks: No data available. |
| Acute dermal toxicity | : | Remarks: No data available. |

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Remarks

Product dust may be irritating to eyes, skin and respiratory system.

PIGMENT RAW UMBER 8882009L



| Version 1.0 | Revision Date: 10/05/2020 | SDS Number: 000000268977 | Date of last issue: - Date of first issue: 10/05/2020 | | | | | | |
|----------------------|---|-----------------------------|--|--|--|--|--|--|--|
| | | | | | | | | | |
| Resp | iratory or skin sensi | tization | | | | | | | |
| - | sensitization lassified based on ava | ailable information. | | | | | | | |
| • | Respiratory sensitization Not classified based on available information. | | | | | | | | |
| | n cell mutagenicity lassified based on ava | ailable information. | | | | | | | |
| | inogenicity lassified based on ava | ailable information. | | | | | | | |
| Repr | oductive toxicity | | | | | | | | |
| STO | F-single exposure cause respiratory irrita | | | | | | | | |
| Caus | STOT-repeated exposure Causes damage to organs (Lung) through prolonged or repeated exposure if inhaled. May cause damage to organs through prolonged or repeated exposure. | | | | | | | | |
| - | r ation toxicity lassified based on ava | ailable information. | | | | | | | |
| <u>Prod</u> No as | uct: spiration hazard expe | cted. | | | | | | | |
| Furth | ner information | | | | | | | | |
| <u>Prod</u> Rema | | : No data availa | ble | | | | | | |
| SECTION | 12. ECOLOGICAL IN | FORMATION | | | | | | | |
| Ecot | oxicity | | | | | | | | |
| No da | ata available | | | | | | | | |
| | i stence and degrada ata available | bility | | | | | | | |
| Bioa | Bioaccumulative potential | | | | | | | | |
| Com | ponents: | | | | | | | | |
| - | eneglycol: ion coefficient: n- | : log Pow: appro | ox1.36 (73 °F / 23 °C) | | | | | | |

talc:



| Vers 1.0 | sion | Revision Date: 10/05/2020 | - | 9S Number: 0000268977 | Date of last issue: - Date of first issue: 10/05/2020 | |
|-------------|--|---|-------|---|---|--|
| | Partition coefficient: n- octanol/water | | : | Remarks: not app | licable | |
| | Iron oxide: Partition coefficient: n- octanol/water | | : | Remarks: Study scientifically not justified. | | |
| | | ganese trioxide: n coefficient: n- l/water | : | Remarks: The value has not been determined because t substance is inorganic. | | |
| | Benzei | nesulfonic acid, dode | ecyl- | , branched, comp | d. with 2-propanamine: | |
| | | n coefficient: n- | : | : Pow: approx. 6.18 Method: other Remarks: Based on data from similar materials | | |
| | Quartz | : (SiO2): | | | | |
| | | n coefficient: n- | : | : Remarks: not applicable | | |
| | Kaolin | : | | | | |
| | Partitio octanol | n coefficient: n- I/water | : | Remarks: not app | licable | |
| | | t y in soil a available | | | | |
| | Other a | adverse effects | | | | |
| | Produc | <u>ct:</u> | | | | |
| | Additio mation | nal ecological infor- | : | harmful to aquatic The product has r | obability that the product is not acutely organisms. not been tested. The statements on ecotoxi- derived from the properties of the individual | |

SECTION 13. DISPOSAL CONSIDERATIONS

| Disposal methods | | |
|------------------------|---|---|
| Waste from residues | : | Do not contaminate ponds, waterways or ditches with chemi- cal or used container. Dispose of in accordance with national, state and local regula- tions. Do not discharge into drains/surface waters/groundwater. |
| Contaminated packaging | : | Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the sub- stance/product. |

PIGMENT RAW UMBER 8882009L



| Version | Revision Date: | SDS Number: | Date of last issue: - |
|---------|----------------|-------------|---------------------------------|
| 1.0 | 10/05/2020 | 00000268977 | Date of first issue: 10/05/2020 |

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

Quartz (SiO2) listedSpecial Hazard.

| CTION 15. | REGULATORY INFOR | MATION | | | | |
|------------|--|---|-----------|--|--|--|
| SARA 313 : | | The following components are subject to reporting levels es- tablished by SARA Title III, Section 313: | | | | |
| | | ethyleneglycol | 107-21-1 | | | |
| | | Dimanganese trioxide | 1317-34-6 | | | |
| US State | Regulations | | | | | |
| Pennsyl | vania Right To Know Quartz (SiO2) ethyleneglycol Limestone Kaolin carbon black talc Diethylene glycol Iron oxide listed | | | 14808-60-7 107-21-1 1317-65-3 1332-58-7 1333-86-4 14807-96-6 111-46-6 1309-37-1 | | |
| New Jer | sey Right To Know | | | | | |
| | ethyleneglycol carbon black talc Limestone Kaolin Iron oxide Dimanganese trioxide | | | 107-21-1 1333-86-4 14807-96-6 1317-65-3 1332-58-7 1309-37-1 1317-34-6 | | |

14808-60-7



| Version | Revision Date: | SDS Number: | Date of last issue: - |
|---------|----------------|-------------|---------------------------------|
| 1.0 | 10/05/2020 | 00000268977 | Date of first issue: 10/05/2020 |


California Prop. 65

WARNING: This product can expose you to chemicals including carbon black, which is/are known to the State of California to cause cancer, and ethyleneglycol, which is/are known to the State of California to cause birth defects or other repro-

ductive harm. For more information go to www.P65Warnings.ca.gov.

The ingredients of this product are reported in the following inventories:TSCA:On the inventory, or in compliance with the inventory

SECTION 16. OTHER INFORMATION



Full text of other abbreviations

| 29 CFR 1910.1000 (Table Z- 1-A) | : | OSHA - Table Z-1-A (29 CFR 1910.1000) |
|------------------------------------|---|--|
| 29 CFR 1910.1000 (Table Z- 1) | : | OSHA - Table Z-1 (Limits for Air Contaminants) 29 CFR 1910.1000 |
| 29 CFR 1910.1001-1050 | : | OSHA - Specifically Regulated Substances (29 CFR 1910.1001-1050) |
| ACGIH | : | USA. ACGIH Threshold Limit Values (TLV) |
| ACGIHTLV | : | American Conference of Governmental Industrial Hygienists - threshold limit values (US) |
| NIOSH | : | NIOSH Pocket Guide to Chemical Hazards (US) |
| NIOSH REL | : | USA. NIOSH Recommended Exposure Limits |
| OSHA CARC | : | OSHA Specifically Regulated Chemicals/Carcinogens |
| OSHA P0 | : | USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000 |
| OSHA Z-1 | : | USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants |



| Vers 1.0 | sion | Revision Date: 10/05/2020 | | DS Number: 0000268977 | Date of last issue: - Date of first issue: 10/05/2020 | | | |
|-------------|--|-----------------------------------|---|---|---|--|--|--|
| | OSHA | Z-3 | : | USA. Occupational Exposure Limits (OSHA) - Table Z-3 Min- eral Dusts | | | | |
| | 29 CFF 1-A) / 0 | R 1910.1000 (Table Z- CLV | : | Ceiling Limit Value: | | | | |
| | | R 1910.1000 (Table Z- WA value | : | Time Weighted A | verage (TWA): | | | |
| | 29 CFF 1) / CL | R 1910.1000 (Table Z- V | : | Ceiling Limit Valu | e: | | | |
| | 29 CFF 1) / PE | R 1910.1000 (Table Z- L | : | Permissible exposure limit | | | | |
| | 29 CFR 1910.1001-1050 / OSHA Action level | | | OSHA Action level: | | | | |
| | 29 CFR 1910.1001-1050 / TWA value | | : | Time Weighted Average (TWA): | | | | |
| | | / TWA | : | 8-hour, time-weighted average | | | | |
| | | / STEL | : | Short-term exposure limit | | | | |
| | | TLV / STEL value | : | Short Term Exposure Limit (STEL): | | | | |
| | | TLV / TWA value | : | Time Weighted Average (TWA): | | | | |
| | | / REL value | : | Recommended exposure limit (REL): | | | | |
| | | / STEL value | : | Short Term Expos | | | | |
| | NIOSH | REL / TWA | : | | erage concentration for up to a 10-hour 40-hour workweek | | | |
| | NIOSH | REL / ST | : | | TWA exposure that should not be exceeded | | | |
| | OSHA | CARC / PEL | : | Permissible expos | | | | |
| | OSHA | P0 / TWA | : | 8-hour time weigh | ted average | | | |
| | OSHA | P0 / C | : | Ceiling limit | | | | |
| | | Z-1 / TWA | : | 8-hour time weighted average | | | | |
| | OSHA | | : | Ceiling | | | | |
| | OSHA | Z-3 / TWA | : | 8-hour time weigh | ted average | | | |

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance: ELx - Loading rate associated with x% response: EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substanc-



| Version | Revision Date: | SDS Number: | Date of last issue: - |
|---------|----------------|-------------|---------------------------------|
| 1.0 | 10/05/2020 | 00000268977 | Date of first issue: 10/05/2020 |

es; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date

: 10/05/2020

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE , IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE, FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.

US / EN