



## PRODUCT DATA SHEET

# SikaCem<sup>®</sup>-194 CS Cleaner

Rinse free, concentrated colloidal silica polished concrete cleaner that continually cleans and hardens polished concrete surfaces

### PRODUCT DESCRIPTION

SikaCem<sup>®</sup>-194 CS Cleaner effectively heals and maintains polished concrete. SikaCem<sup>®</sup>-194 CS Cleaner is ideal for removing dirt and not leaving a film. The rinse-free formula safely lifts dirt without dulling the brilliance of your polished concrete floors.

Many products recommended for cleaning concrete are designed for something other than polished concrete. SikaCem<sup>®</sup>-194 CS Cleaner is made to clean and enhance your polished concrete.

Regular use of SikaCem<sup>®</sup>-194 CS Cleaner will increase abrasion resistance over time. The chemically reactive cleaner will continue to seal and harden your concrete floors, making them easier to clean.

SikaCem<sup>®</sup>-194 CS Cleaner extends the life of your polished concrete floor, reducing your maintenance cost.

### PRODUCT INFORMATION

<b>Chemical Base</b>	Colloidal Silica
<b>Packaging</b>	5 gal. (18.9 L) fill in 5 gal. (18.9 L) plastic pail
<b>Shelf Life</b>	24 months in original unopened container

### USES

- Warehouses
- Manufacturing facilities
- Schools
- Institutional facilities
- Retail showrooms
- Industrial floor slabs

### CHARACTERISTICS / ADVANTAGES

- No rinse formula
- Compounded concrete hardening chemistry
- Concentrated
- No phosphates, no sodium hydroxides, no butyls
- Cost-effective

## Storage Conditions

Do not break the seal until product is ready for use. Maintain unused product in the original container. Store in a well-ventilated, cool, dry location and maintain temperatures between 40°-100°F (4°-38°C). Do not freeze.

---

## APPLICATION INFORMATION

---

### Coverage

Coverage rate will vary depending on the porosity and texture of the floor.

Application Rate	600-800 sq. ft./gal. (14.7-19.6 sq. m/L)
------------------	--

### Drying Time

Automatic Scrubber Application	5 minutes
Mop and Bucket Application	10 minutes
Light Traffic	As soon as it is dry
Heavy Traffic	As soon as it is dry

---

## BASIS OF PRODUCT DATA

Results may differ based upon statistical variations depending upon mixing methods and equipment, temperature, application methods, test methods, actual site conditions and curing conditions.

## LIMITATIONS

- Total surface auto scrubbing shall be completed daily for best results.

## ENVIRONMENTAL, HEALTH AND SAFETY

For further information and advice regarding transportation, handling, storage and disposal of chemical products, user should refer to the actual Safety Data Sheets containing physical, environmental, toxicological and other safety related data. User must read the current actual Safety Data Sheets before using any products. In case of an emergency, call CHEMTREC at 1-800-424-9300, International 703-527-3887.

## APPLICATION INSTRUCTIONS

### MIXING

Mix 1 oz. of SikaCem®-194 CS Cleaner with 1 gal. of clean water. For tougher cleaning tasks you can mix up to 4 oz. of SikaCem®-194 CS Cleaner with 1 gal. of clean water.

### APPLICATION

1. Add the mixed solution to an auto scrubber.
2. Clean the polished surface with the auto scrubber
  - Make sure when using an auto scrubber to squeegee up the dirty water.

**Note:** SikaCem®-194 CS Cleaner can also be used in a mop and bucket application.

## MAINTENANCE

To maintain and extend the life of your polished concrete, clean daily with SikaCem®-194 CS Cleaner.

## OTHER RESTRICTIONS

See Legal Disclaimer.

## LEGAL DISCLAIMER

- KEEP CONTAINER TIGHTLY CLOSED
- KEEP OUT OF REACH OF CHILDREN
- NOT FOR INTERNAL CONSUMPTION
- FOR INDUSTRIAL USE ONLY
- FOR PROFESSIONAL USE ONLY

Prior to each use of any product of Sika Corporation, its subsidiaries or affiliates ("SIKA"), the user must always read and follow the warnings and instructions on the product's most current product label, Product Data Sheet and Safety Data Sheet which are available at [usa.sika.com](http://usa.sika.com) or by calling SIKA's Technical Service Department at 1-800-933-7452. Nothing contained in any SIKA literature or materials relieves the user of the obligation to read and follow the warnings and instructions for each SIKA product as set forth in the current product label, Product Data Sheet and Safety Data Sheet prior to use of the SIKA product.

SIKA warrants this product for one year from date of installation to be free from manufacturing defects and to meet the technical properties on the current Product Data Sheet if used as directed within the product's shelf life. User determines suitability of product for intended use and assumes all risks. User's and/or buyer's sole remedy shall be limited to the purchase price or replacement of this product exclusive of any labor costs. **NO OTHER WARRANTIES EXPRESS OR IMPLIED SHALL APPLY INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. SIKA SHALL NOT BE LIABLE UNDER ANY LEGAL THEORY FOR SPECIAL OR CONSEQUENTIAL DAMAGES. SIKA SHALL NOT BE RESPONSIBLE FOR THE USE OF THIS PRODUCT IN A MANNER TO INFRINGE ON ANY PATENT OR ANY OTHER INTELLECTUAL PROPERTY RIGHTS HELD BY OTHERS.**

Sale of SIKA products are subject to the Terms and Conditions of Sale which are available at <https://usa.sika.com/en/group/SikaCorp/termsandconditions.html> or by calling 1-800-933-7452.

### Sika Corporation

201 Polito Avenue  
Lyndhurst, NJ 07071  
Phone: +1-800-933-7452  
Fax: +1-201-933-6225  
[usa.sika.com](http://usa.sika.com)



### Product Data Sheet

SikaCem®-194 CS Cleaner  
January 2023, Version 01.01  
02140515100000013

SikaCem-194CSCleaner-en-US-(01-2023)-1-1.pdf

