



## 1. Identification

Product name : Sika Boom®

Supplier : Sika Corporation  
201 Polito Avenue  
Lyndhurst, NJ 07071  
USA  
www.sikausa.com

Telephone : (201) 933-8800

Telefax : (201) 804-1076

E-mail address : ehs@sika-corp.com

Emergency telephone : CHEMTREC: 800-424-9300  
INTERNATIONAL: 703-527-3887

Recommended use of the chemical and restrictions on use : For further information, refer to product data sheet.

## 2. Hazards identification

### GHS Classification

|   |   |
|---|---|
| Flammable aerosols, Category 1  | H222: Extremely flammable aerosol.  |
| Gases under pressure, Compressed gas  | H280: Contains gas under pressure; may explode if heated.                           |
| Skin irritation, Category 2   | H315: Causes skin irritation.   |
| Eye irritation, Category 2A   | H319: Causes serious eye irritation.  |
| Respiratory sensitization, Category 1   | H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.    |
| Skin sensitization, Category 1  | H317: May cause an allergic skin reaction.  |
| Effects on or via lactation   | H362: May cause harm to breast-fed children.  |
| Specific target organ systemic toxicity - single exposure, Category 3, Respiratory system | H335: May cause respiratory irritation.   |
| Specific target organ systemic toxicity - repeated exposure, Category 2 (Inhalation)      | H373: May cause damage to organs through prolonged or repeated exposure if inhaled. |

### GHS label elements

Hazard pictograms :

Signal Word : Danger

Hazard Statements : H280 Contains gas under pressure; may explode if heated.



H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
H335 May cause respiratory irritation.  
H362 May cause harm to breast-fed children.  
H373 May cause damage to organs through prolonged or repeated exposure if inhaled.  
H222 Extremely flammable aerosol.

Precautionary Statements

: **Prevention:**

P201 Obtain special instructions before use.  
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.  
P211 Do not spray on an open flame or other ignition source.  
P251 Pressurized container: Do not pierce or burn, even after use.  
P260 Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.  
P263 Avoid contact during pregnancy/ while nursing.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P271 Use only outdoors or in a well-ventilated area.  
P272 Contaminated work clothing must not be allowed out of the workplace.  
P280 Wear protective gloves/ eye protection/ face protection.  
P285 In case of inadequate ventilation wear respiratory protection.

**Response:**

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.  
P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.  
P362 Take off contaminated clothing and wash before reuse.

**Storage:**

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.  
P405 Store locked up.  
P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

See Section 11 for more detailed information on health effects and symptoms.  
There are no hazards not otherwise classified that have been identified during the classification process.  
There are no ingredients with unknown acute toxicity used in a mixture at a concentration  $\geq$  1%.



### 3. Composition/information on ingredients

#### Hazardous ingredients

| Chemical name  | CAS-No.    | Concentration (%) |
|--|------------|-------------------|
| Alkane, C14-17-, chloro-                             | 85535-85-9 | >= 10 - < 30 %    |
| 4,4'-methylenediphenyl diisocyanate                  | 101-68-8   | >= 5 - < 10 %     |
| Diphenylmethanediisocyanate, isomeres and homologues | 9016-87-9  | >= 5 - < 10 %     |

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

### 4. First aid measures

- If inhaled : Move to fresh air.
- In case of skin contact : Take off contaminated clothing and shoes immediately.  
Wash off with soap and plenty of water.  
If symptoms persist, call a physician.
- In case of eye contact : Immediately flush eye(s) with plenty of water.  
Remove contact lenses.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.
- If swallowed : Clean mouth with water and drink afterwards plenty of water.  
Do not induce vomiting without medical advice.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
Obtain medical attention.
- Most important symptoms and effects, both acute and delayed : irritant effects  
sensitizing effects  
Asthmatic appearance  
Cough  
Respiratory disorder  
Allergic reactions  
Excessive lachrymation  
Erythema  
Dermatitis  
See Section 11 for more detailed information on health effects and symptoms.  
Causes skin irritation.  
May cause an allergic skin reaction.  
Causes serious eye irritation.  
May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
May cause respiratory irritation.



May cause harm to breast-fed children.  
 May cause damage to organs through prolonged or repeated exposure if inhaled.

Protection of first-aiders : Move out of dangerous area.  
 Consult a physician.  
 Show this material safety data sheet to the doctor in attendance.

Notes to physician : Treat symptomatically.

**5. Fire-fighting measures**

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : Water

Specific extinguishing methods : Use water spray to cool unopened containers.  
 Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
 Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.

**6. Accidental release measures**

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
 Deny access to unprotected persons.

Environmental precautions : Do not flush into surface water or sanitary sewer system.  
 If the product contaminates rivers and lakes or drains inform respective authorities.  
 Local authorities should be advised if significant spillages cannot be contained.

**7. Handling and storage**

Advice on safe handling : Do not breathe vapors or spray mist.  
 Avoid exceeding the given occupational exposure limits (see section 8).  
 Do not get in eyes, on skin, or on clothing.  
 For personal protection see section 8.  
 Persons with a history of skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.  
 Smoking, eating and drinking should be prohibited in the application area.  
 Take precautionary measures against static discharge.



Open drum carefully as content may be under pressure.  
 Take necessary action to avoid static electricity discharge  
 (which might cause ignition of organic vapors).  
 Follow standard hygiene measures when handling chemical  
 products.

Conditions for safe storage : BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 122 °F. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects.  
 Store in original container.  
 Keep in a well-ventilated place.  
 Observe label precautions.  
 Store in accordance with local regulations.

Materials to avoid : No data available

### 8. Exposure controls/personal protection

| Component                           | CAS-No.  | Basis ** | Value | Exposure limit(s)* / Form of exposure |
|-------------------------------------|----------|----------|-------|---------------------------------------|
| 4,4'-methylenediphenyl diisocyanate | 101-68-8 | ACGIH    | TWA   | 0.005 ppm                             |
|                                     |          | OSHA Z-1 | C     | 0.02 ppm<br>0.2 mg/m3                 |
|                                     |          | OSHA P0  | C     | 0.02 ppm<br>0.2 mg/m3                 |
| Isobutane                           | 75-28-5  | ACGIH    | TWA   | 1,000 ppm                             |
|                                     |          | ACGIH    | STEL  | 1,000 ppm                             |
| Propane                             | 74-98-6  | ACGIH    | TWA   | 1,000 ppm                             |
|                                     |          | OSHA Z-1 | TWA   | 1,000 ppm<br>1,800 mg/m3              |
|                                     |          | OSHA P0  | TWA   | 1,000 ppm<br>1,800 mg/m3              |



\*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

**\*\*Basis**

ACGIH. Threshold Limit Values (TLV)

OSHA P0. Table Z-1, Limit for Air Contaminat (1989 Vacated Values)

OSHA P1. Permissible Exposure Limits (PEL), Table Z-1, Limit for Air Contaminant

OSHA P2. Permissible Exposure Limits (PEL), Table Z-2

OSHA Z3. Table Z-3, Mineral Dust

**Engineering measures** : Use of adequate ventilation should be sufficient to control worker exposure to airborne contaminants. If the use of this product generates dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits.  
The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits.

**Personal protective equipment**

**Respiratory protection** : Use a properly fitted NIOSH approved air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary.

The filter class for the respirator must be suitable for the maximum expected contaminant concentration (gas/vapor/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-contained breathing apparatus must be used.

**Hand protection**  
**Remarks** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

**Eye protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary.

**Skin and body protection** : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

**Hygiene measures** : Avoid contact with skin, eyes and clothing.  
Wash hands before breaks and immediately after handling the product.  
Remove respiratory and skin/eye protection only after vapors have been cleared from the area.  
Remove contaminated clothing and protective equipment before entering eating areas.  
Wash thoroughly after handling.

**9. Physical and chemical properties**

|  |   |
|--|---|
| Appearance                               | : Aerosol containing a compressed gas   |
| Color                                    | : off-white   |
| Odor                                     | : slight hydrocarbon-like   |
| Odor Threshold                           | : No data available   |
| Flash point                              | : -92.0°F (-68.9°C) estimated based on liquefied petroleum gas (hydrocarbon HC) |
| Ignition temperature                     | : No data available   |
| Decomposition temperature                | : No data available   |
| Lower explosion limit (Vol%)             | : No data available   |
| Upper explosion limit (Vol%)             | : No data available   |
| Flammability (solid, gas)                | : No data available   |
| Oxidizing properties                     | : No data available   |
| pH                                       | : Note: Not applicable  |
| Melting point/range / Freezing point     | : No data available   |
| Boiling point/boiling range              | : No data available   |
| Vapor pressure                           | : 2,588 mmHg (3,450 hpa)  |
| Density                                  | : 1.1 g/cm <sup>3</sup><br>at 68 °F (20 °C)                                     |
| Water solubility                         | : Note: insoluble   |
| Partition coefficient: n-octanol/water   | : No data available   |
| Viscosity, dynamic                       | : No data available   |
| Viscosity, kinematic                     | : > 20.5 mm <sup>2</sup> /s<br>at 104 °F (40 °C)                                |
| Relative vapor density                   | : No data available   |
| Evaporation rate                         | : No data available   |
| Burning rate                             | : No data available   |
| Volatile organic compounds (VOC) content | : 165 g/l   |



---

**10. Stability and reactivity**

|                                    |   |
|------------------------------------|---|
| Reactivity                         | : No dangerous reaction known under conditions of normal use. |
| Chemical stability                 | : The product is chemically stable.                           |
| Possibility of hazardous reactions | : Stable under recommended storage conditions.                |
| Conditions to avoid                | : Heat, flames and sparks.                                    |
| Incompatible materials             | : No data available   |

---

**11. Toxicological information****Acute toxicity**

Not classified based on available information.

**Ingredients:****4,4'-methylenediphenyl diisocyanate:**

Acute inhalation toxicity : Acute toxicity estimate: 1.5 mg/l  
Test atmosphere: dust/mist  
Method: Expert judgment

**Diphenylmethanediisocyanate, isomeres and homologues:**

Acute oral toxicity : LD50 Oral (Rat): > 10,000 mg/kg

Acute inhalation toxicity : Acute toxicity estimate: 1.5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Expert judgment

Acute dermal toxicity : LD50 Dermal (Rabbit): > 9,400 mg/kg

**Skin corrosion/irritation**

Causes skin irritation.

**Serious eye damage/eye irritation**

Causes serious eye irritation.

**Respiratory or skin sensitization**

Skin sensitization: May cause an allergic skin reaction.

Respiratory sensitization: May cause allergy or asthma symptoms or breathing difficulties if inhaled.

**Germ cell mutagenicity**

Not classified based on available information.

**Carcinogenicity**

Not classified based on available information.

**IARC** Not applicable

**NTP** Not applicable



**Reproductive toxicity**

May cause harm to breast-fed children.

**STOT-single exposure**

May cause respiratory irritation.

**STOT-repeated exposure**

May cause damage to organs through prolonged or repeated exposure if inhaled.  
Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.

**Aspiration toxicity**

Not classified based on available information.

**12. Ecological information**

|                   |   |
|-------------------|---|
| Other information | Do not empty into drains; dispose of this material and its container in a safe way.<br>Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.<br>Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.<br>May be harmful to the environment if released in large quantities. |
|-------------------|---|

**13. Disposal considerations****Disposal methods**

|                        |  |
|------------------------|--|
| Waste from residues    | : Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. |
| Contaminated packaging | : Empty containers should be taken to an approved waste handling site for recycling or disposal.   |

**14. Transport information****DOT**

|                          |          |
|--------------------------|----------|
| UN number                | 1950     |
| Description of the goods | Aerosols |
| Class                    | 2.1      |
| Labels                   | 2.1      |
| Emergency Response       | 126      |
| Guidebook Number         |          |

**IATA**

|           |      |
|-----------|------|
| UN number | 1950 |
|-----------|------|



|  |                     |
|--|---------------------|
| Description of the goods                 | Aerosols, flammable |
| Class                                    | 2.1                 |
| Labels                                   | 2.1                 |
| Packing instruction (cargo aircraft)     | 203                 |
| Packing instruction (passenger aircraft) | 203                 |
| Packing instruction (passenger aircraft) | Y203                |

**IMDG**

|                          |          |
|--------------------------|----------|
| UN number                | 1950     |
| Description of the goods | AEROSOLS |
| Class                    | 2.1      |
| Labels                   | 2.1      |
| EmS Number 1             | F-D      |
| EmS Number 2             | S-U      |

Marine pollutant                      no

DOT: For Limited Quantity exceptions reference 49 CFR 173.306 (i)

IMDG: For Limited Quantity special provisions reference IMDG Code Chapter 3.4

IATA: For Limited Quantity provisions reference IATA DGR Section 2.7 and other applicable sections.

**Special precautions for user**

No data available

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable

**15. Regulatory information**

**TSCA list**    : All chemical substances in this product are either listed on the TSCA Inventory or are in compliance with a TSCA Inventory exemption.

**EPCRA - Emergency Planning and Community Right-to-Know****CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

**SARA304 Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

**SARA 311/312 Hazards**                      : Sudden Release of Pressure Hazard  
Fire Hazard  
Acute Health Hazard  
Chronic Health Hazard



**SARA 302** : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313** : The following components are subject to reporting levels established by SARA Title III, Section 313:

|  |           |          |
|--|-----------|----------|
| 4,4'-methylenediphenyl diisocyanate                  | 101-68-8  | 5 - 10 % |
| Diphenylmethanediisocyanate, isomeres and homologues | 9016-87-9 | 5 - 10 % |

**Clean Air Act**

**Ozone-Depletion Potential** This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

The following chemical(s) are listed as HAP under the U.S. Clean Air Act, Section 12 (40 CFR 61):

|                                     |          |          |
|-------------------------------------|----------|----------|
| 4,4'-methylenediphenyl diisocyanate | 101-68-8 | 5 - 10 % |
|-------------------------------------|----------|----------|

The following chemical(s) are listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F):

|                |          |         |
|----------------|----------|---------|
| Dimethyl ether | 115-10-6 | 3 - 7 % |
| Isobutane      | 75-28-5  | 3 - 7 % |
| Propane        | 74-98-6  | 1 - 5 % |

**California Prop 65** This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

**16. Other information**

**HMIS Classification**

|                            |   |   |
|----------------------------|---|---|
| <b>Health</b>              | * | 3 |
| <b>Flammability</b>        |   | 3 |
| <b>Physical Hazard</b>     |   | 2 |
| <b>Personal Protection</b> |   | X |

**Caution:** HMIS® rating is based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® rating is not required on SDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® rating is to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). Please note HMIS® attempts to convey full health warning information to all employees.

**Notes to Reader**

The information contained in this Safety Data Sheet applies only to the actual Sika Corporation ("Sika") product identified and described herein. This information is not intended to address, nor does it address the use or application of the identified Sika product in combination with any other material, product or process. All of the information set forth herein



is based on technical data regarding the identified product that Sika believes to be reliable as of the date hereof. Prior to each use of any Sika product, the user must always read and follow the warnings and instructions on the product's current Product Data Sheet, product label and Safety Data Sheet for each Sika product, which are available at web site and/or telephone number listed in Section 1 of this SDS.

SIKA MAKES NO WARRANTIES EXPRESS OR IMPLIED AND ASSUMES NO LIABILITY ARISING FROM THIS INFORMATION OR ITS USE. SIKA SHALL NOT BE LIABLE UNDER ANY LEGAL THEORY FOR SPECIAL OR CONSEQUENTIAL DAMAGES AND SHALL NOT BE RESPONSIBLE FOR THE USE OF THIS PRODUCT IN A MANNER TO INFRINGE ON ANY PATENT OR ANY OTHER INTELLECTUAL PROPERTY RIGHTS HELD BY OTHERS.

All sales of Sika products are subject to its current terms and conditions of sale available at [www.sikausa.com](http://www.sikausa.com) or 201-933-8800.

Revision Date 04/15/2016

Material number: 519264