

PRODUCT DATA SHEET

Sarnarail

Sarnarail is a polymeric batten strip

PRODUCT DESCRIPTION

Sarnarail is a high performance polymeric batten strip used with approved fasteners to in-seam attachment Sarnafil® S 327 membrane or Sikaplan® Universal membrane to the roof deck.

USES

Used within the patented double weld Sarnafil Express system.

Areas of Application

- New Roof Applications
- Reroof Applications
- Recover Applications

CHARACTERISTICS / ADVANTAGES

- Easy to install
- Distributes the loads uniformly across a series of fastening points, maximizing fastener pullout and backout resistance
- Manufactured from non-corrosive material

APPROVALS / STANDARDS

- FM Global
- ICC Code Compliant – ESR 1157

PRODUCT INFORMATION

Chemical Base	Sarnarail is produced from a low profile, high performance thermoplastic polymer. Sarnarail is provided with pre-punched holes every 3" (76 mm) to allow various spacing options.
Packaging	250 ft (76.2 m) coil per box, 10 lbs (4.5 kg) per box
Appearance / Color	Off white
Shelf Life	N/A
Storage Conditions	N/A
Dimensions	Width: 0.75" (19 mm)

BASIS OF PRODUCT DATA

Results may differ based upon statistical variations depending upon mixing methods and equipment, temperature, application methods, test methods, actual site conditions and curing conditions.

AVAILABILITY/WARRANTY

Availability

From Sika Corporation – Roofing Authorized Applicators for use within Sarnafil or Sikaplan systems.

Warranty

Upon successful completion of the installed roof by the Sika Authorized Applicator in compliance with Sika requirements, Sika Corporation will provide a warranty to the Building Owner via the Sika Authorized Applicator.

ENVIRONMENTAL, HEALTH AND SAFETY

For further information and advice regarding transportation, handling, storage and disposal of chemical products, user should refer to the actual Safety Data Sheets containing physical, environmental, toxicological and other safety related data. User must read the current actual Safety Data Sheets before using any products. In case of an emergency, call CHEMTREC at 1-800-424-9300, International 703-527-3887.

APPLICATION INSTRUCTIONS

APPLICATION

Sarnarail is positioned on the fastening line of the membrane and fastened to the roof deck with approved fasteners clamping the membrane tightly to the substrate. The adjacent roll of membrane is positioned to overlap the fastened edge by 5.5" (140 mm), aligning with the overlap line marked on the membrane. Hot-air weld the two membranes. While pulling the welded membrane tight, install and fasten the next Sarnarail as stated above. Fastener spacing is determined by Sika

technical requirements.

OTHER RESTRICTIONS

See Legal Disclaimer.

LEGAL DISCLAIMER

- KEEP CONTAINER TIGHTLY CLOSED
- KEEP OUT OF REACH OF CHILDREN
- NOT FOR INTERNAL CONSUMPTION
- FOR INDUSTRIAL USE ONLY
- FOR PROFESSIONAL USE ONLY

Prior to each use of any product of Sika Corporation, its subsidiaries or affiliates ("SIKA"), the user must always read and follow the warnings and instructions on the product's most current product label, Product Data Sheet and Safety Data Sheet which are available at usa.sika.com or by calling SIKA's Technical Service Department at 1-800-933-7452. Nothing contained in any SIKA literature or materials relieves the user of the obligation to read and follow the warnings and instructions for each SIKA product as set forth in the current product label, Product Data Sheet and Safety Data Sheet prior to use of the SIKA product.

SIKA warrants this product for one year from date of installation to be free from manufacturing defects and to meet the technical properties on the current Product Data Sheet if used as directed within the product's shelf life. User determines suitability of product for intended use and assumes all risks. User's and/or buyer's sole remedy shall be limited to the purchase price or replacement of this product exclusive of any labor costs. **NO OTHER WARRANTIES EXPRESS OR IMPLIED SHALL APPLY INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. SIKA SHALL NOT BE LIABLE UNDER ANY LEGAL THEORY FOR SPECIAL OR CONSEQUENTIAL DAMAGES. SIKA SHALL NOT BE RESPONSIBLE FOR THE USE OF THIS PRODUCT IN A MANNER TO INFRINGE ON ANY PATENT OR ANY OTHER INTELLECTUAL PROPERTY RIGHTS HELD BY OTHERS.**

Sale of Sika products are subject to the Terms and Conditions of Sale which are available at <https://usa.sika.com/en/group/SikaCorp/termsandconditions.html> or by calling 1-800-933-7452.

Sika Corporation

201 Polito Avenue
Lyndhurst, NJ 07071
Phone: +1-800-933-7452
Fax: +1-201-933-6225
usa.sika.com



Product Data Sheet

Sarnarail
December 2024, Version 02.02
020945012150000012

Sarnarail-en-US-(12-2024)-2-2.pdf

