

## PRODUCT DATA SHEET

# Perimeter Warning Tape

---

A reflective, highly visible tape

---

### PRODUCT DESCRIPTION

Perimeter Warning Tape is designed for use on all Sarnafil® and Sikaplan® membranes as a reflective, highly visible product to draw attention to roof perimeters and potential hazardous areas.

### USES

To indicate roof perimeters and potential hazard areas

#### Areas of Application

- New Roofs
- Recover Roofs
- Mechanically Fastened Systems
- Adhered Systems

### CHARACTERISTICS / ADVANTAGES

- Increases safety
- Resists salt spray and many commonly used chemicals

### APPROVALS / STANDARDS

- Exceeds reflectivity 3 requirements, Federal Spec L-S-300, Class 1 and FP-79 type II

## PRODUCT INFORMATION

<b>Chemical Base</b>	The warning tape is made of vinyl and comes with a liner on the back for easy installation.
<b>Packaging</b>	10 per box, 300 ft. (91.4 m) per box
<b>Shelf Life</b>	N/A
<b>Storage Conditions</b>	N/A
<b>Appearance / Color</b>	Yellow
<b>Length</b>	30 ft (9.1 m)
<b>Width</b>	2" (50.8 mm)
<b>Thickness</b>	5 mil (0.13 mm)

## BASIS OF PRODUCT DATA

Results may differ based upon statistical variations depending upon mixing methods and equipment, temperature, application methods, test methods, actual site conditions and curing conditions.

## AVAILABILITY/WARRANTY

### Availability

From Sika Corporation – Roofing Authorized Applicators for use within Sarnafil or Sikaplan systems.

### Warranty

Perimeter Warning Tape is a maintenance item and is not covered under the Sika Corporation Roofing Warranty.

## ENVIRONMENTAL, HEALTH AND SAFETY

For further information and advice regarding transportation, handling, storage and disposal of chemical products, user should refer to the actual Safety Data Sheets containing physical, environmental, toxicological and other safety related data. User must read the current actual Safety Data Sheets before using any products. In case of an emergency, call CHEMTREC at 1-800-424-9300, International 703-527-3887.

## APPLICATION INSTRUCTIONS

### APPLICATION

Membrane where the tape is to be applied must be cleaned to a “like new” condition. Failure to properly clean the membrane will result in less than satisfactory adhesion. Do not apply Perimeter Warning Tape when the temperature is below 40°F (4°C). Perimeter Warning Tape may be slippery when wet.

## MAINTENANCE

Standard maintenance of Sarnafil® or Sikaplan® systems should include inspections of flashings, drains, and termination sealants at least twice a year and after each storm.

## OTHER RESTRICTIONS

See Legal Disclaimer.

## LEGAL DISCLAIMER

- KEEP CONTAINER TIGHTLY CLOSED
- KEEP OUT OF REACH OF CHILDREN
- NOT FOR INTERNAL CONSUMPTION
- FOR INDUSTRIAL USE ONLY
- FOR PROFESSIONAL USE ONLY

Prior to each use of any product of Sika Corporation, its subsidiaries or affiliates (“SIKA”), the user must always read and follow the warnings and instructions on the product’s most current product label, Product Data Sheet and Safety Data Sheet which are available at [usa.sika.com](http://usa.sika.com) or by calling SIKA’s Technical Service Department at 1-800-933-7452. Nothing contained in any SIKA literature or materials relieves the user of the obligation to read and follow the warnings and instructions for each SIKA product as set forth in the current product label, Product Data Sheet and Safety Data Sheet prior to use of the SIKA product.

SIKA warrants this product for one year from date of installation to be free from manufacturing defects and to meet the technical properties on the current Product Data Sheet if used as directed within the product’s shelf life. User determines suitability of product for intended use and assumes all risks. User’s and/or buyer’s sole remedy shall be limited to the purchase price or replacement of this product exclusive of any labor costs. **NO OTHER WARRANTIES EXPRESS OR IMPLIED SHALL**

APPLY INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. SIKA SHALL NOT BE LIABLE UNDER ANY LEGAL THEORY FOR SPECIAL OR CONSEQUENTIAL DAMAGES. SIKA SHALL NOT BE RESPONSIBLE FOR THE USE OF THIS PRODUCT IN A MANNER TO INFRINGE ON ANY PATENT OR ANY OTHER INTELLECTUAL PROPERTY RIGHTS HELD BY OTHERS.

Sale of SIKA products are subject to the Terms and Conditions of Sale which are available at <https://usa.sika.com/en/group/SikaCorp/termsandconditions.html> or by calling 1-800-933-7452.

**Sika Corporation**

201 Polito Avenue  
Lyndhurst, NJ 07071  
Phone: +1-800-933-7452  
Fax: +1-201-933-6225  
[usa.sika.com](http://usa.sika.com)



**Product Data Sheet**  
Perimeter Warning Tape  
March 2022, Version 04.01  
020945051200000008

PerimeterWarningTape-en-US-(03-2022)-4-1.pdf

