



NOTES:

- 1) NEW OR EXISTING WOOD NAILERS SHALL BE ATTACHED ACCORDING TO THE D.O.R., LOCAL CODE, OR INSURANCE REQUIREMENTS, WHICHEVER IS MORE STRINGENT. NAILER HEIGHT TO MATCH TOP SURFACE TO WHICH MEMBRANE IS TO BE APPLIED.
- 2) WOOD NAILERS OR WOOD BLOCKING FOR PENETRATIONS, CURBS, OR SNOW PROTECTION SYSTEMS SHALL BE INSTALLED PRIOR TO THE INSTALLATION OF THE ROOF MEMBRANE WHENEVER POSSIBLE.
- 3) VAPOR RETARDER SHALL BE SEALED AT EDGES.
- 4) CONTINUOUS CLEAT IS REQUIRED IF FACE DIMENSION OF FASCIA EXCEEDS 3".
- 5) FASCIA SHALL EXTEND A MINIMUM OF 1/2" BELOW BOTTOM OF WOOD NAILER.
- 6) THE HORIZONTAL FLANGE OF FASCIA SHALL BE A MINIMUM OF 4" WIDE.
- 7) FASCIA MAY BE FORMED WITH AN OPTIONAL WATER DAM/GRAVEL STOP.
- 8) NAILS USED TO ATTACH EITHER THE CONTINUOUS CLEAT OR FASCIA SHALL PENETRATE THE NAILER A MINIMUM OF 1-1/2". SCREWS SHALL PENETRATE A MINIMUM OF 1".
- 9) THIS DETAIL QUALIFIES FOR SIKAPLAN SYSTEM WARRANTIES. 46 MPH MAX ON MECHANICALLY FASTENED SYSTEMS AND UP TO 60 MPH ON ADHERED SYSTEMS.

SIKAPLAN ROOF EDGE

DETAIL NUMBER:

SPU-1

BUILDING TRUST



ISSUE / REVISION DATE:

12/2025

ACCEPTABLE SYSTEMS: SIKAPLAN UNIVERSAL

781-828-5400

usa.sika.com/sikaplan

NOT TO SCALE

AS A MEMBRANE MANUFACTURER, SIKA CORPORATION ("SIKA") REVIEWS DETAILS PREPARED BY THE CONSULTANT, ARCHITECT AND/OR ENGINEER FOR A PROJECT SOLELY FOR THE PURPOSE OF DETERMINING IF A SIKA WARRANTY MAY ISSUE FOR THE PROJECT. THIS REVIEW IS NOT TO BE CONSTRUED AS APPROVAL OF DETAILS BY SIKA AND IS NOT BEING CONDUCTED IN LIEU OF SOUND ENGINEERING AND ARCHITECTURAL PRACTICES AND JUDGMENT AND SHOULD NOT BE RELIED UPON FOR THAT PURPOSE. SIKA CORPORATION ASSUMES NO LIABILITY WITH RESPECT TO THE DESIGN OF THE ROOFING OR WATERPROOFING SYSTEM. THE ARCHITECT, CONSULTANT AND/OR ENGINEER OR DESIGN PROFESSIONAL FOR A PARTICULAR PROJECT BEARS THE SOLE RESPONSIBILITY FOR THE DESIGN OF THE ROOFING OR WATERPROOFING SYSTEM, FOR THE PREPARATION AND APPROVAL OF THE DETAILS AND SHOP DRAWINGS, AND FOR DETERMINING THEIR SUITABILITY FOR A PARTICULAR PROJECT OR APPLICATION. WHILE SIKA PROVIDES GENERAL INSTRUCTIONS FOR THE INSTALLATION OF ITS MEMBRANE AS WELL AS TRAINING FOR SIKA AUTHORIZED APPLICATORS, THE MEANS AND METHODS USED BY THE CONTRACTOR FOR SURFACE PREPARATION AS WELL AS THE MEANS AND METHODS EMPLOYED BY THE CONTRACTOR IN THE INSTALLATION OF THE SIKA MEMBRANE ARE THE RESPONSIBILITY OF THE CONTRACTOR. ALL SALE OF SIKA PRODUCTS AND SERVICES ARE SUBJECT TO SIKA'S TERMS AND CONDITIONS OF SALE AVAILABLE AT USA.SIKA.COM/SARNAFIL.