

Sikagard-100 CR Part A Formerly MProtect 100CR PTA

Version 2.0	Revision Date: 02/18/2025		DS Number: 00000261118	Date of last issue: 02/18/2025 Date of first issue: 09/15/2020
SECTIO	N 1. IDENTIFICATION			
Proc	duct name	:	Sikagard-100 CR	Part A Formerly MProtect 100CR PTA
Proc	duct code	:	0000000005170	1541
Mar	ufacturer or supplier's	deta	ails	
Con	pany name of supplier	:	Sika MBCC US L	LC
Add	ress	:	201 POLITO AVE Lyndhurst NJ 070	
Eme	ergency telephone	:	ChemTel: +1-813	-248-0585
	onal Emergency Tele- ne Number	:	USA: +1-800-25	5-3924 ChemTel contract no. MIS9240420
Rec	ommended use of the c	hen	nical and restriction	ons on use
Rec	ommended use	:	Functional surface	e coating
Res	trictions on use	:	Reserved for indu	strial and professional use.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin irritation	:	Category 2
Eye irritation	:	Category 2A
Skin sensitization	:	Category 1
Short-term (acute) aquatic hazard	:	Category 2
Long-term (chronic) aquatic hazard	:	Category 2
Other hazards None known. GHS label elements Hazard pictograms	:	<u>(1)</u>

according to the OSHA Hazard Communication Standard



Sikagard-100 CR Part A Formerly MProtect 100CR PTA

Version 2.0	Revision Date: 02/18/2025	SDS Number: 000000261118	Date of last issue: 02/18/2025 Date of first issue: 09/15/2020
Signa	l Word	: Warning	
Hazaı	rd Statements	H319 Causes s H401 Toxic to	se an allergic skin reaction. serious eye irritation.
Preca	utionary Statements	P264 Wash sk P272 Contamin the workplace. P273 Avoid rel	eathing mist or vapors. In thoroughly after handling. nated work clothing must not be allowed out of ease to the environment. otective gloves/ eye protection/ face protection.
		P305 + P351 + for several min to do. Continue P333 + P313 If attention. P337 + P313 If tion.	F ON SKIN: Wash with plenty of water. P338 IF IN EYES: Rinse cautiously with water utes. Remove contact lenses, if present and easy e rinsing. skin irritation or rash occurs: Get medical advice/ eye irritation persists: Get medical advice/ atten- ake off contaminated clothing and wash it before
		reuse. P391 Collect s Disposal: P501 Dispose posal plant.	pillage. of contents/ container to an approved waste dis-

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

: epoxy resin

Chemical nature

Components			
Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
Reaction product: bisphenol- A-(epichlorhydrin)-Epoxy resin (number average mo- lecular weight <= 700)	25068-38-6*	>= 65 - <= 85	TSC
Alkyl (C12-C14) glycidyl ether	68609-97-2*	>= 10 - <= 30	TSC
Proprietary amides	Proprietary	>= 3 - <= 7	TSI / TSC
Glass, oxide, chemicals	65997-17-3*	>= 1 - <= 5	TSC

according to the OSHA Hazard Communication Standard



Sikagard-100 CR Part A Formerly MProtect 100CR PTA

Version 2.0	Revision Date: 02/18/2025	SDS Number: 000000261118	Date of last issue: 02/18/2025 Date of first issue: 09/15/2020	
Benzy	/l alcohol	100-51-6*	>= 0.5 - <= 1.5	TSC
2,3-ep	ooxypropyl o-tolyl ether	2210-79-9*	>= 0.1 - <= 1	TSC

* Indicates that the identifier is a CAS No.

TSI- the chemical identity is withheld as a trade secret

TSC- the actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice If inhaled		First aid personnel should pay attention to their own safety. Immediately remove contaminated clothing. If difficulties occur after vapour/aerosol has been inhaled, remove to fresh air and seek medical attention.
In case of skin contact	:	After contact with skin, wash immediately with plenty of water and soap. Under no circumstances should organic solvent be used. If irritation develops, seek medical attention.
In case of eye contact	:	Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist. Remove contact lenses, if present.
If swallowed	:	Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention. Do NOT induce vomiting.
Most important symptoms and effects, both acute and delayed	:	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation.
Notes to physician	:	Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Foam Water spray Dry powder Carbon dioxide (CO2)
Unsuitable extinguishing media	:	water jet
Specific hazards during fire fighting	:	See SDS section 10 - Stability and reactivity.



Sikagard-100 CR Part A Formerly MProtect 100CR PTA

Versi 2.0	on Revision Date: 02/18/2025		DS Number: 0000261118	Date of last issue: 02/18/2025 Date of first issue: 09/15/2020
	Hazardous combustion prod- ucts	:	harmful vapours nitrogen oxides fumes/smoke carbon black carbon oxides	
I	Further information	:	the fire conditions If exposed to fire, Collect contamina allow to reach sev Contaminated ext	k is governed by the burning substance and keep containers cool by spraying with water. ted extinguishing water separately, do not wage or effluent systems. inguishing water must be disposed of in official regulations.
	Special protective equipment for fire-fighters	:	Wear a self-conta	ined breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : tive equipment and emer- gency procedures	Do not breathe vapour/aerosol/spray mists. Wear eye/face protection. If exposed to high vapour concentration, leave area immedi- ately. Use personal protective clothing. Handle in accordance with good building materials hygiene and safety practice.
Environmental precautions :	Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.
Methods and materials for : containment and cleaning up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Advice on safe handling	:	Avoid aerosol formation. Avoid inhalation of mists/vapours. Avoid skin contact. Avoid contact with eyes.
Conditions for safe storage	:	Keep only in the original container in a cool, dry, well- ventilated place away from ignition sources, heat or flame. Protect from direct sunlight.



Sikagard-100 CR Part A Formerly MProtect 100CR PTA

Version	Revision Date:	SDS Number:	Date of last issue: 02/18/2025
2.0	02/18/2025	000000261118	Date of first issue: 09/15/2020

Further information on storage stability

Further information on stor- : PROTECT FROM FREEZING.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Proprietary amides	Proprietary	TWA (Res- pirable par- ticulate mat- ter)	10 mg/m3	ACGIH
		TWA (total dust)	15 mg/m3	OSHA Z-1
Glass, oxide, chemicals	65997-17-3	TWA (fibers)	1 fibres per cubic centimeter	ACGIH
		TWA (Inhal- able particu- late matter)	5 mg/m3	ACGIH
		TWA (fibers)	1 fibres per cubic centimeter	ACGIH
		TWA (fibers)	1 fibres per cubic centimeter	ACGIH
Benzyl alcohol	100-51-6	TWA	10 ppm	US WEEL

Engineering measures : Ensure adequate ventilation.

Personal protective equipment

i ci sonai protective equipin	CIII	
Respiratory protection	:	When workers are facing concentrations above the occupa- tional exposure limits they must use appropriate certified respirators. Use NIOSH approved respiratory protection.
Hand protection		
Remarks	:	Wear chemical resistant protective gloves. Manufacturer's directions for use should be observed because of great diversity of types.
Eye protection	:	Wear safety glasses with side shields or goggles.
Skin and body protection	:	Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.
Protective measures	:	Do not inhale gases/vapours/aerosols. Avoid contact with the skin, eyes and clothing. Avoid exposure - obtain special instructions before use. Handle in accordance with good building materials hygiene



Sikagard-100 CR Part A Formerly MProtect 100CR PTA

Version 2.0	Revision Date: 02/18/2025	SDS Number: 000000261118	Date of last issue: 02/18/2025 Date of first issue: 09/15/2020
		and safety pract Wearing of clos	tice. ed work clothing is recommended.
Hygiene measures		Hands and/or fa the end of the s At the end of the care agents app Remove contan re-use or dispos Gloves must be	e shift the skin should be cleaned and skin-

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	gel
Color	:	white
Odor	:	amine-like
Odor Threshold	:	not determined
рН	:	slightly alkaline
Melting point/freezing point	:	No data available
Boiling point	:	500 °F / 260 °C
Flash point	:	450 °F / 232 °C
Evaporation rate	:	No data available
Flammability (liquids)	:	not highly flammable Method: derived from flash point
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	Heavier than air.

according to the OSHA Hazard Communication Standard



Sikagard-100 CR Part A Formerly MProtect 100CR PTA

Ver 2.0	sion	Revision Date: 02/18/2025		S Number: 0000261118	Date of last issue: 02/18/2025 Date of first issue: 09/15/2020
	Relativ	e density	:	No data available	9
	Density	/	:	1.07 g/cm3 (68 °	F / 20 °C)
	Solubil Wat	ity(ies) ter solubility	:	No data available	9
	Solu	ubility in other solvents	:	No data available	9
	Partitio octano	n coefficient: n- I/water	:	No data available	9
	Autoigr	nition temperature	:	No data available	9
	Decom	position temperature	:	No decompositio scribed/indicated	n if stored and handled as pre-
	Viscosi Visc	ty cosity, dynamic	:	No data available	9
	Viso	cosity, kinematic	:	No data available	9
	Explos	ive properties	:	Not explosive	
	Oxidizi	ng properties	:	Based on its stru as oxidizing.	ctural properties the product is not classified
	Sublim	ation point	:	No data available	9
	Molecu	lar weight	:	Not applicable	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No hazardous reactions if stored and handled as pre- scribed/indicated.
Chemical stability	:	The product is stable if stored and handled as pre- scribed/indicated.
Possibility of hazardous reac- tions	:	The product is stable if stored and handled as pre- scribed/indicated.
Conditions to avoid	:	See SDS section 7 - Handling and storage.
Incompatible materials	:	Strong acids Strong bases Strong oxidizing agents Strong reducing agents
Hazardous decomposition	:	irritant gases/vapours

according to the OSHA Hazard Communication Standard



Sikagard-100 CR Part A Formerly MProtect 100CR PTA

/ersion 2.0	Revision Date: 02/18/2025	SDS Number: 000000261118	Date of last issue: 02/18/2025 Date of first issue: 09/15/2020
produ	ucts	carbon oxides	3
ECTION	11. TOXICOLOGICA	L INFORMATION	
	e toxicity lassified due to lack o	f data.	
•••••	corrosion/irritation es skin irritation.		
	ous eye damage/eye es serious eye irritatio		
Resp	iratory or skin sensi	tization	
	sensitization cause an allergic skin	reaction.	
•	iratory sensitization lassified due to lack o		
	n cell mutagenicity lassified due to lack o	f data.	
	inogenicity lassified due to lack o	f data.	
-	oductive toxicity lassified due to lack o	f data.	
	F-single exposure lassified due to lack o	f data.	
	F-repeated exposure lassified due to lack o		
-	r ation toxicity lassified due to lack o	f data.	
Furth	ner information		
<u>Prod</u> Rema		The product ha	are not known or expected under normal use. as not been tested. The statements on toxicolo- derived from the properties of the individual

according to the OSHA Hazard Communication Standard



Sikagard-100 CR Part A Formerly MProtect 100CR PTA

Version	Revision Date:	SDS Number:	Date of last issue: 02/18/2025
2.0	02/18/2025	000000261118	Date of first issue: 09/15/2020

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity	
Product:	
Ecotoxicology Assessment Acute aquatic toxicity :	Toxic to aquatic life.
Chronic aquatic toxicity :	Toxic to aquatic life with long lasting effects.
Persistence and degradability	
Product:	
Biodegradability :	Remarks: Taking into consideration the properties of several ingredients, the product is estimated not to be readily biode-gradable according to OECD classification.
Stability in water :	Remarks: The product is slightly soluble in water. It can be eliminated from water by abiotic processes.
Bioaccumulative potential	
Product: Bioaccumulation :	Remarks: Because of the product's consistency and low water solubility, bioavailability is improbable.
Mobility in soil	
Product:	
Distribution among environ- : mental compartments	Remarks: The substance will not evaporate into the atmos- phere from the water surface. Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not ex- pected.
Other adverse effects	
Product:	
Additional ecological infor- : mation	Do not discharge product into the environment without control. The product has not been tested. The statements on ecotoxi- cology have been derived from the properties of the individual components.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues

: Dispose of in accordance with national, state and local regula-



Sikagard-100 CR Part A Formerly MProtect 100CR PTA

Version 2.0	Revision Date: 02/18/2025	SDS Number: 000000261118	Date of last issue: 02/18/2025 Date of first issue: 09/15/2020
		cal or used conta	nate ponds, waterways or ditches with chemi- ainer. e into drains/surface waters/groundwater.
Conta	minated packaging		ackaging should be emptied as far as possible in the same manner as the sub-

SECTION 14. TRANSPORT INFORMATION

UNRTDG UN number Proper shipping name	 : UN 3082 : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (EPOXY RESIN)
Class Subsidiary risk Packing group Labels Environmentally hazardous	: 9 : EHSM : III : 9 (EHSM) : yes
IATA-DGR	
UN/ID No. Proper shipping name	 UN 3082 Environmentally hazardous substance, liquid, n.o.s. (EPOXY RESIN)
Class	: 9
Subsidiary risk	: EHSM
Packing group Labels	: III · Misselleneous Environmentelly bezerdeus
Packing instruction (cargo aircraft)	Miscellaneous, Environmentally hazardous964
Packing instruction (passen- ger aircraft)	: 964
IMDG-Code	
UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (EPOXY RESIN)
Class	(EPOAT RESIN) : 9
Subsidiary risk	: EHSM
Packing group	: III
Labels	: 9 (EHSM)
EmS Code	: F-A, S-F
Marine pollutant	: yes
Trevenest in built coordina	la INO instrumente

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Domestic regulation



Sikagard-100 CR Part A Formerly MProtect 100CR PTA

Version	Revision Date:	SDS Number:	Date of last issue: 02/18/2025
2.0	02/18/2025	00000261118	Date of first issue: 09/15/2020

49 CFR

Not regulated as a dangerous good

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

US State Regulations	
Pennsylvania Right To Know	
Benzyl alcohol	100-51-6
New Jersey Right To Know	
Glass, oxide, chemicals	65997-17-3

California Prop. 65

WARNING: This product can expose you to chemicals including Glass, oxide, chemicals, which is/are known to the State of California to cause cancer, and

1-chloro-2,3-epoxypropane, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

The ingredients of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

SECTION 16. OTHER INFORMATION

Further information

according to the OSHA Hazard Communication Standard



Sikagard-100 CR Part A Formerly MProtect 100CR PTA

Version **Revision Date:** SDS Number: Date of last issue: 02/18/2025 2.0 02/18/2025 000000261118 Date of first issue: 09/15/2020 HMIS® IV: NFPA 704: Flammability HEALTH FLAMMABILITY Health Instability 2 0 **PHYSICAL HAZARD** HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents Special hazard a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-
		its for Air Contaminants
US WEEL	:	USA. Workplace Environmental Exposure Levels (WEEL)
ACGIH / TWA	:	8-hour, time-weighted average
OSHA Z-1 / TWA	:	8-hour, time-weighted average
US WEEL / TWA	:	8-hr TWA

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System: IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumu-

according to the OSHA Hazard Communication Standard



Sikagard-100 CR Part A Formerly MProtect 100CR PTA

Version	Revision Date:	SDS Number:	Date of last issue: 02/18/2025
2.0	02/18/2025	000000261118	Date of first issue: 09/15/2020

lative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date

: 02/18/2025

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN