

FINISHES SELECTION GUIDE

INVITING TEXTURES, INSPIRING COLORS



SENERGY® FINISHES COLOR, TEXTURE & PROTECTION

CREATE THE LOOK AND FEEL YOU WANT WITH A MYRIAD OF TEXTURES AND COLORS FOR

LASTING IMPRESSIONS. Senergy advanced decorative and protective finishes offer the performance that traditional cement-based finishes and paints never could. Performance that protects your home or building through rain and sleet, baking hot sun or the dampness of high humidity. And keeps it looking great for years to come.

CHOOSE A FINISH

SENERFLEX FINISHES

A 100% acrylic polymer-based finish with high solids formulation, Senerflex offers long-term durability and weather resistance. Used over cement-based surfaces, Senerflex is flexible enough to seal existing, non-moving hairline cracks, thereby providing protection against degradation caused by moisture and pollution intrusion. With a harder surface than elastomeric finishes, Senerflex offers excellent abrasion and dirt pick-up resistance.



FINE

Factory-mixed, 100% acrylic polymer finish coat. Available in Senergy's standard colors and custom colors. FINE Finish utilizes uniformly-sized aggregates for a uniform, fine texture.



SAHARA

Factory-mixed, 100% acrylic polymer finish coat. Available in Senergy's standard colors and custom colors. SAHARA Finish provides a uniform, "pebble" appearance.



TEXTURE

Factory-mixed, 100% acrylic polymer finish coat. Available in Senergy's standard colors and custom colors. TEXTURE Finish can achieve a wide variety of free-formed, textured appearances, including stipple and skip-trowel. Note: If a "smooth" application is required, multiple coats and skillful application techniques will be required.



CLASSIC

Factory-mixed, 100% acrylic polymer finish coat. Available in Senergy's standard colors and custom colors. CLASSIC Finish has a medium "worm-holed" appearance which is achieved by the random aggregate sizes in the Finish. The "worm-holed" look can be circular, random, vertical or horizontal.



FINISHES SELECTION GUIDE	Senerflex® Finish	Tersus™ Finish	SikaWall-6230 Chroma	SikaWall-6200 Maxlastic	Senerlastic Plus Finish	Specialty Finishes
128 standard colors, custom colors (Number of textures)	(4)	(4)	See Product Bulletin	(4)		See Product Bulletins
Simulated stone/wood look						•
Integral color	•	•	•	•	•	•
100% acrylic polymer chemistry	•	•	•	•	•	•
Breathable - Doesn't blister, peel or flake	•	•	•	•	•	•
Seals existing, Non-moving cracks	•	•	•	•	•	•
High UV fade resistance Earth tones	•	•	•	•	•	•
High UV fade resistance Intense colors			•			
Increased water repellency and resistance to mold and mildew		•			•	
Anti-soiling technology		•				
Hydrophobic properties						
Elastomeric properties				•	•	
Silicone enhanced					•	
Bridges hairline cracks smaller than 1/32"				•	•	

SENERGY® SPECIALTY FINISHES

100% ACRYLIC POLYMER FINISHES WITH ADVANCED TECHNOLOGY to

improve long-term performance and dirt pick-up resistance on exterior and interior walls. Use to create unique stone-like, metallic or mottled stucco appearance to complement a building's design.



SENERFLEX TERSUS FINISH

Tersus Finish is a line of modified acrylic textured finishes designed to provide excellent water repellency and enhanced resistance to environmental soiling. When rainwater contacts the surface, it beads and carries away dirt, soil and debris in its pathway. The built in anti-soiling properties of the finishes resist dirt and staining, reducing maintenance costs and extending a building's aesthetic appeal.



SIKAWALL®-6260 METALLIC FINISH

Create durable, lightweight metallic panels with SikaWall®-6260 Metallic Finish. Factory-mixed, 100% acrylic polymer finish coat. Metallic Finish has a pearlescent appearance. It utilizes uniformly-sized aggregates for a uniform fine texture. Available in a variety of colors.



SIKAWALL®-6200 MAXLASTIC FINISH

An acrylic-based elastomeric finish that is flexible and weatherproof, specifically designed to protect cement-based substrates with hairline cracks (smaller than 1/32") that may expand and contract due to extreme temperature changes. Maxlastic Finish literally bridges the crack as it widens and returns to its original shape as the crack contracts.



SIKAWALL®-4040 ENCAUSTO VERONA

Achieve an old-world charm with SikWall-4040 Encausto Verona Finish. The factory-mixed, 100% acrylic polymer finish coat utilizes uniformly-sized aggregate to create a free-formed, flat texture, while a mottled look (as shown) can be achieved by combining multiple colors.



SIKAWALL®-4020 GRANITE & STONE FINISH

SikaWall-4020 Granite & Stone Finish provides a classic granite or marble-like textured finish appearance. The factory-mixed, reflective stone finish consists of colored aggregate and large black mica flakes in a 100% acrylic transparent binder.



SENERBRICK

The look of brick can be achieved by using brick finish techniques that utilize special templates and Senergy Acrylic Finishes. Senerbrick surfaces yield the appearance of a wide variety of brick veneers over any Senergy wall system or other approved substrates.



SIKAWALL®-4900 ANTIQUING GLAZE CS

SikaWall-4900 Antiquing Glaze CS produces beautiful aesthetics with varied degrees of mottling, coloration and glaze. The convenient stain or glaze product consists of a 100% acrylic polymer clear base that is distributor tinted.



WOOD GRAIN EFFECT

Create the warm, inviting look of wood panels with Senergy Wood Grain Effect. The finish technique is created with Senerflex Texture Finish – Wood Grain Effect Neutral Gray and two SikaWall-4080 Color Advance Coating finishes.



SIKAWALL®-6230 CHROMA FINISH

Vibrant and bold, high performance colorants integrated into 100% acrylic polymer finishes formulated with advanced technology for superior fade resistance, improved long-term performance and dirt pick-up resistance.



INTONACO FINISH

Intonaco Finish creates an aesthetically pleasing surface color and ultra smooth texture. The 100% acrylic polymer finish coat utilizes a uniformly-sized particle distribution.

PACKAGING

Senerflex, Specialty, Senerflex Tersus and Chroma Finishes 5 gallon pail (19 liter pail)

COVERAGES

Coverage rates may vary depending on the coating texture, porosity of substrate and application techniques. Consult the individual product bulletins for coverage rates, uses, application instructions and limitations.

TECHNICAL INFORMATION

Consult the Sika website at usa.sika.com/senergy or the Technical Services department at (800) 589-1336 for support with assembly details, specifications, product bulletins, or warranties.



Scan the QR code to learn more









Our most current General Sales Conditions shall apply.
Please consult the Data Sheet prior to any use and processing
© 2024 Sika Corporation, 14000833 rev 05/2024

Sika Corporation

201 Polito Avenue Lyndhurst, NJ 07071 USA Customer Service (800) 433-9517 Technical Service (800) 243-6739 usa.sika.com/senergy

