

Version 1.1	Revision Date: 11/01/2021		DS Number:)0000243802	Date of last issue: 12/30/2020 Date of first issue: 12/30/2020	
SECTION	1. IDENTIFICATION				
Prod	uct name	:	ADHESIVE BASI	ECOAT	
Product code		:	0000000056433487		
Man	ufacturer or supplier's	det	ails		
Company name of supplier		:	Sika MBCC US LLC		
Address		:	201 POLITO AVE Lyndhurst NJ 07071		
Emergency telephone		:	ChemTel: +1-813-248-0585		
Recommended use of the c		cher	nical and restricti	ons on use	
Reco	ommended use	:	Adhesives		
Restrictions on use		:	Reserved for industrial and professional use.		

SECTION 2. HAZARDS IDENTIFICATION

ce with the OSHA Hazard Communication Standard (29 CFR
Cotogory 1A
Category 1A
Category 1 (Lungs)
Category 2 (Kidney, Immune system)
Danger
H350 May cause cancer by inhalation. H372 Causes damage to organs (Lungs) through prolonged or repeated exposure if inhaled. H373 May cause damage to organs (Kidney, Immune system) through prolonged or repeated exposure if inhaled.
Prevention:



Version 1.1	Revision Date: 11/01/2021		OS Number: 0000243802	Date of last issue: 12/30/2020 Date of first issue: 12/30/2020			
			P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been and understood. P260 Do not breathe dust. P264 Wash skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P280 Wear protective gloves/ protective clothing/ eye prot face protection.				
			Response: P308 + P313 IF exposed or concerned: Get medical advice/ attention.				
			Storage: P405 Store locked up.				
			Disposal: P501 Dispose of contents/ container to an approved waste disposal plant.				
	r hazards ∋ known.						
SECTION	3. COMPOSITION/IN	NFORM	ATION ON ING	REDIENTS			
Subs	tance / Mixture	:	Mixture				
Chen	nical nature	:	: acrylic resin				

Components

Chemical name	CAS-No.	Concentration (% w/w)				
crystalline silica	14808-60-7	>= 50 - < 70				
Actual concentration is withheld as a trade secret						

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice	t aid personnel should nediately remove conta	pay attention to their own safety. aminated clothing.
If inhaled	ep patient calm, remove /mptoms persist, seek	
In case of skin contact	soap.	sh immediately with plenty of water hould organic solvent be used. medical attention.
In case of eye contact		removed. Hold eyelids open and s of clean, fresh water or a special k medical advice.
If swallowed	nediately rinse mouth a k medical attention.	and then drink 200-300 ml of water,



Vers 1.1	sion	Revision Date: 11/01/2021		0S Number: 0000243802	Date of last issue: 12/30/2020 Date of first issue: 12/30/2020	
				Do not induce vor ter or doctor.	niting unless told to by a poison control cen-	
Most important symptoms and effects, both acute and delayed			:	May cause cancer by inhalation. Causes damage to organs through prolonged or repeated exposure if inhaled. Prolonged or repeated inhalation of respirable crystalline silica (quartz) may result in silicosis.		
	Notes t	o physician	:	Treat symptomati	cally.	
SEC	CTION 5	. FIRE-FIGHTING ME	ASU	IRES		
	Suitabl	e extinguishing media	:	Foam Water spray Dry powder Carbon dioxide (C	:02)	
	Unsuita media	able extinguishing	:	water jet		
	Hazard ucts	lous combustion prod-	:	fumes/smoke harmful vapours Carbon oxides nitrogen oxides carbon black		
	Further	information	:	the fire conditions If exposed to fire, Collect contamina allow to reach sev Contaminated ext	k is governed by the burning substance and keep containers cool by spraying with water. ted extinguishing water separately, do not vage or effluent systems. inguishing water must be disposed of in official regulations.	
		l protective equipment fighters	:	Wear a self-conta	ined breathing apparatus.	

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Avoid dust formation. Do not breathe dust. Ensure adequate ventilation.
Environmental precautions	:	Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.
Methods and materials for containment and cleaning up	:	Pick up with suitable appliance and dispose of. Dispose of absorbed material in accordance with regulations.

SECTION 7. HANDLING AND STORAGE

SAFETY DATA SHEET





Vers 1.1	ion	Revision Date: 11/01/2021		05 Number: 0000243802	Date of last issue: 12/30/2020 Date of first issue: 12/30/2020	
	Advice on protection against fire and explosion		:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dus is formed.		
	Advice on safe handling		:	Avoid formation of respirable particles. Do not breathe vapors/dust. Avoid contact with skin and eyes. For personal protection see section 8. Provide sufficient air exchange and/or exhaust in work rooms		
	Conditions for safe storage		:	Keep container tightly closed in a dry and well-ventilated place. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.		
	Further information on stor- age conditions		:	Keep only in the original container in a cool, dry, well- ventilated place away from ignition sources, heat or flame Protect from direct sunlight.		
	Recom peratur	mended storage tem- e	:	> 39 °F / > 4 °C		
	Further age sta	information on stor- bility	:	PROTECT FROM (BELOW 40°F / 5	1 FREEZING DURING THE COLD-SEASON °C).	

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
crystalline silica	14808-60-7	TWA (Res- pirable dust)	0.05 mg/m3	OSHA Z-1
		TWA (respir- able)	10 mg/m3 / %SiO2+2	OSHA Z-3
		TWA (respir- able)	250 mppcf / %SiO2+5	OSHA Z-3
		TWA (respir- able dust fraction)	0.1 mg/m3	OSHA P0
		TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3 (Silica)	ACGIH
		PEL (respir- able)	0.05 mg/m3	OSHA CARC
		TWA (Res- pirable dust)	0.05 mg/m3 (Silica)	NIOSH REL

Engineering measures : Ensure adequate ventilation.

SAFETY DATA SHEET





Version 1.1	Revision Date: 11/01/2021		lumber: 0243802	Date of last issue: 12/30/2020 Date of first issue: 12/30/2020			
Pers	onal protective equip	ment					
Resp	Respiratory protection		Wear appropriate certified respirator when exposure limits may be exceeded. Use NIOSH approved respiratory protection.				
Hand	d protection						
R	Remarks		Chemical resistant protective gloves. Manufacturer's direc- tions for use should be observed because of great diversity types.				
Eye	Eye protection		Wear safety glasses with side shields or goggles.				
Skin	Skin and body protection		Body protection must be chosen based on level of activity and exposure.				
Prote	Protective measures :		Do not inhale dust/fumes/aerosols. Avoid contact with the skin, eyes and clothing. Avoid exposure - obtain special instructions before use. Handle in accordance with good building materials hygiene and safety practice. Wearing of closed work clothing is recommended.				
Hygi	Hygiene measures :		When using, do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. At the end of the shift the skin should be cleaned and skin- care agents applied. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks).				

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	pasty
Color	:	light gray
Odor	:	slight odour
Odor Threshold	:	not determined
рН	:	9 - 10
Melting point	:	No data available
Boiling point	:	No data available
Flash point	:	does not flash
Evaporation rate	:	No data available

SAFETY DATA SHEET

ADHESIVE BASE COAT



Vers 1.1	sion	Revision Date: 11/01/2021		S Number: 0000243802	Date of last issue: 12/30/2020 Date of first issue: 12/30/2020
	Flamm	ability (solid, gas)	:	not flammable	
		explosion limit / Upper ability limit	:	No data available)
		explosion limit / Lower ability limit	:	No data available	
	Vapor p	oressure	:	No data available	•
	Relativ	e vapor density	:	Heavier than air.	
	Relativ	e density	:	No data available	
	Density	/	:	1.5 - 1.8 g/cm3 (0	68 °F / 20 °C)
	Solubili Wat	ity(ies) er solubility	:	partly miscible (6	68 °F / 20 °C)
	Solu	ubility in other solvents	:	No data available)
	Partitio octanol	n coefficient: n- I/water	:	not applicable for	mixtures
	Autoigr	nition temperature	:	No data available)
	Decom	position temperature	:	No decompositio scribed/indicated	n if stored and handled as pre-
	Viscosi	•		NI 17 11	
	Viso	cosity, dynamic	:	No data available)
	Viso	cosity, kinematic	:	No data available	
	Explosi	ive properties	:	Not explosive	
	Oxidizi	ng properties	:	not fire-propagati	ng
	Self-he	ating substances	:	No data available)
	Sublim	ation point	:	No data available)
	Molecu	llar weight	:	No data available	
	Metal c	corrosion rate	:	No corrosive effe	ct on metal.

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No hazardous reactions if stored and handled as pre- scribed/indicated.
Chemical stability	:	The product is stable if stored and handled as pre-





Vers 1.1	ion Revision Date: 11/01/2021		S Number:)000243802	Date of last issue: 12/30/2020 Date of first issue: 12/30/2020
			scribed/indicated	L
	Possibility of hazardous reac- tions	:	The product is st scribed/indicated	able if stored and handled as pre- l.
	Conditions to avoid	:	See SDS section	7 - Handling and storage.
	Incompatible materials	:	Strong acids Strong bases Strong oxidizing Strong reducing	•
	Hazardous decomposition products	:	No hazardous de as prescribed/inc	ecomposition products if stored and handled licated.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

May cause car IARC	ncer by inhalation. Group 1: Carcinogenic to humans crystalline silica (Silica dust, crystalline)	14808-60-7
OSHA	OSHA specifically regulated carcinogen crystalline silica (crystalline silica)	14808-60-7
NTP	Known to be human carcinogen crystalline silica (Silica, Crystalline (Respirable Size))	14808-60-7

Reproductive toxicity

Not classified based on available information.



last issue: 12/30/2020 first issue: 12/30/2020

ADHESIVE BASE COAT

Version	Revision Date:	SDS Number:	Date of
1.1	11/01/2021	00000243802	Date of

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Causes damage to organs (Lungs) through prolonged or repeated exposure if inhaled. May cause damage to organs (Kidney, Immune system) through prolonged or repeated exposure if inhaled.

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks

: Health injuries are not known or expected under normal use. The product has not been tested. The statements on toxicology have been derived from the properties of the individual components.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Ρ	ro	du	ct:

Ecotoxicology Assessment Acute aquatic toxicity :	This product has no known ecotoxicological effects.
Chronic aquatic toxicity :	This product has no known ecotoxicological effects.
Persistence and degradability	
Product:	
Biodegradability :	Remarks: Taking into consideration the properties of several ingredients, the product is estimated not to be readily biode-gradable according to OECD classification.
Bioaccumulative potential	
Product:	
Bioaccumulation :	Remarks: No data available. Discharge into the environment must be avoided.
Mobility in soil	
No data available	
Other adverse effects	
Product:	
Additional ecological infor- : mation	The product has not been tested. The statements on ecotoxi- cology have been derived from the properties of the individual components.



Version	Revision Date:	SDS Number:	Date of last issue: 12/30/2020
1.1	11/01/2021	000000243802	Date of first issue: 12/30/2020

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods		
Waste from residues	:	Dispose of in accordance with national, state and local regula- tions. Do not discharge into drains/surface waters/groundwater. Do not contaminate ponds, waterways or ditches with chemi- cal or used container.
Contaminated packaging	:	Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the sub- stance/product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.

Not applicable for product as supp

Domestic regulation

49 CFR

Not regulated as a dangerous good

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

US State Regulations

Pennsylvania Right To Know	
crystalline silica	14808-60-7
ammonia	7664-41-7
ammonia, aqueous solution	1336-21-6
New Jersey Right To Know	
crystalline silica	14808-60-7

California Prop. 65

WARNING: This product can expose you to chemicals including crystalline silica, which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.






Version 1.1	Revision Date: 11/01/2021	SDS Number: 000000243802	Date of last issue: 12/30/2020 Date of first issue: 12/30/2020
The i	ngredients of this pr	oduct are reported in	the following inventories:
TSCA	A		bstances in this product are either listed as SCA Inventory or are in compliance with a y exemption.
DSL		: All components	s of this product are on the Canadian DSL

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH NIOSH REL OSHA CARC OSHA P0	:	USA. ACGIH Threshold Limit Values (TLV) USA. NIOSH Recommended Exposure Limits OSHA Specifically Regulated Chemicals/Carcinogens USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants
OSHA Z-3	:	USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts
ACGIH / TWA	:	8-hour, time-weighted average
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
OSHA CARC / PEL	:	Permissible exposure limit (PEL)
OSHA P0 / TWA	:	8-hour time weighted average
OSHA Z-1 / TWA	:	8-hour time weighted average
OSHA Z-3 / TWA	:	8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of



Version	Revision Date:	SDS Number:	Date of last issue: 12/30/2020
1.1	11/01/2021	000000243802	Date of first issue: 12/30/2020

the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development: OPPTS - Office of Chemical Safety and Pollution Prevention: PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 11/01/2021

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN