

PRODUCT DATA SHEET

Sarnafelt

Sarnafelt is a non-woven polyester leveling and/or separation layer

PRODUCT DESCRIPTION

Sarnafelt is a non-woven polyester leveling and/or separation layer provided for use within Sarnafil and Sikaplan roofing systems.

USES

To act as a levelling layer for irregular surfaces and separates the membrane from existing non compatible substrates.

Areas of Application

- Walls
- Curbs
- Substrates

CHARACTERISTICS / ADVANTAGES

N/A

PRODUCT INFORMATION

Chemical Base	Sarnafelt is composed of non-woven unsaturated polyester.
Packaging	Wrapped in clear polyethylene, 70 lbs (31.8 kg) per roll
Appearance / Color	White
Shelf Life	N/A
Storage Conditions	Store Sarnafelt in a cool, dry location away from inclement weather conditions.
Dimensions	Width: 82" (2 m) Length: 135 ft (41.1 m)
Weight	11.0 oz/yd ²

BASIS OF PRODUCT DATA

Results may differ based upon statistical variations depending upon mixing methods and equipment, temperature, application methods, test methods, actual site conditions and curing conditions.

AVAILABILITY/WARRANTY

Availability

From Sika Corporation – Roofing Authorized Applications for use within Sarnafil or Sikaplan systems.

Warranty

Upon successful completion of the installed roof by the Sika Authorized Applicator in compliance with Sika requirements, Sika Corporation will provide a warranty to the Building Owner via the Sika Authorized Applicator.

ENVIRONMENTAL, HEALTH AND SAFETY

For further information and advice regarding transportation, handling, storage and disposal of chemical products, user should refer to the actual Safety Data Sheets containing physical, environmental, toxicological and other safety related data. User must read the current actual Safety Data Sheets before using any products. In case of an emergency, call CHEMTREC at 1-800-424-9300, International 703-527-3887.

APPLICATION INSTRUCTIONS

Sarnafelt is installed by a Sika Sarnafil Authorized Applicator on walls, curbs and deck substrates. Sarnafelt is adhered to substrates with Sarnacol adhesives in adhered roof applications and loose-laid over substrates in mechanically-attached roof applications. Once Sarnafelt has set into the Sarnacol adhesive the Sarnafil membrane is then adhered to the Sarnafelt.

MAINTENANCE

Standard maintenance of Sarnafil or Sikaplan systems should include inspections of flashings, drains, and termination sealants at least twice a year and after each storm.

OTHER RESTRICTIONS

See Legal Disclaimer.

LEGAL DISCLAIMER

- KEEP CONTAINER TIGHTLY CLOSED
- KEEP OUT OF REACH OF CHILDREN
- NOT FOR INTERNAL CONSUMPTION
- FOR INDUSTRIAL USE ONLY
- FOR PROFESSIONAL USE ONLY

Prior to each use of any product of Sika Corporation, its subsidiaries or affiliates ("SIKA"), the user must always read and follow the warnings and instructions on the product's most current product label, Product Data Sheet and Safety Data Sheet which are available at usa.sika.com or by calling SIKA's Technical Service Department at 1-800-933-7452. Nothing contained in any SIKA literature or materials relieves the user of the obligation to read and follow the warnings and instructions for each SIKA product as set forth in the current product label, Product Data Sheet and Safety Data Sheet prior to use of the SIKA product.

SIKA warrants this product for one year from date of installation to be free from manufacturing defects and to meet the technical properties on the current Product Data Sheet if used as directed within the product's shelf life. User determines suitability of product for intended use and assumes all risks. User's and/or buyer's sole remedy shall be limited to the purchase price or replacement of this product exclusive of any labor costs. **NO OTHER WARRANTIES EXPRESS OR IMPLIED SHALL APPLY INCLUDING ANY WARRANTY OF**

Product Data Sheet

Sarnafelt

December 2024, Version 04.03

020945051050000010



MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. SIKA SHALL NOT BE LIABLE UNDER ANY LEGAL THEORY FOR SPECIAL OR CONSEQUENTIAL DAMAGES. SIKA SHALL NOT BE RESPONSIBLE FOR THE USE OF THIS PRODUCT IN A MANNER TO INFRINGE ON ANY PATENT OR ANY OTHER INTELLECTUAL PROPERTY RIGHTS HELD BY OTHERS.

Sale of SIKA products are subject to the Terms and Conditions of Sale which are available at <https://usa.sika.com/en/group/SikaCorp/termsandconditions.html> or by calling 1-800-933-7452.

Sika Corporation

201 Polito Avenue
Lyndhurst, NJ 07071
Phone: +1-800-933-7452
Fax: +1-201-933-6225
usa.sika.com



Product Data Sheet

Sarnafelt
December 2024, Version 04.03
020945051050000010

Sarnafelt-en-US-(12-2024)-4-3.pdf

